

Women

11.12



WOMEN TECHNOLOGY

A woman's center-of-gravity is lower and further back than man's center-of-gravity. Forward mounting position changes the female skiers' stance on the ski and makes the ski lighter for better balance and control.

POSITION, BALANCE


FORWARD MOUNTING ZONE

The binding mounting position is 10mm forward on the ski to accommodate women skiers' natural center of gravity.



POWER RAMP

Power ramp is a women's-specific interface engineered to raise the heel to help adapt to women skiers lower center of gravity.



COMFORT

LINEN COMPLEX

An eco-friendly fiber composite layer under the topsheet reduces ski vibrations and improves snow contact.



SYSTEMS

All the systems used in our women's skis are designed specifically for women. The Saphir binding has a shorter interface making it one of the lightest on the market.



WTPI²

Women Twin Pulsion Integral: a tool-free system offering comfort and precision. A control beam, combined with Twin VAS (Visco Material) for absorption, facilitates rebound and directs pressure to tip and tail for a smooth ride. The tool-free binding simply slides on to the integrated TPI system for easy adjustment.



WZIP

Women ZIP: Comfort & Lightness. The tool-free binding simply slides on to the integrated track system for easy adjustment.





ECHO FOR LIFE

For us the mountains are a source of inspiration and fulfillment. So, we strive to reduce our carbon footprint to help maintain a healthy winter environment. This is why, following the introduction of the first linen fiber ski, we've extended our "Echo for Life" program. Today, almost 20 percent of the women's skis we sell are "Echo for Life" models.



NATURAL MATERIALS

10% of the skis fibers are natural linen, which takes less water to grow and has less of an environmental effect. The core uses a light poplar wood harvested by the factory from sustainable wood, grown in renewable tree farms.



CUTTING DOWN ON MATERIALS

50% less inks used.



RECYCLED MATERIALS

Base made from 25% recycled material.



LOCAL PRODUCTION

Linen and Wood produced locally to decrease harmful transportation effect on environment.



CONTROLLED PRODUCTION TOOLS


Products manufactured in a factory with ISO14001 certification.



Attraxion

The Attraxion series brings groomers to life with exhilarating carved turn ability and confident stability at speed. Natural, rich graphics with zen overtones inspire an emotional link to the environment, particularly on the Echo models with linen fibers. Attraxion delivers versatility, ease-of-use and performance for every lift-service woman skier.

POWER TURN



CAMBER 100% / HIGH CAMBER



Profile



ATTRAXION 8 ECHO

- SIDECUT: 127-75-108
- RADIUS: 12.8 m - 162
- SIZE: 146 - 154 - 162

- **PROFILE CONCEPT**
TECHNOLOGY: POWER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: OVERSIZE
- **SYSTEM:** TPX
- **STRUCTURE**
CONSTRUCTION: IPS CONCAVE
CORE: FIBERGLASS - WOOD
COMPLEX: LINEN FIBER
- **TIP PROTECTOR:** BI MATERIAL

RA11L01	ATTRAXION 8 ECHO TPX
RC1B040	SAPHIR 110L TPI2
RR1011L	



Profile

POWER TURN

OVERSIZE SIDECUT

IPS CONCAVE

COMPLEX LINEN

ATTRAXION 6 ECHO

- SIDECUT: 120-72-100
- RADIUS: 13 m - 154
- SIZE: 146 - 154 - 162

- **PROFILE CONCEPT**
TECHNOLOGY: POWER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: OVERSIZE
- **SYSTEM:** WTP12
- **STRUCTURE**
CONSTRUCTION: IPS CONCAVE
CORE: FIBERGLASS - WOOD + BASALT
COMPLEX: LINEN FIBER
- **TIP PROTECTOR:** BI MATERIAL

RA1EG03	ATTRAXION 6 ECHO WTP12
RC1B043	SAPHIR 110S TPI2
RR110EG	



Profile

POWER TURN

OVERSIZE SIDECUT

IPS CONCAVE

COMPLEX LINEN

ATTRAXION 3 ECHO

- SIDECUT: 120-72-100
- RADIUS: 13 m - 154
- SIZE: 146 - 154 - 162

- **PROFILE CONCEPT**
TECHNOLOGY: POWER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: OVERSIZE
- **SYSTEM:** WTP12
- **STRUCTURE**
CONSTRUCTION: IPS CONCAVE
CORE: FIBERGLASS - WOOD
COMPLEX: LINEN FIBER
- **TIP PROTECTOR:** BI MATERIAL

RA1EG04	ATTRAXION 3 ECHO WTP12
RC1B042	SAPHIR 110S TPI2
RR105EG	



Profile

POWER TURN

OVERSIZE SIDECUT

IPS CONCAVE

BASALT FIBER

ATTRAXION 3S

- SIDECUT: 120-72-100
- RADIUS: 13 m - 154
- SIZE: 146 - 154 - 162

- **PROFILE CONCEPT**
TECHNOLOGY: POWER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: OVERSIZE
- **SYSTEM:** WTP12
- **STRUCTURE**
CONSTRUCTION: IPS CONCAVE
CORE: FIBERGLASS - WOOD
COMPLEX: BASALT
- **TIP PROTECTOR:** BI MATERIAL

RA1EG05	ATTRAXION 3S WTP12
RC1B043	SAPHIR 110S TPI2
RR106EG	



Attraxion

Frontside all-mountain skis for intermediate to entry level woman skiers. Stable, light to simply enjoy skiing.

POWER TURN ⚡



CAMBER 100% / HIGH CAMBER



Profile

POWER TURN ⚡

OVERSIZE SIDECUT

IPS CONCAVE

ATTRAXION 1 WTPi2

- SIDECUT: 120-72-100
- RADIUS: 13 m - 154
- SIZE: 146 - 154 - 162

- **PROFILE CONCEPT**
TECHNOLOGY: POWER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: OVERSIZE
- **SYSTEM:** WTPi2
- **STRUCTURE**
CONSTRUCTION: IPS CONCAVE
CORE: FIBERGLASS - WOOD
- **TIP PROTECTOR:** BUMPER

RA1EG07	ATTRAXION 1 WTPi2
RC1B044	SAPHIR 90S TPI2
RR107EG	



Profile

POWER TURN ⚡

OVERSIZE SIDECUT

IPS CONCAVE

ATTRAXION 15
WTPI2

- SIDECUT: 120-72-100
- RADIUS: 13 m - 154
- SIZE: 146 - 154 - 162

- **PROFILE CONCEPT**
TECHNOLOGY: POWER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: OVERSIZE
- **SYSTEM:** TPI2
- **STRUCTURE**
CONSTRUCTION: IPS CONCAVE
CORE: FIBERGLASS - WOOD
- **TIP PROTECTOR:** BUMPER

RA1EG08	ATTRAXION 15 WTPI2
RC1B045	SAPHIR 90S TPI2
RR109EG	



Profile

POWER TURN ⚡

EASYDRIVE SIDECUT

ATTRAXION
LTD

- SIDECUT: 120-72-100
- RADIUS: 14 m-165
- SIZE: 146 - 152 - 158 - 165

- **PROFILE CONCEPT**
TECHNOLOGY: POWER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: EASYDRIVE
- **SYSTEM:** WTPI2 / WZIP
- **STRUCTURE**
CONSTRUCTION: CAP
CORE: FIBERGLASS - INJECTED
- **TIP PROTECTOR:** INOX

RA1VJ07	ATTRAXION LIMITED WTPI2
RC1B044	SAPHIR 90S TPI2
RR109VJ	
RA1VJ09	ATTRAXION LIMITED WZIP
RC1C036	ZIP SAPHIR 100S
RR110VJ	



Profile

POWER TURN ⚡

EASYDRIVE SIDECUT

ATTRAXION
WTPI2

- SIDECUT: 116-72-100
- RADIUS: 12,8 m - 162
- SIZE: 132 - 142 - 152 - 162

- **PROFILE CONCEPT**
TECHNOLOGY: POWER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: EASYDRIVE
- **SYSTEM:** WTPI2
- **STRUCTURE**
CONSTRUCTION: CAP
Core: FIBERGLASS - WOOD
- **TIP PROTECTOR:** BUMPER

RA1JV09	ATTRAXION WTPI2
RC1B045	SAPHIR 90S TPI2
RR109JV	



Profile

POWER TURN ⚡

EASYDRIVE SIDECUT

ATTRAXION
LIGHT WZIP

- SIDECUT: 115-70-98
- RADIUS: 13,4 m - 154
- SIZE: 146 - 154 - 162

- **PROFILE CONCEPT**
TECHNOLOGY: POWER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: EASYDRIVE
- **SYSTEM:** WZIP
- **STRUCTURE**
CONSTRUCTION: CAP
CORE: FIBERGLASS - WOOD
- **TIP PROTECTOR:** BUMPER

RA1JK03	ATTRAXION LIGHT WZIP
RC1C036	ZIP SAPHIR 100S
RR103JK	




Temptation

Let the entire mountain Tempt you. This brand new breed of all mountain skis will take you everywhere, in any condition. Featuring Auto Turn's 70% camber underfoot with extended sidecut, you'll experience mind-blowing edge-grip and stability on hard snow. Meanwhile 30% tip and tail rocker and Cascade tip gives impressive speed control and easy maneuverability whether carving on groomers or dancing in the trees.



CAMBER 70% / HIGH CAMBER **ROCKER 30% / LOW ROCKER**



- Profile
- AUTO TURN
 - CASCADE TIP TECHNOLOGY
 - EXTENDED SIDECUT



- Profile
- AUTO TURN
 - CASCADE TIP TECHNOLOGY
 - EXTENDED SIDECUT
 - BASALT FIBER

TEMPTATION 88 OPEN

- SIDECUT: 135-88-124
- RADIUS: 15 m - 170
- SIZE: 154 - 162 - 170

- **PROFILE CONCEPT**
TIP: CASCADE TIP
TECHNOLOGY: AUTO TURN
CAMBER: 70%
ROCKER: 30%
HIGH CAMBER / LOW ROCKER
SIDECUT: EXTENDED
- **SYSTEM:** OPEN
- **STRUCTURE**
CONSTRUCTION: MINICAP SANDWICH
CORE: FIBERGLASS - WOOD
- **TIP PROTECTOR:** INOX

RA1EH03	TEMPTATION 88 OPEN
RC1A021	AXIUM 120L
RR103EH	

TEMPTATION 82 WTP12

- SIDECUT: 131-82-119
- RADIUS: 14 m - 168
- SIZE: 144 - 152 - 160 - 168

- **PROFILE CONCEPT**
TIP: CASCADE TIP
TECHNOLOGY: AUTO TURN
CAMBER: 70%
ROCKER: 30%
HIGH CAMBER / LOW ROCKER
SIDECUT: EXTENDED
- **SYSTEM:** WTP12
- **STRUCTURE**
CONSTRUCTION: CENTRAL DUALTEC
CORE: FIBERGLASS - WOOD
COMPLEX: BASALT
- **TIP PROTECTOR:** INOX

RA1EJ03	TEMPTATION 82 WTP12
RC1B041	SAPHIR 110L TPI2
RR103EJ	



Profile

AUTO TURN

CASCADE TIP TECHNOLOGY

EXTENDED SIDECUT

BASALT FIBER

Profile

AUTO TURN

CASCADE TIP TECHNOLOGY

EXTENDED SIDECUT

Profile

AUTO TURN

CASCADE TIP TECHNOLOGY

EXTENDED SIDECUT

Profile

AUTO TURN

CASCADE TIP TECHNOLOGY

EXTENDED SIDECUT

TEMPTATION 82 OPEN

- SIDECUT: 131-82-119
- RADIUS: 14 m - 168
- SIZE: 144 - 152 - 160 - 168

- **PROFILE CONCEPT**
TIP: CASCADE TIP
TECHNOLOGY: AUTO TURN
CAMBER: 70%
ROCKER: 30%
HIGH CAMBER / LOW ROCKER
SIDECUT: EXTENDED
- **SYSTEM:** OPEN
- **STRUCTURE**
CONSTRUCTION: CENTRAL DUALTEC
CORE: FIBERGLASS - WOOD
COMPLEX: BASALT
- **TIP PROTECTOR:** INOX

TEMPTATION 78 WTPi2

- SIDECUT: 122-78-112
- RADIUS: 15,4 m - 166
- SIZE: 142 - 150 - 158 - 166 - 174

- **PROFILE CONCEPT**
TIP: CASCADE TIP
TECHNOLOGY: AUTO TURN
CAMBER: 70%
ROCKER: 30%
HIGH CAMBER / LOW ROCKER
SIDECUT: EXTENDED
- **SYSTEM:** TPI2
- **STRUCTURE**
CONSTRUCTION: CENTRAL DUALTEC
CORE: FIBERGLASS - WOOD
- **TIP PROTECTOR:** INOX

TEMPTATION 74 WTPi2

- SIDECUT: 120-74-110
- RADIUS: 15,2 m - 166
- SIZE: 136 - 146 - 156 - 166

- **PROFILE CONCEPT**
TECHNOLOGY: AUTO TURN
CAMBER: 70%
ROCKER: 30%
HIGH CAMBER / LOW ROCKER
SIDECUT: EXTENDED
- **SYSTEM:** TPI2
- **STRUCTURE**
CONSTRUCTION: CAP
CORE: FIBERGLASS - WOOD
- **TIP PROTECTOR:** INOX

TEMPTATION 74 LIGHT WZIP

- SIDECUT: 120-74-110
- RADIUS: 15,2 m - 166
- SIZE: 136 - 146 - 156 - 166

- **PROFILE CONCEPT**
TECHNOLOGY: AUTO TURN
CAMBER: 70%
ROCKER: 30%
HIGH CAMBER / LOW ROCKER
SIDECUT: EXTENDED
- **SYSTEM:** ZIP
- **STRUCTURE**
CONSTRUCTION: CAP
CORE: FIBERGLASS - WOOD
- **TIP PROTECTOR:** INOX

RA1EJ04	TEMPTATION 82 OPEN
RC1A033	SAPHIR 110L
RR104EJ	

RA1EM02	TEMPTATION 78 WTPi2
RC1B041	SAPHIR 110L TPI2
RR104EM	

RA1EB04	TEMPTATION 74 WTPi2
RC1B046	SAPHIR 90S TPI2
RR104EB	

RA1EB05	TEMPTATION 74 LIGHT WZIP
RC1C038	ZIP SAPHIR 100L
RR108EB	



S-Series

Specifically built skis for female big-mountain riders, backcountry enthusiasts or even typical advanced skiers who love exploring the whole mountain. These award-winning freeride skis are game changers! Effortless floatation and tracking provide easy steering and instant speed control. Adventurous expert women to the proficient resort skier will conquer terrain and conditions they never thought possible.

POWDER
TURN 



CAMBER 50% / LOW CAMBER **ROCKER 50% / HIGH ROCKER**



Profile

POWDER
TURN 

SPOON TIP
Technology

CENTERED SIDE CUT



S7 WOMEN

- SIDECUT: 140-110-118
- RADIUS: 14,8 m - 178
- SIZE: 168 - 178

• PROFILE CONCEPT

TIP: SPOON TIP
TECHNOLOGY: POWDER TURN
CAMBER: 50%
ROCKER: 50%
LOW CAMBER / HIGH ROCKER
SIDECUT: CENTERED

• SYSTEM: OPEN

• STRUCTURE

CONSTRUCTION: RECTANGULAR SANDWICH
CORE: FIBERGLASS - WOOD
COMPLEX: KEVLAR CARBON

RA1QC03	S7 WOMEN
RC1A012	AXIAL2 120XXL
RR102QC	



Profile

POWDER TURN

SPOON TIP
TECHNOLOGY

CENTERED SIDECUT

S3 WOMEN

- SIDECUT: 124-96-114
- RADIUS: 17,5 m - 168
- SIZE: 159-168

- **PROFILE CONCEPT**
TIP: SPOON TIP
TECHNOLOGY: POWDER TURN
CAMBER: 50%
ROCKER: 50%
LOW CAMBER / HIGH ROCKER
SIDECUT: CENTERED
- **SYSTEM: OPEN**
- **STRUCTURE**
CONSTRUCTION: MINICAP SANDWICH
CORE: FIBERGLASS - WOOD

RA15V02	S3 WOMEN
RC1A020	
RR103SV	AXIUM 120XL



Profile

POWDER TURN

CENTERED SIDECUT

S2 WOMEN

- SIDECUT: 120-90-113
- RADIUS: 16,4 m - 160
- SIZE: 140 - 150 - 160 - 170

- **PROFILE CONCEPT**
TECHNOLOGY: POWDER TURN
CAMBER: 50%
ROCKER: 50%
LOW CAMBER / HIGH ROCKER
SIDECUT: CENTERED
- **SYSTEM: OPEN**
- **STRUCTURE**
CONSTRUCTION: MINICAP SANDWICH
CORE: FIBERGLASS - WOOD

RA15G02	S2 WOMEN
RC1A033	
RR103SG	SAPHIR 110L



Profile

POWER TURN

JIB TIP
TECHNOLOGY

EXTENDED SIDECUT

TRIXIE JIB

- SIDECUT: 110-80-103
- RADIUS: 14,6 m - 148
- SIZE: 138 - 148 - 158 - 168

- **PROFILE CONCEPT**
TIP: JIB TIP
TECHNOLOGY: POWDER TURN
CAMBER: 100%
HIGH CAMBER
SIDECUT: EXTENDED
- **SYSTEM: OPEN**
- **STRUCTURE**
CONSTRUCTION: MINICAP
CORE: FIBERGLASS - WOOD

RA15P02	TRIXIE JIB
RC1A033	
RR102SP	SAPHIR 110L