

HI-TECH EMOTION VOL.2





HI-TECH EMOTION VOL.2

Volume 2 represents the next level of innovative solutions for technology and performance in skiing. Blizzard's unique IQ System has been optimized across the board. Possible areas of implementation are limitless, including Alpine, Junior, Freeride and Rental, making the IQ System an INTELLIGENT EQUIPMENT. The proven combination of the IQ System with both Powerframe and Sidewall Technologies is utilized throughout the 2009-10 collection. Conclusion: Intelligent Equipment powered by Blizzard



SYSTEM



JUNIOR



MAX



CENTER MOVE





RACE

6



G-FORCE

11



MAGNUM

15



VIVA

19



CRS

23



26

TITAN



31

THE SEARCH



35

MOUNTAIN



39

RENTAL



44

JUNIOR



BINDINGS 49

BAGS 56

SKI POLES 58

TARGET GROUP MATRIX 59


TECHNICAL OVERVIEW 60

TABLE OF CONTENTS



RACE

The ultimate tools for athletes and advanced skiers who like speed and gravity on the course. Developed by Blizzard World Cup Team Members, like Reinfried Herbst, the new Blizzard Race skis are faster than ever before, made for life on the edge. Superior performance and control, stability, optimum edge grip, speed and quickness are trademarks of the Blizzard Race models.




TECHNOLOGY



IQ System – Direct Power Transmission

- highest carving performance
- stabile edge grip
- less fatigue



Race Powerframe

- maximum edge grip
- highest power transmission and stability
- very dynamic



IQ Sandwich Compound Sidewall Construction

- IQ Power Transmitter
- Sidewall
- Powerframe
- Wood Core
- Magnesium Top + Bottom Layer

RACE



SL MAGNESIUM



CHARACTERISTICS

Blizzard's all new slalom weapon for those who like to race their skis around corners. Extraordinary edge grip and direct transmission of power for fast, serpentine lines down the mountain. This highly specialized high-tech ski for short and quick turns has an incomparable urge to race curves – the result of world-cup tested components.

LENGTHS (cm)
155 / 165

SIDECUT (mm)
Top Secret
Radius 13,0 m / 13,0 m

CONSTRUCTION
Sandwich Compound Sidewall – FIS
Magnesium, Wood Core

BINDING
Comp 20.0 EPS
TC 14 Race

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race



GS MAGNESIUM



CHARACTERISTICS

This ski is made for those who think that Giant Slalom is the only way to race on „Planet Ski“. This state-of-the-art racing ski utilizes Sandwich Magnesium Technology for the most demanding requirements in the most technically-challenging discipline. This ski is powered by magnesium – the wood core is reinforced by high-strength, lightweight aluminum alloy. Unlimited performance in medium and long radius turns. Excellent ski control in all phases of a turn, precise turn control, direct transmission of power and perfect edge grip at high speeds.

LENGTHS (cm)
177, 182 / 185, 192

SIDECUT (mm)
Top Secret
Radius 25,0 m / 27,0 m

CONSTRUCTION
Sandwich Compound Sidewall - FIS
Magnesium, Wood Core

BINDING
Comp 20.0 EPS
TC 14 Race

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

RACE



SLR MAGNESIUM IQ



CHARACTERISTICS

Made for athletes who like to go fast: This ski sets the benchmark in terms of agility and edge control. The SLR is Blizzards most versatile race weapon. Powerframe Technology provides precise and instant rebound for maximum control. The integrated IQ Binding System enables perfect flex and edge grip. High-strength magnesium layers provide confidence at high speeds.

LENGTHS (cm)
153, 160, 167, 174

SIDECUT (mm)
121 / 68 / 105
Radius 13,5 m (167 cm)

CONSTRUCTION
IQ Sandwich Compound Sidewall
Magnesium, Wood Core

BINDING
IQ-HP 14 TT black
IQ-HP 12 TT white
IQ Centermove

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race



GSR MAGNESIUM IQ



CHARACTERISTICS

High-end performance of professional World Cup Skis in combination with the IQ System and Powerframe Technology. This ski is inspired by racing enthusiasts. With excellent stability at high speeds, dynamic and precise power transmission and an unbelievable rebound off the edge.

LENGTHS (cm)
167, 174, 181

SIDECUT (mm)
113 / 68 / 97
Radius 17,5 m (174 cm)

CONSTRUCTION
IQ Sandwich Compound Sidewall
Magnesium, Wood Core

BINDING
IQ-HP 14 TT black
IQ-HP 12 TT white
IQ Centermove

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

RACE

RACE



RCS IQ



CHARACTERISTICS

This ski is a tamed racer: Designed for the athletic skier who likes a confident partner on the slopes when skiing at medium to higher speeds. The unique IQ System allows the RCS to turn easily. Smooth and agile, with dynamic but controlled rebound based on the revolutionary Blizzard Powerframe Technology. Great performance, versatile and easy to turn; forgiving due to its softer flex.

LENGTHS (cm)

153, 160, 167, 174

SIDECUT (mm)

121 / 68 / 105
Radius 13,5 m (167 cm)

CONSTRUCTION

IQ Sandwich Compound Sidewall
Carbon, Wood Core

BINDING

IQ-SP 11 white
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



RCC IQ



CHARACTERISTICS

A ski made for those who like easy skiing at higher speed. The unique IQ System allows easy turning. The RCC is smooth and agile with dynamic rebound, based on the revolutionary Blizzard Powerframe Technology. Maximum performance with great versatility and turning ease are in its genetic code.

LENGTHS (cm)

153, 160, 167, 174

SIDECUT (mm)

120 / 71 / 104
Radius 14,0 (167 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Integral Wood Profile Core

BINDING

IQ-LT 10 white
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



G-FORCE

Centrifugal force has never been so strong: the G-Force line allows for versatile skiing, pleasure and fun. Aggressive front side, all mountain, where maximum speed meets maximum versatility and maximum control – centrifugal forces have never been felt so directly. The G-Force Series is suitable for all types of skiers – from ambitious, athletic professionals to enjoyment-oriented leisure skiers.

G-FORCE

G-FORCE



TECHNOLOGY


IQ System – Free Flex Curve

- constant edge grip
- perfect control
- lively, snappy ski performance



Performance Powerframe

- dynamic rebound
- perfect energy storage and recoil
- snappy, lively response



IQ Sandwich Compound Sidewall Construction

- IQ Power Transmitter
- Sidewall
- Powerframe
- Wood Core
- Magnesium Top + Bottom Layer



G-FORCE

G-F

G-FORCE SUPERSONIC IQ



CHARACTERISTICS

The Supersonic is a master in its own class. It combines the latest Blizzard technologies in one ski: Powerframe Technology with Sidewall Construction and IQ System guarantee energy, quickness and stability – you won't want to ski anything else. With the modulated sidecut, short and long turns are more fun than ever before. Great in all snow conditions. It's awesome from edge-to-edge.

LENGTHS (cm)

160, 167, 174, 181

SIDECUT (mm)

123 / 72 / 105
Radius 15,5 m (174 cm)

CONSTRUCTION

IQ Sandwich Compound Sidewall
Magnesium, Wood Core

BINDING

IQ-HP 14 TT black
IQ-HP 12 TT black
IQ Centermove

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race



G-FORCE SONIC IQ



CHARACTERISTICS

The IQ Binding System and the Powerframe are the control center of this easy but powerful ski. Handling and fun are its strongest characteristics: It distributes pressure evenly while turning and allows for a solid ride, sweet and clean on the edge.

LENGTHS (cm)

160, 167, 174, 181

SIDECUT (mm)

121 / 68 / 105
Radius 14 m (174 cm)

CONSTRUCTION

IQ Sandwich Compound Sidewall
Titanium, Wood Core

BINDING

IQ-HP 14 TT black
IQ-HP 12 TT white
IQ Centermove

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race



G-FORCE

G-FORCE

G-F



color variation

G-FORCE G-PRO IQ



CHARACTERISTICS

The G-Force G-Pro has it all: Sidewall + Powerframe Technology, wood core, and two sheets of carbon. It is easy to steer, strong and predictable. Made for the intermediate skier who loves medium to long radius turns and wants a ski that never lets them down. Controlled rebound and slightly softer set-up make this ski a loveable racer.

LENGTHS (cm)

160, 167, 174, 181

SIDECUT (mm)

121 / 72 / 103

Radius 14,5 m (167 cm)

CONSTRUCTION

IQ Sandwich Compound Sidewall
Carbon, Wood Core

BINDING

IQ-SP 11 black

IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



color variation

G-FORCE G-THREE IQ



CHARACTERISTICS

Prepare for serious carving with Powerframe and Sidewall Technology in every condition a slope can offer. The G-Three lets you experience pure fun on skis. This is smooth and playful skiing at its best. The 71 mm waist is just wide enough to let you play all day long – on perfectly groomed slopes in the morning and on moguls in the afternoon.

LENGTHS (cm)

153, 160, 167, 174

SIDECUT (mm)

120 / 71 / 104

Radius 14,0 m (167 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Integral Wood Profile Core

BINDING

IQ-LT 10 white/black

IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



MAGNUM

Versatile, strong and ready to move in every skiing condition. The Blizzard Magnum Series is all about skiing – the ultimate tool for those who need a reliable partner in the backcountry and a top performer on the slopes at the same time. The Blizzard Magnum is the perfect choice for multi-condition skiers. Aggressive front-side and medium-wide body constructions with a 74 mm – 87 mm waist make the Magnum the most versatile ski you have ever been on. The new IQ-Max Binding System makes it more precise than ever before. Made for adventurers on skis – from ambitious, athletic professionals to enjoyment-oriented leisure skiers.

MAGNUM



TECHNOLOGY


IQ-MAX

- MAXimum edge grip
- MAXimum variability and versatility
- MAXimum compatibility and integration




All-Mountain Powerframe

- flexible suspension control
- perfect balance and round flex
- perfect adjustment to every ski situation and slope/terrain condition



IQ-MAX Sandwich Compound Sidewall Construction

- IQ Power Transmitter
- Sidewall
- Powerframe
- Wood Core
- Titanium Top + Bottom Layer



MAGNUM

MA

MAGNUM 8.7 IQ-MAX



CHARACTERISTICS

Never worry about skiing conditions again. The Magnum 8.7 IQ-MAX can handle anything. This remarkably versatile ski employs a sturdy construction for those who want to explore the off-piste on their favorite mountain, if it's powder, tracked or even groomed. The Sidewall Construction is seamlessly merged into Blizzard's unique brand-new IQ-MAX System. The Powerframe Technology and development of the 3D suspension control allows the ski to flex smoothly in all snow conditions. The result is reliability with power and edge grip.

LENGTHS (cm)
167, 174, 181

SIDECUT (mm)
128 / 87 / 113
Radius 18,5 m (174 cm)

CONSTRUCTION
IQ-MAX Sandwich Compound
Sidewall - Magnesium, Wood Core

BINDING
IQ-MAX 14 TT black CM
IQ-MAX 12 TT black CM
IQ-MAX Slider

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

MAGNUM 8.1 IQ-MAX



CHARACTERISTICS

Blizzard updates its line by incorporating top construction throughout - and the Magnum 8.1 IQ-MAX is the latest to benefit. The IQ-MAX System results in perfect power transmission, its Sidewall Construction bringing gripping power to these higher-end skis. Together with Powerframe Technology, this blend results in incomparable versatility.

LENGTHS (cm)
158, 165, 172, 179

SIDECUT (mm)
123 / 81 / 108
Radius 17,0 m (172 cm)

CONSTRUCTION
IQ-MAX Sandwich Compound
Sidewall - Titanium, Wood Core

BINDING
IQ-MAX 14 TT black CM
IQ-MAX 12 TT black CM
IQ-MAX Slider

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

MAGNUM 8.1 IQ



CHARACTERISTICS

Blizzard shows that only one ski is needed to enjoy back country skiing and cruising on groomed slopes. The latest evidence is the Magnum 8.1 IQ. The 81 mm waist allows for good floating, while Powerframe Technology adds extra stability when taking the ski on the edge. The Sidewall Construction puts power in every turn of these high end skis. Versatility at its best.

LENGTHS (cm)
158, 165, 172, 179

SIDECUT (mm)
123 / 81 / 108
Radius 17,0 m (172 cm)

CONSTRUCTION
IQ Sandwich Compound Sidewall
Titanium, Wood Core

BINDING
IQ-HP 12 TT black
IQ Centermove

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

MAGNUM

MIA

MAGNUM 7.6 IQ



CHARACTERISTICS

The 7.6 IQ is Blizzard's medium-sized mid-fat ski. 76 mm under foot guarantees a lively ski with well balanced qualities on hard pack or soft crud in the afternoon. The IQ System and Powerframe Technology allow for outstanding versatility and rebound energy. The Sidewall Construction gives stability at speed and is extremely forgiving if you take it to the moguls.

LENGTHS (cm)

156, 163, 170, 177

SIDECUT (mm)

124 / 76 / 107
Radius 15,0 (170 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Carbon, Integral Wood Profile Core

BINDING

IQ-SP 11 black
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race

color variation

MAGNUM 7.4 IQ



CHARACTERISTICS

The Magnum 7.4 IQ is the perfect choice for those who love skiing hard pack but like exploring off piste terrain or more challenging slopes. This all mountain model excels with its Powerframe Technology, IQ System and new Sidewall Construction. Excellent carving characteristics blended with solid off piste performance.

LENGTHS (cm)

149, 156, 163, 170

SIDECUT (mm)

121 / 74 / 104
Radius 14,0 (163 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Integral Wood Stringer Core

BINDING

IQ-LT 10 black/white
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race

VIVA

The Blizzard Viva line stands for athletic, stylish and effortless skiing. As spirited as the new impressive design, as enthusiastic as its performance, as formidable as fashionable; the bottom line is outstanding ski equipment, designed for women, it boasts a lighter weight, adapted flex and an adjustable standing position. For today's athletic, confident female skier who wants technology that also enables them to bring both appearance and their own individual skiing-style together. Spans from versatile all-mountain cruising to athletic front-side carving. Viva is synonymous for multi-faceted women's skis.

VIVA

VIVA



TECHNOLOGY

IQ System – Lightweight Construction

- better swing weight
- less fatigue
- easy to carry



Double Inserts

- adjustable women standing position
- multi-use
- high grade



IQ Sandwich Compound Sidewall Light Construction

- IQ Power Transmitter
- Light Wood Core
- Sidewall
- Powerframe
- Titanium Top + Bottom Layer



VIVA

VIVA

VIVA SONIC IQ



CHARACTERISTICS

The Viva Sonic IQ is fully equipped with the latest innovative technological features as well as the same high end quality as the unisex model. Powered by the IQ System, a Sidewall Construction and Powerframe Technology you might expect an unforgiving taskmaster that only top female athletes can admire. But you'd be surprised: an awesome balance of power and quickness combined with the light wood core, energy and forgiveness make this model remarkably manageable when you don't feel like proving anything.

LENGTHS (cm)

153, 160, 167

SIDECUT (mm)

119 / 68 / 103
Radius 12,5 m (160 cm)

CONSTRUCTION

IQ Sandwich Compound Sidewall
Titanium, Light Wood Core

BINDING

IQ-SP 11 white
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race

VIVA G-PRO IQ



CHARACTERISTICS

The Viva G-Pro has it all: an extremely light wood core, Sidewall plus Powerframe Technology, as well as two binding mounting-positions. It is easy to steer, strong and predictable. Made for the intermediate skier who loves medium to long radius turns and wants a ski that will never let them down. A controlled rebound and a slightly softer set-up make this ski a loveable racer.

LENGTHS (cm)

153, 160, 167

SIDECUT (mm)

119 / 68 / 103
Radius 12,5 m (160 cm)

CONSTRUCTION

IQ Sandwich Compound Sidewall
Carbon, Light Wood Core

BINDING

IQ-SP 11 Viva
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race

VIVA

VIVA

VIVA G-THREE IQ



CHARACTERISTICS

Designed for balanced carving with Powerframe Technology and wood core construction, the Viva G-Three lets you experience pure joy. The IQ System and light construction guarantee buttery-smooth flex allowing predictable medium and long-radius turns. The 70 mm waist is just wide enough to be consistently playful and surprisingly good even in crud.

LENGTHS (cm)

146, 153, 160, 167

SIDECUT (mm)

118 / 71 / 102
Radius 13,0 m (160 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Integral Wood Profile Core

BINDING

IQ-LT 10 Viva
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race

VIVA MAGNUM 7.6 IQ



CHARACTERISTICS

The Viva Magnum 7.6 IQ is Blizzard's medium-sized mid-fat ski. 76 mm under foot guarantee for a lively ski with well balanced qualities on hard pack or soft crud in the afternoon. Blending women's specific technologies with the IQ System and Powerframe Technology allow for outstanding versatility and rebound energy. The Sidewall Construction gives stability at speed and is extremely forgiving if you take it to moguls.

LENGTHS (cm)

149, 156, 163

SIDECUT (mm)

122 / 76 / 105
Radius 13,0 (156 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Carbon, Integral Wood Profile Core

BINDING

IQ-SP 11 Viva
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race

VIVA MAGNUM 7.4 IQ



CHARACTERISTICS

The Viva Magnum 7.4 IQ is the perfect choice for those who love skiing groomed slopes, but also like exploring off piste terrain, or more challenging slopes. This all mountain model stands out with its Powerframe Technology, IQ System and new Sidewall Construction. Excellent carving characteristics blended with solid off piste performance; it's everything an active woman could ask for.

LENGTHS (cm)

149, 156, 163

SIDECUT (mm)

119 / 74 / 102
Radius 13,0 (156 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Integral Wood Stringer Core

BINDING

IQ-LT 10 Viva
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



CRS

Blizzard's new Compact Ride System (CRS) Series stands for a compact good value ski and binding concept. This concept offers one binding for two models in four different lengths. Ride indicates a versatile and smooth performance based on the Sidewall Construction and Flexframe Technology. The innovative merge of the IQ System and the Light Traction binding result in the lightest system weight, extreme fatigueless and athletic skiing.

CRS

CRS



TECHNOLOGY


IQ System – Lightweight Construction

- better swing weight
- less fatigue
- easy to carry





Flexframe

- perfect maneuverability
- smooth and adapted flex curve
- optimum adjustment to every ski situation and slope/terrain condition



IQ Sandwich Composite Sidewall Construction

- Flexframe
- Partial Sidewall
- IQ Integral Wood Stringer Core
- Carbon Layer



CRS

CRS

CROSS RIDE IQ



CHARACTERISTICS

The ideal ski for ambitious cross mountain intermediates. The IQ System and the Flexframe of the Cross Ride IQ result in boundless versatility from sliding to carved turns on any terrain. The partial Sidewall guarantees very good grip on harder slope conditions.

LENGTHS (cm)

145, 155, 165, 175

SIDECUT (mm)

121 / 76 / 104

Radius 15,0 m (165 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Carbon, Integral Wood Stringer Core

BINDING

IQ-LT 10 white
IQ Centermove

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

color variation



SPORT RIDE IQ



CHARACTERISTICS

Easy turn initiation through perfectly adjusted flex provides pleasure for the athletic skier in every situation. The Sport Ride IQ's extremely versatile sidecut, partial Sidewalls and IQ System guarantee ski-control, edge hold and precise steering.

LENGTHS (cm)

145, 155, 165, 175

SIDECUT (mm)

117 / 72 / 99

Radius 16,0 m (165 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Integral Wood Stringer Core

BINDING

IQ-LT 10 white
IQ Centermove

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

color variation




CRS



TITAN

Deep powder and crud are these skis' natural habitat. Blizzard introduces a new technology that combines a wide body structure and the integration of the new IQ-MAX System to provide floatation along with a wide range of maneuverability. It also offers a new dimension of performance for freeride professionals who want to go their own way – both on and off prepared slopes. The gods have reached out their hands to bring you maximum freeriding!



TECHNOLOGY




IQ-MAX

- MAXimum edge grip
- MAXimum variability and versatility
- MAXimum compatibility and integration



IQ-MAX Slider

- use of different bindings
- adjustable standing positions
- adapted flex



IQ-MAX Sandwich Compound Sidewall Construction

- IQ Power Transmitter
- Sidewall
- Wood Core
- Titanium Top + Bottom Layer



FREERIDE SHAPE CONCEPT

The Blizzard Titan line offers a very specific shape concept depending on the width and use of the Freeride model.

	WAIST	TIP-SHAPE	CAMBER	STRENGTH
ROCKER UTILITY	 < 115 mm	 contact point max width		 piste off piste
FLAT LINE	 100 – 115 mm	 max width contact point		 piste off piste
TRADITION RIDE	 85 – 100 mm	 max width contact point		 piste off piste

TITAN

TITAN ZEUS IQ-MAX



CHARACTERISTICS

Thunder and lightning draw through the mountains proclaiming the new Titan Zeus IQ-MAX. The new sidecut gives it a maximum dose of rocker. The brand new IQ-MAX System creates an incredible performing ski in all conditions and terrain. Crushing huge powder lines has never been so divine. Surfing the super-deep with divine ease.

LENGTHS (cm)

186, 193

SIDECUT (mm)


140 / 120 / 125
Radius 38,0 m (186 cm)

CONSTRUCTION

IQ-MAX Sandwich Compound Sidewall
Titanium/Carbon, Wood Core

BINDING

IQ-MAX 14 TT black CM
IQ-MAX 12 TT black CM
IQ-MAX Slider



TITAN ARGOS IQ-MAX



CHARACTERISTICS

The Titan Argos stands out with its new side cut concept and the IQ-MAX System. The 25% wider and total integration of the IQ-MAX binding in combination with the Sandwich Sidewall Construction gives it edge-power and utterly unflappable performance. The Argos turns easily on steep, variable terrain, rails hardpack, and floats effortlessly.

LENGTHS (cm)

172, 179, 186

SIDECUT (mm)


135 / 105 / 119
Radius 26,0 m (186 cm)

CONSTRUCTION

IQ-MAX Sandwich Compound Sidewall
Titanium/Stamped, Wood Core

BINDING

IQ-MAX 14 TT black CM
IQ-MAX 12 TT black CM
IQ-MAX Slider



TITAN

TITAN

TITAN ATLAS IQ-MAX



CHARACTERISTICS

A new model has entered the Titan family. The Atlas carries everything on its 94 mm-wide-shoulders that could be asked for: a solid Sandwich Compound Sidewall Construction combined with Blizzard's new IQ-MAX System leads to high stability in rough conditions. In crud the Atlas is unflappable, plenty of flotation for powder days and outstanding edge-grip on groomed slopes.

LENGTHS (cm)
172, 179, 186

SIDECUT (mm)
130 / 94 / 116
Radius 20,0 m (179 cm)

CONSTRUCTION
IQ-MAX Sandwich Compound Sidewall – Titanium/Carbon, Wood Core

BINDING
IQ-MAX 12 TT white CM
IQ-MAX Slider

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

TITAN CRONUS IQ-MAX



CHARACTERISTICS

The new concept of the Titan Cronus is based on the outstanding performance of the IQ-MAX System. It stands for superior grip, a good balance of carving and floating attributes and high stability at high speeds.

LENGTHS (cm)
159, 166, 173, 180

SIDECUT (mm)
125 / 88 / 111
Radius 19,0 (180 cm)

CONSTRUCTION
IQ-MAX Sandwich Compound Sidewall – Quadrax, Wood Core

BINDING
IQ-MAX 12 TT white CM
IQ-MAX Slider

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

TITAN EOS IQ-MAX



CHARACTERISTICS

This is the ideal ski for women who rip: Lightweight, playful and zippy, the Titan Eos loves to dive through trees and bounce down bumps. The secret might be its new IQ-MAX System which results in outstanding edge-grip, power transmission, perfect flex and light weight.

LENGTHS (cm)
159, 166, 173

SIDECUT (mm)
123 / 88 / 109
Radius 17,0 (166 cm)

CONSTRUCTION
IQ-MAX Sandwich Compound Sidewall – Quadrax, Wood Core

BINDING
IQ-MAX 12 TT white CM
IQ-MAX Slider

Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste off piste
Performance	easy allround race

THE SEARCH

The search for the perfect backcountry and freestyle ski is ongoing. Freestylers and Slopestylers alike are looking for answers to realize their potential with their own style. The right skis for maneuvers that have never been done before, yet totally up to spec in terms of stability, grip, light weight, strength and durability. Maximum performance and the ability to stick any air.

THE SEARCH

THE SEARCH



TECHNOLOGY

IQ System – Free Flex Curve

- ideal deflection line
- perfect control
- easy jibbing



Triple Inserts

- changeable freestyle standing position
- multi-useable
- durable



IQ Sandwich Compound Sidewall Construction

- IQ Power Transmitter
- Sidewall
- Wood Core
- Carbon Top + Bottom Layer



THE SEARCH

THE SEARCH

THE ANSWER IQ-MAX



CHARACTERISTICS
Whether arcing the fall line or boosting from kickers, the ANSWER is ideal for backcountry jibbing. The spic-and-span-new technology of the IQ-MAX System integrates the binding wider and deeper within the ski body to create a smooth and even flex for tricks, ambitious powder floatation and superb edge hold, with enough stiffness to boost your way through the crud.

LENGTHS (cm)
177, 184, 191

SIDECUT (mm)
135 / 110 / 125
Radius 28,0 m (184 cm)

CONSTRUCTION
IQ-MAX Sandwich Compound Sidewall
Titanium, Wood Core

BINDING
IQ-MAX 14 TT black CM
IQ-MAX 12 TT white CM
IQ-MAX Slider



Stability	100%
Edgegrip	100%
Speed	low high
Turn (Radius)	short long
Terrain	piste park&pipe off piste
Performance	easy allround race

THE SEARCH

THE SEARCH



THE REASON IQ



CHARACTERISTICS

This playful, snappy stick practically does tricks for you, yet it's comfortable at speed and pulls out even the sketchiest landings. The IQ System, three mounting positions with inserts, high-resistant dual wood core and rock-solid Sidewalls result in a consistent, medium-to-stiff flex and superior edge grip.

LENGTHS (cm)

164, 171, 178, 185

SIDECUT (mm)

116 / 85 / 107

Radius 20,0 m (178 cm)

CONSTRUCTION

IQ Sandwich Compound Sidewall
Carbon, Wood Core

BINDING

IQ-HP 14 TT black
IQ-HP 12 TT white
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste park&pipe off piste
Performance		easy allround race



THE ORIGIN IQ



CHARACTERISTICS

Jibbing down the mountain and playful moves in the park find their origin in this Blizzard park&pipe model. The ORIGIN is a light, fun, snappy ski with a solid Sandwich wood core construction and the IQ Binding System to assure the best performance.

LENGTHS (cm)

157, 164, 171, 178

SIDECUT (mm)

116 / 80 / 107

Radius 16,5 m (171 cm)

CONSTRUCTION

IQ Sandwich Compound
Carbon, Wood Core

BINDING

IQ-SP 11 black
IQ-LT 10 white
IQ Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste park&pipe off piste
Performance		easy allround race



MOUNTAIN

There is a strong desire to break out from crowded and groomed slopes to become one with nature. The variety of mountain skiing spreads from classical alpine touring, deep powder runs to extreme challenges. The BLIZZARD 09/10 Touring line covers perfectly the different demands of modern sport ski touring adventure and challenge.


MOUNTAIN



TECHNOLOGY


Lightweight

- optimum touring specific weight
- maximum stability
- excellent ski performance



Sandwich Compound Light Weight Construction

- Ultra Light Top Sheet
- Light Wood Core
- Binding Reinforcement
- FRP Carrying Layer



MOUNTAIN

MIC

TC RACE EXTREME

CHARACTERISTICS

Shape and construction guarantee perfect performance in toughest competitions and under extreme mountaineering conditions. The Sandwich construction with the ultra-light wood core make the ski durable and tough and yet extremely light for the hardest climbs. Designed for experts and athletes who demand ideal ascent performance and optimum descent characteristics.

LENGTHS (cm)

160

SIDECUT (mm)

90 / 62 / 76
Radius 26,5 m (160 cm)

CONSTRUCTION

Sandwich Compound
Ultra Light Wood Core

WEIGHT

~ 790 g

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race

TA FREE CROSS

CHARACTERISTICS

"Free Cross" says it all: versatility designed to tour every alpine terrain and experience pure mountain freedom. The wider shape of the light core construction and versatile geometry offers unlimited potential for the multi-purposed needs of any touring skier.

LENGTHS (cm)

156, 163, 170, 178

SIDECUT (mm)

113 / 78 / 100
Radius 22,0 m (170 cm)

CONSTRUCTION

Sandwich Compound
Light Wood Core

WEIGHT

~ 1.320 g

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race

MOUNTAIN

MC



TA EXPEDITION

CHARACTERISTICS

Blizzard has advanced the successful expedition model to the next level. The light and high resistance top skin, as well as the ultra-light Sandwich wood core construction are necessary criteria for extreme mountaineers like Peter Habeler who rely on this highly technological model.

LENGTHS (cm)

159, 167, 172

SIDECUT (mm)

102 / 73 / 89
Radius 24,0 m (167 cm)

CONSTRUCTION

Sandwich Compound
Light Wood Core

WEIGHT

~ 1.100 g

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



TA EVOLUTION

CHARACTERISTICS

Fun and pleasure are the main goals for this Blizzard tour model's user. The light weight construction, easy maneuverability and stabile skiing characteristics support every bon vivant of nature and outdoor experience.

LENGTHS (cm)

159, 169, 177

SIDECUT (mm)

108 / 72 / 97
Radius 16,0 (159 cm)

CONSTRUCTION

Integral Fiber Compound
Integral Core

WEIGHT

~ 1.300 g

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



RENTAL

All Blizzard Rental models incorporate Blizzard's high resistance top skin material and extra thick base and edge for durability and extended tuning life. Blizzard rental skis already include the rental barcode to ensure fast and easy identification.

RENTAL

RENTAL



TECHNOLOGY

IQ Centermove

- central adjustment
- up to 20% reduced weight of the Ski- / Binding System
- inline- / rental compatibility



Rental Surface

- high abrasion resistance
- structured Nano glossy effect
- high value appearance



Barcode

- integrated barcode
- good readability
- abrasion-proof



RENTAL

REN

G-PRO IQ R



CHARACTERISTICS

The G-Pro has it all: Sidewall plus Powerframe Technology, a wood core, and two sheets of carbon. It is easy to steer, strong and predictable. Made for the intermediate skier who loves medium to long radius turns and wants a ski that will never let them down. Controlled rebound and slightly softer set-up make this ski a loveable racer.

LENGTHS (cm)

160, 167, 174, 181

SIDECUT (mm)

121 / 72 / 103
Radius 14,5 m (167 cm)

CONSTRUCTION

IQ Sandwich Compound Sidewall
Carbon, Wood Core

BINDING

IQ-SP 11 black Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



RCC IQ R



CHARACTERISTICS

A ski made for those who like easy skiing at higher speeds. The unique IQ System allows easy turning. The RCC is smooth and agile with dynamic rebound, based on the revolutionary Blizzard Powerframe Technology. Maximum performance with great versatility and turning ease are in its genetic makeup.

LENGTHS (cm)

153, 160, 167, 174

SIDECUT (mm)

120 / 71 / 104
Radius 14,0 (167 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Integral Wood Profile Core

BINDING

IQ-LT 10 black Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



CROSS RIDE IQ R



CHARACTERISTICS

The ideal ski for ambitious cross mountain intermediates. The IQ System and the Flexframe of the Cross Ride IQ result in boundless versatility from sliding to carved turns on any terrain. The partial Sidewall guarantees very good grip on harder slope conditions.

LENGTHS (cm)

145, 155, 165, 175

SIDECUT (mm)

121 / 76 / 104
Radius 15,0 m (165 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Carbon, Integral Wood Stringer
Core

BINDING

IQ-LT 10 black Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race





SPORT RIDE IQ R



CHARACTERISTICS

Easy turn initiation through perfectly adjusted flex provide pleasure for the athletic skier in every situation. The Sport Ride IQ's extremely versatile sidecut, partial Sidewalls and IQ System guarantee ski-control, edge hold and precise steering.

LENGTHS (cm)

145, 155, 165, 175

SIDECUT (mm)

117 / 72 / 99
Radius 16,0 m (165 cm)

CONSTRUCTION

IQ Sandwich Composite Sidewall
Integral Wood Stringer Core

BINDING

IQ-LT 10 black Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



XCS IQ R



CHARACTERISTICS

The brand new XCS IQ R with it's new construction focuses on easy handling, light weight, perfect power distribution and forgiveness powered through the IQ System and the Powerframe Technology.

LENGTHS (cm)

146, 153, 160, 167

SIDECUT (mm)

114 / 70 / 98
Radius 14,5 m (160 cm)

CONSTRUCTION

IQ Sandwich Composite
Integral Wood Stringer Core

BINDING

IQ-LT 10 black Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



RT FLAT

CHARACTERISTICS

Blizzard's RT is the ideal ski for skiers seeking a comfortable ride. Harmonious flex and torsional strength provide balanced power distribution and versatility – Playful versatility makes skiing effortless.

LENGTHS (cm)

143, 151, 159, 167

SIDECUT (mm)

108 / 68 / 97
Radius 14,0 m (159 cm)

CONSTRUCTION

Integral Fiber Compound
Integral Core

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste off piste
Performance		easy allround race



THE ORIGIN IQ R



CHARACTERISTICS

Jibbing down the mountain and playful moves in the park find their origin in this Blizzard park&pipe model. The ORIGIN is a light, fun, snappy ski with a solid Sandwich wood core construction and the IQ Binding System to assure the best performance.

LENGTHS (cm)

157, 164, 171, 178

SIDECUT (mm)

116 / 80 / 107
Radius 16,5 m (171 cm)

CONSTRUCTION

IQ Sandwich Compound
Carbon, Wood Core

BINDING

IQ-LT 10 black Centermove

Stability		100%
Edgegrip		100%
Speed		low high
Turn (Radius)		short long
Terrain		piste park&pipe off piste
Performance		easy allround race



JUNIOR

Today's junior skiers are tomorrow's adult skiers – all depending on their early experience of this sport. All the more, it is high time to bring really innovative products to the juniors' interests and benefit. With the totally integrated IQ Junior System several milestones in junior ski technology have been achieved: flexible skis for unequalled carving capabilities, exceptional edge control for more secure skiing and total integration of binding and ski without any attached parts – an ideal feature for rental and leasing situations. Kids will ski safely with fun, confidence and control, and enjoy success in learning as well.




TECHNOLOGY



IQ Junior

- super light weight
- soft flex curve
- tool less mounting
- growth adapted system



Junior Powerframe

- perfect balanced flex curve
- snappy, lively response
- perfect adjustment to every ski situation and slope/terrain condition



IQ Sandwich Integral Construction

- FRP Carrying Layer
- IQ Integral Core
- Edge Force Transmitter

JUNIOR

JUNIOR



SL MAGNESIUM JR



CHARACTERISTICS

Based on the original World Cup Sandwich construction. Especially designed with incredible dynamic properties and unbelievable rebound. Combined with the Diagonal World Cup Race Structure so every Junior Racer will have the best.

LENGTHS (cm)

122, 129, 136, 143, 150

SIDECUT (mm)

Top Secret
Radius 10,5 m

CONSTRUCTION

Sandwich Compound Sidewall
Magnesium, Wood Core

BINDING

TC 14 Race
LT 10 Race



GS MAGNESIUM JR



CHARACTERISTICS

Specially designed with incredible dynamic properties and stability with a powerful edge hold. With the original Sandwich laminated Sidewall Construction and Diagonal World Cup Race Structure every Junior Racer will be skiing on absolutely the best material.

LENGTHS (cm)

135, 142, 149, 156 / 163, 170

SIDECUT (mm)

Top Secret
Radius 14,5 m / 17,5 m

CONSTRUCTION

Sandwich Compound Sidewall
Magnesium, Wood Core

BINDING

TC 14 Race
LT 10 Race



RC RACE IQ



CHARACTERISTICS

The RC Race IQ is an exciting junior ski with the IQ Junior System and a versatile sidecut. A Forgiving ski – ideal for immediate success for beginning through advanced junior rippers.

LENGTHS (cm)

100, 110, 120, 130, 140, 150

SIDECUT (mm)

107 / 68 / 95
Radius 9,0 (130 cm)

CONSTRUCTION

IQ Sandwich Integral
Integral Core

BINDING

IQ 7
IQ 4.5



G-FORCE IQ



CHARACTERISTICS

A versatile junior ski with the IQ Junior System and great flex curve. The G-Force IQ is a forgiving, energy-saving ski – ideal for immediate success for beginners and quick learners.

LENGTHS (cm)

100, 110, 120, 130, 140, 150

SIDECUT (mm)

107 / 68 / 95
Radius 9,0 (130 cm)

CONSTRUCTION

IQ Sandwich Integral
Integral Core

BINDING

IQ 7
IQ 4.5

JUNIOR

JUNIOR



VIVA IQ



CHARACTERISTICS

The Viva IQ is a versatile girl's ski with the IQ Sandwich Integral Junior construction and a versatile sidecut. A forgiving, energysaving ski – ideal for immediate success for beginners through advanced skiers.

LENGTHS (cm)

100, 110, 120, 130, 140, 150

SIDECUT (mm)

107 / 68 / 95
Radius 9,0 (130 cm)

CONSTRUCTION

IQ Sandwich Integral
Integral Core

BINDING

IQ 7
IQ 4.5



ORIGIN IQ



CHARACTERISTICS

The Origin IQ is a junior twin ski designed with the IQ Junior System for cool little grommets that live in the terrain park.

LENGTHS (cm)

109, 119, 129, 139, 149

SIDECUT (mm)

104 / 70 / 92
Radius 9,0 (129 cm)

CONSTRUCTION

IQ Sandwich Integral
Integral Core

BINDING

IQ 7
IQ 4.5



BLIZZI IQ



CHARACTERISTICS

Perfectly adapted length and sidecut guarantee endless skiing fun. Maximum control for the skiers of the future is a priority of the Blizzi with its outstanding IQ Junior System.

LENGTHS (cm)

70, 80, 90 / 100, 110, 120

SIDECUT (mm)

100 / 65 / 84
Radius 5,0 (90 cm)

CONSTRUCTION

IQ Sandwich Integral
Integral Core

BINDING

IQ 4.5



IQ System

- perfect power transmission
- up to 20% lighter weight than former IQ Binding Systems
- easy change from inline to demo



IQ-MAX

- 31% wider than former IQ Bindings Systems
- 10% lower than former IQ Binding Systems
- 20% more compact construction than former IQ Binding Systems



IQ Junior

- light weight
- round flex
- tool less mounting
- highest level of safety



IQ Centermove

- easy adjustment
- lightest rental system
- compatible with all IQ Systems

BINDINGS

IQ-MAX SYSTEM



IQ-MAX 14 TT CM - 110

DIN RANGE: 5-14
RECOM. SKIER'S WEIGHT: 60 kg +
BOOT SOLE LENGTH: 270-366 mm
COLOR (ART. N.): black/gunmetal (610000)
FEATURES: IQ-MAX, stainless steel AFD, TP (Triple Pivot) toe, TT (Twin Traction) heel, Centermove



IQ-MAX 12 TT WHITE CM IQ-MAX 12 TT BLACK CM

DIN RANGE: 4-12
RECOM. SKIER'S WEIGHT: 30-115 kg
BOOT SOLE LENGTH: 270-366 mm
COLOR (ART. N.): white/gunmetal (610005)
 black/gunmetal (610006)
FEATURES: IQ-MAX, stainless steel AFD, TP (Triple Pivot) Toe, TT (Twin Traction) Heel, Centermove

IQ-HIGH PERFORMANCE SYSTEM



IQ-HP 12 TT WHITE IQ-HP 12 TT BLACK

DIN RANGE: 4-12
RECOM. SKIER'S WEIGHT: 30-115 kg
BOOT SOLE LENGTH: 265-369 mm
COLOR (ART. N.): white/silver/black (610015)
 black/silver/black (610016)
FEATURES: IQ, stainless steel AFD, Biometric Toe, TT (Twin Traction) Heel
DEMO/RENTAL (ART. N.): IQ-HP 12 TT black CM (610116)
 IQ Centermove (Access. 610950)

IQ SPORT PERFORMANCE SYSTEM



IQ-HP 14 TT BLACK

DIN RANGE: 5-14
RECOM. SKIER'S WEIGHT: 60 kg +
BOOT SOLE LENGTH: 265-369 mm
COLOR (ART. N.): black/silver/black (610011)
FEATURES: IQ, stainless steel AFD, Biometric Toe, TT (Twin Traction) Heel
DEMO/RENTAL (ART. N.): IQ Centermove (Access. 610950)



IQ-SP 11 WHITE IQ-SP 11 BLACK IQ-SP 11 VIVA

DIN RANGE: 3-11
RECOM. SKIER'S WEIGHT: 30-110 kg
BOOT SOLE LENGTH: 265-369 mm
COLOR (ART. N.): white/black/silver (610020)
 black/black/silver (610021)
 black/white/silver (610022)
FEATURES: IQ, stainless steel AFD, Biotech Toe, Compact Heel
DEMO/RENTAL (ART. N.): IQ-SP 11 black CM (610121), IQ Centermove (Access. 610950)

IQ LIGHT TRACTION SYSTEM



IQ-LT 10 WHITE
IQ-LT 10 BLACK
IQ-LT 10 VIVA

DIN RANGE: 3-10
RECOM. SKIER'S WEIGHT: 30-105 kg
BOOT SOLE LENGTH: 265-369 mm
COLOR (ART. N.): white/black/silver (610030)
 black/black/white (610031)
 white/black/white (610032)
FEATURES: IQ, BRC, gliding AFD, LT (Light Traction) Toe and Heel
DEMO/RENTAL (ART. N.): IQ-LT 10 black CM (610131), IQ Centermove (Access. 610950)

IQ JUNIOR SYSTEM



IQ 7
IQ 4.5

DIN RANGE: 2-7 / 0,75-4,5
RECOM. SKIER'S WEIGHT: 24-75 kg, 12-57 kg
BOOT SOLE LENGTH: 135-325 mm
COLOR (ART. N.): white/black(610050)
 white/black (610060)
FEATURES: IQ-Junior, active AFD, Biotech Toe, Compact Heel, Click In System

RACE BINDINGS



COMP 20.0 EPS

DIN RANGE: 11-20
RECOM. SKIER'S WEIGHT: 60 kg +
STAND HEIGHT W/O SKI: 19 mm
COLOR (ART. N.): white/red (6100404)
FEATURES: Biometric WC Toe, stainless steel AFD, TC Heel

TC 14 RACE

DIN RANGE: 5-14
RECOM. SKIER'S WEIGHT: 60 kg +
STAND HEIGHT W/O SKI: 19 mm
COLOR (ART. N.): white/silver/red (610405)
FEATURES: Biometric Toe, stainless steel AFD, TC Heel



LT 10 RACE

DIN RANGE: 3-10
RECOM. SKIER'S WEIGHT: 30-105 kg
STAND HEIGHT W/O SKI: 19 mm
COLOR (ART. N.): white/red/black (610270)
FEATURES: BRC, gliding AFD, LT (Light Traction) Toe and Heel

FREERIDE BINDINGS



MARKER DUKE SMALL MARKER DUKE LARGE

DIN RANGE: 6-16
RECOM. SKIER'S WEIGHT: 60 kg +
BOOT SOLE LENGTH: 265-320 mm, 305-370 mm
COLOR (ART. N.): white/copper (610500)
 white/copper (610510)
FEATURES: IQ-MAX Slider, height adjust. AFD, walking function, climbing aid, Triple Pivot Toe, Inter Pivot Heel

BINDING ACCESSORIES



IQ-MAX SLIDER

SIZE: 530 x 50 x 9,5 mm
COLOR (ART. N.): gunmetal/silver (610900)
BINDINGS: any



MARKER BARON SMALL MARKER BARON LARGE

DIN RANGE: 4-12
RECOM. SKIER'S WEIGHT: 60 kg +
BOOT SOLE LENGTH: 265-320 mm, 305-370 mm
COLOR (ART. N.): black/gunmetal (610501)
 black/gunmetal (610511)
FEATURES: IQ-MAX Slider, height adjust. AFD, walking function, climbing aid, Triple Pivot Toe, Inter Pivot Heel



IQ TELEMARK PLATE

SIZE: 490 x 37 x 10 mm
COLOR (ART. N.): black (610910)
RECOM. TELEMARK BINDINGS: Black Diamonds, G3, 7tm, Rottefella, Voile



BINDING ACCESSORIES



IQ CENTERMOVE

BOOT SOLE LENGTH: 270-366 mm
COLOR (ART. N.): anthracite (610950)
RECOM. BINDINGS: IQ-HP, IQ-SP, IQ-LT



CRAMPONS

ART. N.: 610340, 610341
SIZE: 113 mm, 92 mm
MATERIAL: Super Light Metal Composite
BINDINGS: Duke / Baron

BAGS

SKIBOOT BAG

ART. N.
410000

MATERIAL
PVC – Polyester (ripstop)

SIZE / VOLUME (LITERS)
40 x 28 x 39 cm / 30 l



RACING SKIBOOT BACKPACK

ART. N.
410001

MATERIAL
PVC – Polyester (ripstop)

SIZE / VOLUME (LITERS)
51 x 33 x 42 cm / 60 l



TRAVEL BAG

ART. N.
410005

MATERIAL
PVC – Polyester (ripstop)

SIZE / VOLUME (LITERS)
(60+11) x 35 x 37 cm / 75 l



BIG ROLLER TRAVEL BAG

ART. N.
410006

MATERIAL
PVC – Polyester (ripstop)

SIZE / VOLUME (LITERS)
79 x 39 x 42 cm / 125 l



BAGS

CITY BACKPACK

ART. N.
410007

MATERIAL
PVC – Polyester (ripstop)

SIZE / VOLUME (LITERS)
34 x 12 x 44 cm / 18 l



BACKPACK

ART. N.
410008

MATERIAL
PVC – Polyester (ripstop)

SIZE / VOLUME (LITERS)
48 x 34 x 20 cm / 35 l



SKIBAG 1 PAIR 185 CM

ART. N.	MATERIAL	SIZE
410002	PVC – Polyester (ripstop)	185 x 15 x 15 cm



SKIBAG 2 PAIRS 195 CM

ART. N.	MATERIAL	SIZE
410003	PVC – Polyester (ripstop)	(165+15+15) x 15 x 15 cm



RACING ROLLER SKIBAG

ART. N.	MATERIAL	SIZE
410004	PVC – Polyester (ripstop)	190 x 20 x 15 cm



POLES

HIGH PERFORMANCE CARBON



ART. N.	LENGTH	FEATURES
710000	110 - 135 cm	B2 Duplo grip, System strap extra large, Carbon, Ø 13 mm, Mini-Race basket, Tungsten/Carbide Flex tip

VIVA CARBON



ART. N.	LENGTH	FEATURES
710001	110 - 125 cm	B2 Duplo grip, System Strap, Carbon, Ø 13 mm, Mini-Race basket, Tungsten/Carbide Flex tip

BLIZZARD UNI BLACK



ART. N.	LENGTH	FEATURES
710002	110 - 135 cm	Hard PE black grip, Blizzard Strap, F45, 5083, Ø 18 mm, Unibasket 50 mm

BLIZZARD VIVA WHITE




ART. N.	LENGTH	FEATURES
710003	110 - 135 cm	Hard PE black grip, Blizzard Strap, F45, 5083, Ø 18 mm, Unibasket 50 mm

SPORT JUNIOR



ART. N.	LENGTH	FEATURES
710004	70 - 110 cm	JR ergonomic grip, 15 mm not adjustable Strap, F45, 5083, Ø 14 mm, Unibasket 45 mm

TARGET GROUP MATRIX



TARGET GROUP MATRIX

TECHNICAL OVERVIEW

ARTN.	NAME MODEL	SIDECUT	LENGTH (RADIUS)	CONSTRUCTION CORE	REINFORCEMENT MATERIAL	RECOMMENDED BINDING / ACCESSORY
RACE						
810809	SL Magnesium	Top Secret	155 / 165 (13.0)	Sandwich Compound Sidewall - FIS Ash/Poplar Wood Core	WC Race - Magnesium	Comp 20.0 EPS TC 14 Race
810819	GS Magnesium	Top Secret	177, 182 (25.0) 185, 192 (27.0)	Sandwich Compound Sidewall - FIS Ash/Poplar Wood Core	WC Race - Magnesium	Comp 20.0 EPS TC 14 Race
810021	SLR Magnesium IQ	121 / 68 / 105	153 (11.5), 160 (12.5), 167 (13.5), 174 (14.5)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ System + Sidewall + Powerframe Magnesium	IQ-HP 14 TT black IQ-HP 12 TT white IQ Centermove
810031	GSR Magnesium IQ	113 / 68 / 97	167 (16.0), 174 (17.5), 181 (19.0)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ System + Sidewall + Powerframe Magnesium	IQ-HP 14 TT black IQ-HP 12 TT white IQ Centermove
810041	RCS IQ	121 / 68 / 105	153 (11.5), 160 (12.5), 167 (13.5), 174 (14.5)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ System + Sidewall + Powerframe Carbon	IQ-SP 11 white IQ Centermove
910001	RCC IQ	120 / 71 / 104	153 (12.0), 160 (13.0), 167 (14.0), 174 (15.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Profile	IQ System + Sidewall + Powerframe	IQ-LT 10 white IQ Centermove
G-FORCE						
810061	G-Force Supersonic IQ	123 / 72 / 105	160 (13.5), 167 (14.5), 174 (15.5), 181 (16.5)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ System + Sidewall + Powerframe Magnesium	IQ-HP 14 TT black IQ-HP 12 TT white IQ Centermove
810071	G-Force Sonic IQ	121 / 68 / 105	160 (12.0), 167 (13.0), 174 (14.0), 181 (15.0)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ System + Sidewall + Powerframe Titanium	IQ-HP 14 TT black IQ-HP 12 TT white IQ Centermove
810081	G-Force G-Pro IQ (silver)	121 / 72 / 103	160 (13.5), 167 (14.5), 174 (15.5), 181 (16.5)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ System + Sidewall + Powerframe Carbon	IQ-SP 11 black IQ Centermove
810083	G-Force G-Pro IQ (green)	121 / 72 / 103	160 (13.5), 167 (14.5), 174 (15.5), 181 (16.5)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ System + Sidewall + Powerframe Carbon	IQ-SP 11 black IQ Centermove
910011	G-Force G-Three IQ (blue)	120 / 71 / 104	153 (12.0), 160 (13.0), 167 (14.0), 174 (15.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Profile	IQ System + Sidewall + Powerframe	IQ-LT 10 white IQ Centermove
910013	G-Force G-Three IQ (red)	120 / 71 / 104	153 (12.0), 160 (13.0), 167 (14.0), 174 (15.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Profile	IQ System + Sidewall + Powerframe	IQ-LT 10 black IQ Centermove

TECHNICAL OVERVIEW

ARTN.	NAME MODEL	SIDECUT	LENGTH (RADIUS)	CONSTRUCTION CORE	REINFORCEMENT MATERIAL	RECOMMENDED BINDING / ACCESSORY
MAGNUM						
810111	Magnum 8.7 IQ-MAX	128 / 87 / 113	167 (17.5), 174 (18.5), 181 (19.5)	IQ-MAX Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ-MAX System + Sidewall + Powerframe - Magnesium	IQ-MAX 14 TT black CM IQ-MAX 12 TT black CM IQ-MAX Slider
810116	Magnum 8.1 IQ-MAX	123 / 81 / 108	158 (15.0), 165 (16.0), 172 (17.0), 179 (18.0)	IQ-MAX Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ-MAX System + Sidewall + Powerframe - Titanium	IQ-MAX 14 TT black CM IQ-MAX 12 TT black CM IQ-MAX Slider
810121	Magnum 8.1 IQ	123 / 81 / 108	158 (15.0), 165 (16.0), 172 (17.0), 179 (18.0)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ System + Sidewall + Powerframe Titanium	IQ-HP 12 TT black IQ Centermove
910101	Magnum 7.6 IQ	124 / 76 / 107	156 (13.0), 163 (14.0), 170 (15.0), 177 (16.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Profile	IQ System + Sidewall + Powerframe Carbon	IQ-SP 11 black IQ Centermove
910111	Magnum 7.4 IQ (black/gold)	121 / 74 / 104	149 (12.0), 156 (13.0), 163 (14.0), 170 (15.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Stringer	IQ System + Sidewall + Powerframe	IQ-LT 10 black IQ Centermove
910113	Magnum 7.4 IQ (white/green)	121 / 74 / 104	149 (12.0), 156 (13.0), 163 (14.0), 170 (15.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Stringer	IQ System + Sidewall + Powerframe	IQ-LT 10 white IQ Centermove
VIVA						
810072	Viva Sonic IQ	119 / 68 / 103	153 (11.5), 160 (12.5), 167 (13.5)	IQ Sandwich Compound Sidewall Beech/Light Wood Core	IQ System + Sidewall + Powerframe Titanium	IQ-SP 11 white IQ Centermove
810082	Viva G-Pro IQ	119 / 68 / 103	153 (11.5), 160 (12.5), 167 (13.5)	IQ Sandwich Compound Sidewall Beech/Light Wood Core	IQ System + Sidewall + Powerframe Carbon	IQ-SP 11 Viva IQ Centermove
910012	Viva G-Three IQ	118 / 71 / 102	146 (11.0), 153 (12.0), 160 (13.0), 167 (14.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Profile	IQ System + Sidewall + Powerframe	IQ-LT 10 Viva IQ Centermove
910102	Viva Magnum 7.6 IQ	122 / 76 / 105	149 (12.0), 156 (13.0), 163 (14.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Profile	IQ System + Sidewall + Powerframe Carbon	IQ-SP 11 Viva IQ Centermove
910112	Viva Magnum 7.4 IQ	119 / 74 / 102	149 (12.0), 156 (13.0), 163 (14.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Stringer	IQ System + Sidewall + Powerframe	IQ-LT 10 Viva IQ Centermove
CRS						
910041	Cross Ride IQ (black/gold)	121 / 76 / 104	145 (13.0), 155 (14.0), 165 (15.0), 175 (16.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Stringer	IQ System + Sidewall + Flexframe Carbon	IQ-LT 10 white IQ Centermove
910042	Cross Ride IQ (white/silver)	121 / 76 / 104	145 (13.0), 155 (14.0), 165 (15.0), 175 (16.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Stringer	IQ System + Sidewall + Flexframe Carbon	IQ-LT 10 white IQ Centermove
910061	Sport Ride IQ (white/red)	117 / 72 / 99	145 (14.0), 155 (15.0), 165 (16.0), 175 (17.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Stringer	IQ System + Sidewall + Flexframe	IQ-LT 10 white IQ Centermove
910062	Sport Ride IQ (white/violet)	117 / 72 / 99	145 (14.0), 155 (15.0), 165 (16.0), 175 (17.0)	IQ Sandwich Composite Sidewall Integral Core + Wood Stringer	IQ System + Sidewall + Flexframe	IQ-LT 10 white IQ Centermove

TECHNICAL OVERVIEW

TECHNICAL OVERVIEW

ARTIN.	NAME MODEL	SIDECUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL	RECOMMENDED BINDING / ACCESSORY
TITAN						
810201	Titan Zeus IQ-MAX	140 / 120 / 125	188 (38,0), 193 (42,0)	IQ-MAX Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ-MAX System + Sidewall Titanium/Carbon	IQ-MAX 14 TT black CM IQ-MAX 12 TT black CM IQ-MAX Slider
810211	Titan Argos IQ-MAX	135 / 105 / 119	172 (22,0), 179 (24,0), 186 (26,0)	IQ-MAX Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ-MAX System + Sidewall Titanium/Stamped	IQ-MAX 14 TT black CM IQ-MAX 12 TT black CM IQ-MAX Slider
810221	Titan Atlas IQ-MAX	130 / 94 / 116	172 (19,0), 179 (20,0), 186 (21,0)	IQ-MAX Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ-MAX System + Sidewall Titanium/Carbon	IQ-MAX 12 TT white CM IQ-MAX Slider
810223	Titan Cronus IQ-MAX	125 / 88 / 111	159 (15,5), 166 (17,0), 173 (18,5), 180 (19,0)	IQ-MAX Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ-MAX System + Sidewall Quadrax	IQ-MAX 12 TT white CM IQ-MAX Slider
810222	Titan Eos IQ-MAX	123 / 88 / 109	159 (15,5), 166 (17,0), 173 (18,5)	IQ-MAX Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ-MAX System + Sidewall Quadrax	IQ-MAX 12 TT white CM IQ-MAX Slider
THE SEARCH						
810231	The Answer IQ-MAX	135 / 110 / 125	177 (26,0), 184 (28,0), 191 (30,0)	IQ-MAX Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ-MAX System + Sidewall Titanium	IQ-MAX 14 TT black CM IQ-MAX 12 TT white CM IQ-MAX Slider
810241	The Reason IQ	116 / 85 / 107	164 (18,0), 171 (20,0), 178 (20,0), 185 (22,0)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ Inside System + Sidewall Carbon	IQ-HP 14 TT black IQ-LT 10 white IQ Centermove
810251	The Origin IQ	116 / 80 / 107	157 (13,5), 164 (15,0), 171 (16,5), 178 (17,5)	IQ Sandwich Compound Beech/Poplar Wood Core	IQ System Carbon	IQ-SP 11 black IQ-LT 10 white IQ Centermove
810271	The Origin (Flat)	116 / 80 / 107	164 (15,0), 171 (16,5), 178 (17,5)	Sandwich Compound Beech/Poplar Wood Core	Carbon	
MOUNTAIN						
810501	TC Race extreme	90 / 62 / 76	160 (26,5)	Sandwich Compound Ultra Light Wood Core	Tour Ultra Light	
810511	TA FREE CROSS	113 / 78 / 100	156 (18,0), 163 (20,0), 170 (22,0), 178 (24,0)	Sandwich Compound Isocore/Beech/Poplar Wood Core	Tour Light	
810521	TA EXPEDITION	102 / 73 / 89	159 (21,0), 167 (24,0), 172 (26,0)	Sandwich Compound Isocore/Beech/Poplar Wood Core	Tour Light	
910551	TA EVOLUTION	108 / 72 / 97	159 (16,0), 169 (18,0), 177 (20,0)	Integral Fiber Compound Integral Core	Carbon	

TECHNICAL OVERVIEW

ARTIN.	NAME MODEL	SIDECUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL	RECOMMENDED BINDING / ACCESSORY
RENTAL						
810481	G-Pro IQ R	121 / 72 / 103	160 (13,5), 167 (14,5), 174 (15,5), 181 (16,5)	IQ Sandwich Compound Sidewall Beech/Poplar Wood Core	IQ System + Sidewall + Powerframe Carbon	IQ-SP 11 black CM
910401	RCC IQ R	120 / 71 / 104	153 (12,0), 160 (13,0), 167 (14,0), 174 (15,0)	IQ Sandwich Composite Sidewall Integral Core + Wood Profile	IQ System + Sidewall + Powerframe	IQ-LT 10 black CM
910441	Cross Ride IQ R	121 / 76 / 104	145 (13,0), 155 (14,0), 165 (15,0), 175 (16,0)	IQ Sandwich Composite Sidewall Integral Core + Wood Stringer	IQ System + Sidewall + Flexframe Carbon	IQ-LT 10 black CM
910461	Sport Ride IQ R	117 / 72 / 99	145 (14,0), 155 (15,0), 165 (16,0), 175 (17,0)	IQ Sandwich Composite Sidewall Integral Core + Wood Stringer	IQ System + Sidewall + Flexframe	IQ-LT 10 black CM
910421	XCS IQ R	114 / 70 / 98	146 (12,5), 153 (13,5), 160 (14,5), 167 (15,5)	IQ Sandwich Composite Integral Core + Wood Stringer	IQ System + Powerframe	IQ-LT 10 black CM
910431	RT (flat)	108 / 68 / 97	143 (12,0), 151 (13,0), 159 (14,0), 167 (15,0)	Integral Fiber Compound Integral Core		
810451	The Origin IQ R	116 / 80 / 107	157 (13,5), 164 (15,0), 171 (16,5), 178 (17,5)	IQ Sandwich Compound Beech/Poplar Wood Core	IQ System Carbon	IQ-LT 10 black CM
JUNIOR						
810302	SL Magnesium JR	Top Secret	122, 129, 136, 143, 150 (10,5)	Sandwich Compound Sidewall Beech/Poplar Wood Core	WC Race - Magnesium	TC 14 Race LT 10 Race
810312	GS Magnesium JR	Top Secret	135, 142, 149, 156 (14,5), 163, 170 (17,5)	Sandwich Compound Sidewall Beech/Poplar Wood Core	WC Race - Magnesium	TC 14 Race LT 10 Race
910351	RC Race IQ	107 / 68 / 95	100 (6,0), 110 (7,0), 120 (8,0), 130 (9,0), 140 (11,0), 150 (13,0)	IQ Sandwich Integral Integral Core	IQ Junior	IQ 7 IQ 4.5
910361	G-Force IQ	107 / 68 / 95	100 (6,0), 110 (7,0), 120 (8,0), 130 (9,0), 140 (11,0), 150 (13,0)	IQ Sandwich Integral Integral Core	IQ Junior	IQ 7 IQ 4.5
910353	Viva IQ	107 / 68 / 95	100 (6,0), 110 (7,0), 120 (8,0), 130 (9,0), 140 (11,0), 150 (13,0)	IQ Sandwich Integral Integral Core	IQ Junior	IQ 7 IQ 4.5
910381	Origin IQ	104 / 70 / 92	109 (7,0), 119 (8,0), 129 (9,0), 139 (11,0), 149 (11,0)	IQ Sandwich Integral Integral Core	IQ Junior	IQ 7 IQ 4.5
910391 910396	Blizzi IQ	100 / 65 / 84	70 (3,0), 80 (4,0), 90 (5,0), 100 (6,0), 110 (7,0), 120 (8,0)	IQ Sandwich Integral Integral Core	IQ Junior	IQ 4.5

TECHNICAL OVERVIEW

BLIZZARD SPORT GMBH

Klausgasse 32 · 5730 Mittersill
Tel.: +43 6562 6391 0 · Fax: +43 6562 6391 708
marketing@blizzard.at · www.blizzard-ski.com

AUSTRIA

BLIZZARD SPORT GMBH
Klausgasse 32
5730 Mittersill
Tel.: +43 6562 6391 0
Fax: +43 6562 6391 708
marketing@blizzard.at
www.blizzard-ski.com

ANDORRA

OK 2 PLAY S.L.
Ctra. Nac. 260. Km. 232
25711 Montferrer
Tel.: +34 973 353404
Fax: +34 973 353081
info@o2p.es

ARGENTINA

THE EDGE SPORTS SA
Suipacha 211-4B-Capital Federal
C1008AAE Buenos Aires
Tel.: +54 11 43272993/4
Fax: +54 11 43268745
daniel@theedgesport.com
www.theedgesport.com

AUSTRALIA

RUSH DISTRIBUTION PTY LTD
75 Stephenson Street
VIC 3121 Richmond
Tel.: +613 9429 6699
Fax: +613 9429 4088
info@rush.net.au

BULGARIA

MAXSPORT 2000 LTD. 4
Luben Karavelov str.
1142 Sofia
Tel.: +359 2 980 9401
+359 2 987 6752
Fax: +359 2 981 7330
marketing@maxsport-bg.com
www.maxsport-bg.com

CANADA

NRB SPORTS INC.
5895 Bessette Street
H4S 1P1 St. Laurent, Quebec
Tel.: +1 514 745 2002
Fax: +1 514 745 2332
info@nordicacanada.com
www.nordicacanada.com

CHILE

COMERCIAL VALLE AMARILLO SA
Av. Las Condes 7360
Las Condes Santiago - Chile
Tel.: +56 2 246 68 74
Fax: +56 2 229 67 16
danielhofmann@labolsadelski.cl
www.labolsadelski.com

CROATIA

HIMALAYA SPORT
Vrazova 8c
42000 Varazdin
Tel.: +385 42 313 701
Fax: +385 42 313 701
himalaya-sport@email.t-com.hr
www.himalaya-sport.com

CZECH REPUBLIC

SNOW-HOW CR S.R.O.
Zdebradska 56
25101 Ricany-Jazlovice
Tel.: +420 323 627 611
Fax: +420 323 627 600
snowhow@blizzard.cz
www.blizzard.cz

DENMARK

SKIZMA
Torslundevej 105
2635 Ishøj
Tel.: +45 20 74 07 77
Fax: +45 23 24 20 30
skizma@post.tele.dk
www.skizma.dk

ESTONIA

HAWAII EXPRESS
Regati pst. 1
11911 Tallinn
Tel.: +372 6 398 508
Fax: +372 6 398 566
info@hawaii.ee
www.hawaii.ee

FINLAND

PARMAX OY
Meiramikuja 1
01510 Vantaa
Tel.: +358 403 04 22 00
Fax: +358 403 04 22 10
parmax@parmax.fi
www.parmax.fi

FRANCE

JCP
Z. A. La Touffiere
74370 St. Martin de Bellevue
Tel.: +33 450 603040
Fax: +33 450 603840
info@jcp-france.com
www.jcp-france.com

GEORGIA

GEORGIAN SKIGROUP
1, blind-end, Chitadze str
0108 Tbilisi
Tel.: +995 99 70 78 48
Fax: +995 32 22 50 06
Info@georgianskigroup.ge
www.georgianskigroup.ge

GERMANY

BLIZZARD DEUTSCHLAND GMBH
Klausgasse 32
5730 Mittersill
Tel.: +49 8362 5073 53
Fax: +49 8362 5073 54
info@blizzard-ski.de
www.blizzard-ski.de

GREECE

BOARD GENERATION
4-6 Agg.Sikelianou Str.,
Neo Psychiko, 115.25 Athens
Tel.: +30 210 67 13 879
Fax: +30 210 67 77 481
boardgen@otenet.gr
www.boardgeneration.gr

HUNGARY

JUST4SPORT
Pres Str. 7
1031 Budapest
Tel.: +36 1 21 75 179
Fax: +36 1 21 75 179
kbarna@explosivski.hu
www.explosivski.hu

ICELAND

UTILIF
Alfheimar 74
104 Reykjavik
Tel.: +354 54 51 500
Fax: +354 54 51 515
utilif@utilif.is
www.utilif.is

IRAN

CUP SPORT PUREYA
Eksir kish, No1, Paytakht Arcade,
Ferdous Alley, Monirieh Square
1111615363 Tehran
Tel.: +98 21 66480982
Fax: +98 21 88903516
info@cupsports.com
www.cupsports.com

ISRAEL

SKIMULATOR
Emek Hefer industry zone
38800 Emek Hefer industry zone
Tel.: +972 4 62 22 055
Fax: +972 4 62 22 086
maayan@skimulator.co.il
www.skimulator.co.il

ITALY

TECNICA S.P.A.,
DIVISION DOLOMITE
Via Fante d'Italia, 56
31040 Gaverda del Montello
(Treviso)
Tel.: +39 0422 8841
Fax: +39 0422 775178
info@dolomite.it
www.dolomite.it

JAPAN

TECNICA GROUP JAPAN LTD.
Hongo TK Building,
1-28-10 Hongo, Bunkyo-Ku
113-0033 Tokyo
Tel.: +03 5802 6277
Fax: +03 5802 6278

KAZAKHSTAN

PRITA SPORT LAND
Tole bi Street 78
480091 Almaty
Tel.: +7 300 7220382
Fax: +7 3 272587651
nss@nursat.kz

KOREA

COSMO LEPORTS CO., LTD.
Cosmo Bldg. 1534-5 Seocho-
Dong, Seocho-Gu
137-070 Seoul/South Korea
Tel.: +82 2 580 6928
Fax: +82 2 581 6929
+82 2 580 926
nordica@cosmoleports.com

LATVIA

DELTA SPORTS LTD.
Brivibas street 47
1010 Riga
Tel.: +371 7 502292
Fax: +371 7 502292
info@champions.lv
www.champions.lv

LEBANON

KAYROUZ SPORT
P.O.Box 70203
70203 Beirut
Tel.: +961 3 558916
Fax: +961 4 919172
ghkay@hotmail.com

LITHUANIA

SAGINDA LTD.
Stoties g. 42
35106 Panevezys
Tel.: +370 45 46 63 01
Fax: +370 45 58 28 48
info@saginda.lt
www.dviratisspius.lt

LUXEMBOURG

CITABEL SPORTS
3, rue du Chateau d'Eau
3364 Leudelange
Tel.: +352 37 97 37
Fax: +352 37 20 40
info@citabel-sports.lu
www.citabel.lu

NETHERLANDS / BELGIUM

OXFORD LEISURE GROUP
Wijkermeerstraat 46
2131 HA Hoofddorp
Tel.: +31 23 5472788
Fax: +31 23 5653445
info@oxfordleisure.nl
www.oxfordleisure.nl

NEW ZEALAND

ALPINE & LEISURE LTD.
25 Hamiora Place
3040 Rotorua
Tel.: +64 73 45 91 59
Fax: +64 73 45 97 71
info@alpineandleisure.co.nz
www.alpineandleisure.co.nz

NORWAY

PETER HOLM AGENTUR AS
Grini Naeringspark 3
1361 Osteras
Tel.: +47 6716 2040
Fax: +47 6716 2041
kundeservice@peterholm.no
www.peterholm.no

POLAND

GREENLAND SP. Z O.O.
Plac Karpeckiego 3
43-190 Mikolow
Tel.: +48 32 3260835
Fax: +48 32 3260837
greenland@greenland.com.pl
www.greenland.com.pl

ROMANIA

CANADIAN TRADING S.R.L.
Str. C-tin Radulescu Motru, Nr. 6,
bl.35, sc.A, et.2, ap.6, Sector 4
040341 Bucuresti
Tel.: +40 21 330 10 16
Fax: +40 21 252 34 09
canadian.trading@rdslink.ro

RUSSIA

SC KANT LTD
Electrolitnij proezd, d.7., korp. 2.
115230 Moscow
Tel.: +7 499 317 4800
Fax: +7 499 317 9806
v.siletskiy@kant.ru
www.kant.ru

SERBIA/MONTENEGRO/BOSNIA

SPORT SERVICE
Knjeginje Zorke 6
11000 Beograd
Tel.: +381 11 3447097
Fax: +381 11 244 33 67
office@sportservice.co.yu

SLOVAKIA

DISTRIBUTION
SNOW-HOW CR S.R.O.
AGENT ING. JURAJ KÚTIK
Novy Svet 41
974 00 Banska Bystrica
Tel.: +421 48 4285 313
Fax: +421 48 4285 281
kutik.juraj@kutiksport.sk
www.kutiksport.sk

SLOVENIA

ZORMAN & CO., K.D.
p.e. Brnciceva 13
1000 Ljubljana
Tel.: +386 51 662 360
Fax: +386 1 56 12 177
peter.zorman@email.si
www.blizzardski.si

SPAIN

OK 2 PLAY S.L.
Ctra. Nac. 260. Km. 232
25711 Montferrer
Tel.: +34 973 353404
Fax: +34 973 353081
info@o2p.es

SWEDEN

WÄNERSTEDT AB
Box 253
53323 Götene
Tel.: +46 511 51 788
Fax: +46 511 34 03 10
info@wanerstedt.se
www.wanerstedt.se

SWITZERLAND

BLIZZARD (SCHWEIZ) AG
Riedstrasse 1
6330 Cham
Tel.: +41 41 766 2515
Fax: +41 41 766 2510
info@blizzard-ski.ch
www.blizzard-ski.ch

TURKEY

SLALOM SPORT SAN VE TIC
LTD STI
Bağdat cad, erker apt, no: 368/10
Saskinbakkal-Istanbul
Tel.: +90 216 3687728
Fax: +90 216 3687625
info@slalomspor.com
www.slalomspor.com

UKRAINE

NIALA LTD.
str. I. Franko 6, Slavsko
82660 Lviv Region
Tel.: +38 050 5466898
kk@niala.com.ua
http://www.blizzard-ski.com.ua

UNITED KINGDOM

BLISS OUTDOOR LTD
Unit 15, Huffwood Trading Park
Partridge Green, West Sussex
England RH13 8AU
Tel.: + Fax: +844 736 5867
blizzard@blissoutdoor.co.uk

USA

BLIZZARD SPORT USA
19 Technology Dr.
NH 03784 West Lebanon
Tel.: +1 603 298 6149 7317
Fax: +1 603 298 5790
jduke@blizzardport.com
www.blizzardsportusa.com

Color divergence, printing error and technical changes reserved.

Responsible for content:
Blizzard Sport GmbH, Austria

Concept, layout:
www.doppelpack.com

All rights reserved.