

HEAD Units

AUSTRIA

HEAD Austria GmbH
Tyrollaplatz 1
2320 Schwechat
Austria

T. +43 1 701 79 0
E. info@at.head.com

CANADA

HEAD Canada Inc
P.O. Box 3620
Station Main
Guelph, Ontario N1H 7H1
Canada

T. +1 519 822 15 76
E. info@ca.head.com

FRANCE

HEAD France
ZA les Condomines
Bresson BP 29
38320 Eybens
France

T. +33 476 62 69 00
E. standard@fr.head.com

GERMANY

HEAD Germany GmbH
Velaskostr. 8
85622 Feldkirchen
Germany

T. +49 89 90 99 95 0
E. info@de.head.com

ITALY

HEAD International
c/o MARES SPA
Salita Bonsen, 4
San Pietro di Novella
16035 Rapallo (GE)
Italy

T. +39 0185 2011
E. info-head@it.head.com

JAPAN

HTM Sports Japan K.K.
3-27 Kanda-Jimbocho
Chiyoda-ku
Tokyo 101-0051
Japan

T. +81 3 32 21 79 21
E. sales100@htm-sports.co.jp

SPAIN

HEAD SPAIN S.L.
Roger 65-67 5a
08028 Barcelona
Spain

T. +34 93 409 20 80
E. info@es.head.com

SWITZERLAND

HEAD Switzerland AG
Ruessenstrasse 16
6342 Baar
Switzerland

T. +41 41 767 07 07
E. info@ch.head.com

UNITED KINGDOM

HEAD UK Ltd
2 Beezon Road
Kendal, Cumbria
LA9 6BW
UK

T. +44 15 39 72 47 40
E. info@uk.head.com

USA

HEAD USA Inc.
Shore Pointe
1 Selleck St.
Norwalk, CT 06855
USA

T. +1 800 874 3235
E. ski@us.head.com

HEAD Trade

HEAD International

HEAD International GmbH
Wuhrkopfweg 1
6921 Kennelbach
Austria

T. +43 55 74 608 0
E. trade@head.com

ARGENTINA

Sports & Adventure S.A.
T. +54 11 6320 3400
E. administracionventas@grupo-
viejtes.com

AUSTRALIA

Rosbert International
T. +61 2 952 67 800
E. rosbert@rosbert.com.au

BELARUS

ZAO ELITE SPORTS
T. +375 (29) 6206131
E. tatiana@cast.by

BENELUX

Eurolight BV
T. +31 10 409 11 11
E. info@eurolight.nl

BULGARIA

Miras-Krastevi LTD
T. +359 32 640680
E. office@miras-sport.com

CHILE

Inver Tech Ltda
T. +56 2 681 23 08
E. pzunino@invertech.cl

CZECH REPUBLIC

Aspen Sport A.S.
T. +420 2 67 28 11 11
E. info@head.cz

CHINA

MAS Ski Equipment Limited
T. +86 (010) 84720338/0339
E. head@masl.biz

CROATIA

Alca Zagreb trgovacko d.o.o
T. +385 1 2481111
E. ines.kastelan@hr.alcagroup.com

DENMARK

Cool Sport ApS
Claus Ketterle
T. +45 (8853) 7777
E. ck@coolsport.dk

ESTONIA

Balti Autoosad AS
T. +372 6 200 600
E. ragnars@autoparts.ee

FINLAND

Oy Anglo Nordic AB
T. +358 9 4153 5300
E. tapani.vartiainen@anglo.fi

GREECE

Parnass Ski
T. +30 (2670) 22646
E. parnas-ski@otenet.gr

HUNGARY

WINTERSPORT Co. Ltd.
T. +36 1 437 0181
E. toth.etre@tandsport.hu

ICELAND

Utivera EHF T/A Everest
T. +354 533 44 50
E. everest@everest.is

KAZAKHSTAN

Intelli Sport
T. +7 333 21 777 08
E. intelli.sports@gmail.com

LEBANON

Mike Sport
T. +961 (1) 8888 55
E. mispo@mikesport.com

LITHUANIA

Baltaura
T. +370 5 265 3181
E. baltaura@baltaura.lt

MAZEDONIA

Elteh Dooel Skopje
T. +389 (23) 298 259
E. borce@elteh.com.mk

NEW ZEALAND

M.A. Recreational
T. +64 9 3766 238
E. admin@headnz.co.nz

NORWAY

Gresvig AS
T. +47 23 35 85 00
E. christopher.rogge@gresvig.no

POLAND

Cool Sport
T. +48 501 402 268
E. cool@coolsport.pl

ROMANIA

S.C. Sport Intercom S.R.L.
T. +40 21 224 5419
E. adina@head-sport.ro

RUSSIA

Girvas Sport
T. +7 499 171 44 65
E. m.teplov@girvas.ru

SLOVAKIA

Aspen SK
T. +421 248291522
E. katarina.kollarova@head.sk

SOUTH KOREA

Alchemist
T. +82 31 796 8062
E. alchemist.kr@gmail.com

SWEDEN

Interski AB
T. +46 647 5 06 10
E. micke@interski.se

TURKEY

Sportive Spor
T. +90 212 4817636
E. hakant@toksozspor.com

UKRAINE

Parnass Ski
T. +380 50 331 8868
E. viktor@eltrade.com.ua

SKI RENTALS SYSTEMS 2011/12 RENTAL SYSTEMS

HEAD - THE RENTAL SYSTEMS COMPANY

This year we have done our home work again: HEAD Rental Systems are now more complete than ever. Fast and easy set up, great performance, long lasting investment.

SKIS	
HIGH PERFORMANCE	03
FLEET	04
RENTAL SYSTEMS	05-09
SKI BINDINGS	
10-11	
SKI BOOTS	
12-13	
ACCESSORIES	
14	
SNOWBOARDS	
15-19	

HIGH LIGHTS 11/12

NEW models, NEW Designs

LINK - NEW three length, BYS integrated teaching tool.
BYS System, still the first and ONLY system.
Proven to save up to 50% on set up time.

SKIS

Three core constructions:

- Wood Core
- Composite Wood Core
- Synthetic Core

BOARDS

Three constructions with three different functions:

- Twin Tip Tribute
- Rocka Tribute
- Rocka Cap Tribute

SB BINDINGS

Three models including the NEW fully Auto Open Rental NX R.

- NX R SpeedDisc
- P4 R SpeedDisc
- P3 R SpeedDisc

SB BOOTS

From a solid wrap around protected construction to a basic rental boot:

- 550
- 450



SOFT BOOTS

	550 RC BOA® Coiler	357150
	550 JR RC BOA® Coiler	357250
	550 KID RC BOA® Coiler	357350
features	<ul style="list-style-type: none"> • Moonwalker R Pro Outsole • Cuff Cut • Heel Frame • Rubber Heel • Rubber Toecap • Rubber Tongue Guard • BOA® H2R Coiler 	
sizes	RC: 250 - 325 JR: 225 - 245 KID: 195 - 215	
lacing options	BOA® H2R Coiler	
shell	Cuff Cut	
liner	Thermofit R	
flex index	6	



SOFT BOOTS

	450 RC BOA® Coiler	357528
	450 JR RC BOA® Coiler	357628
	450 KID RC BOA® Coiler	357728
features	<ul style="list-style-type: none"> • 450 R Outsole • Cuff Cut • Heel Frame • Rubber Heel • Rubber Toecap • BOA® Coiler 	
sizes	RC: 25.5-32.5 / US 7-14.5 JR: 22.5-24.5 / US 4-6 KID: 19.5-21.5 / US 1-3	
lacing options	BOA® Coiler (spring loaded pretensioning function)	
shell	Cuff Cut	
liner	Thermofit R	
flex index	5	

From a solid wrap around protected construction to a basic rental boot:
550 and 450.

Both models available in Lace or BOA® Coiler: Adult, Junior and Kids.



HIGH PERFORMANCE

category	Park & Pipe
art. N°	312601
lengths	118/127/136/145/154/163/172/181
dimensions	112/79/106 @ length 172
radius	19.1 @ length 172
features	<ul style="list-style-type: none"> • Heavy-Duty Construction • Snake Skin Top Sheet • UHM C Rental Base • Rental Edges • Pre-mounted SP Track (75 track from 118 to 136) • Mounted in All Mountain Position
bindings	SP 100 ABS pm from 145 to 181 SP 75 ABS pm from 118 to 136

go R Track

MYA R LR

category	Women
art. N°	312611
lengths	146/152/158/164
dimensions	115/67/99 @ length 158
radius	12.0 @ length 158
features	<ul style="list-style-type: none"> • Intelligence Technology • Power Carbon Jacket • UHM C Base • Pre-mounted LiteRail
bindings	HEAD MYA 9 LR (pearl white)

PEAK 74 R PR

category	All Mountain
art. N°	312631
lengths	149/156/163/170/177
dimensions	121/74/107 @ length 170
radius	14.1 @ length 170
features	<ul style="list-style-type: none"> • Brushed Top Sheet • X-Frame Construction • Power Carbon Jacket • Synthetic Core • UHM C Rental Base • Pre-mounted PowerRail
bindings	POWER 10 (solid black/silver)



We are giving you three choices, three core constructions, three exciting retail based designs:

SHAPE THREE

A laminated Wood Core torsion box construction. It does not get any better!

SHAPE TWO

A composite Wood Core construction. Combining a 3D milled, laminated Wood Core with a synthetic construction.

SHAPE ONE

The proven and trusted synthetic core construction.



FLEET

SHAPE THREE Track 312531
SHAPE THREE Flat 312521

category	All Mountain
art. N°	120/130/140/150/160/170
lengths	119/170/107 @ length 160
dimensions	11.5 @ length 160
radius	• Snake Skin Top Sheet
features	• Laminated Wood Core • Heavy-Duty Torsion Box • Rental Profile • UHM C Rental Base • Rental Edges • Tip Protector • Pre-mounted SP Track
bindings	SP 100 ABS pm

SHAPE TWO Track 312000
SHAPE TWO Flat 312520

category	All Mountain
art. N°	135/142/149/156/163/170
lengths	113/68/97 @ length 163
dimensions	14.1 @ length 163
radius	• Snake Skin Top Sheet
features	• X-Frame Construction • Power Fiber Jacket • Composite Wood Core • Rental Profile • UHM C Rental Base • Tip Protector • Pre-mounted SP Track
bindings	SP 100 ABS pm

SHAPE ONE Track 312520
SHAPE ONE Flat 312530

category	All Mountain
art. N°	135/142/149/156/163/170/177
lengths	117/71/102 @ length 163
dimensions	13.6 @ length 163
radius	• Snake Skin Top Sheet
features	• X-Frame Construction • Power Fiber Jacket • Synthetic Core • Rental Profile • UHM C Rental Base • Tip Protector • Pre-mounted SP Track
bindings	SP 100 ABS pm

Salamander 312900

category	Ski Board
art. N°	94
lengths	129/90/118 @ length 94
dimensions	4.2 @ length 94
radius	• Snake Skin Top Sheet
features	• Full Fiber Jacket • Wood Core • Tip and Tail Protector • E Base black • Mounted Tyrolia SP 100 ABS
bindings	SP 100 ABS

RENTAL SYSTEM SKI

art. N°	312711
lengths	S/M/L
dimensions	125/69/106 @ length M
radius	10.3 @ length M
features	• MultiRadius/MultiCamber Construction • Snake Skin Top Sheet • Laminated Wood Core • Heavy-Duty Torsion Box • Rental Profile • Tip Protector • UHM C Rental Base • Graphics Color Coded by Length • Mounted BYS System Binding black
bindings	

theLINK Black

art. N°	312721
lengths	S/M/L
dimensions	125/69/106 @ length M
radius	10.3 @ length M
features	• MultiRadius/MultiCamber Construction • Snake Skin Top Sheet • Laminated Wood Core • Heavy-Duty Torsion Box • Rental Profile • Tip Protector • UHM C Rental Base • Graphics Color Coded by Length • Mounted BYS System Binding yellow
bindings	

theLINK Yellow

art. N°	312731
lengths	S/M/L
dimensions	125/69/106 @ length M
radius	10.3 @ length M
features	• MultiRadius/MultiCamber Construction • Snake Skin Top Sheet • Laminated Wood Core • Heavy-Duty Torsion Box • Rental Profile • Tip Protector • UHM C Rental Base • Graphics Color Coded by Length • Mounted BYS System Binding yellow
bindings	

theLINK Track

art. N°	312731
lengths	S/M/L
dimensions	125/69/106 @ length M
radius	10.3 @ length M
features	• MultiRadius/MultiCamber Construction • Snake Skin Top Sheet • Laminated Wood Core • Heavy-Duty Torsion Box • Rental Profile • Tip Protector • UHM C Rental Base • Graphics Color Coded by Length • Pre-mounted SP Track • SP 100 ABS pm
bindings	



RENTAL SYSTEM SKI

art. N°	312581
lengths	S/M/L/XL/XXL
dimensions	117/69/106 @ length L
radius	10.0 @ length L
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • Laminated Wood Core • Heavy-Duty Torsion Box • Rental Profile • Tip Protector • UHM C Rental Base • Rental Edges • Graphics Color Coded by Length
bindings	• Mounted BYS System Binding black

BYS System W Black

art. N°	312581
lengths	S/M/L/XL/XXL
dimensions	117/69/106 @ length L
radius	10.0 @ length L
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • Laminated Wood Core • Heavy-Duty Torsion Box • Rental Profile • Tip Protector • UHM C Rental Base • Rental Edges • Graphics Color Coded by Length
bindings	• Mounted BYS System Binding black

BYS System W Yellow

art. N°	312591
lengths	S/M/L/XL/XXL
dimensions	117/69/106 @ length L
radius	10.0 @ length L
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • Laminated Wood Core • Heavy-Duty Torsion Box • Rental Profile • Tip Protector • UHM C Rental Base • Rental Edges • Graphics Color Coded by Length
bindings	• Mounted BYS System Binding yellow

BYS System W Track

art. N°	312571
lengths	S/M/L/XL/XXL
dimensions	117/69/106 @ length L
radius	10.0 @ length L
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • Laminated Wood Core • Heavy-Duty Torsion Box • Rental Profile • Tip Protector • UHM C Rental Base • Rental Edges • Graphics Color Coded by Length • Pre-mounted SP Track • SP 100 ABS pm
bindings	• Mounted BYS System Binding black



RENTAL SYSTEM BOOT

art. N°	601750						
color	silver						
level	Intermediate						
system	BYS						
shell	PU/SL						
liner	<ul style="list-style-type: none"> • Comfort • Sanitized® Charcoal Footbed • 35 mm Velcro Strap • Prepared for Heating System 						
sizes	<ul style="list-style-type: none"> • 4 Plastic Buckles • 1 Supermacro Ratchet • 3 Sole Lengths 						
features	• DIN Interface for all Rental Bindings						
sizes	<table border="1"> <tr><td>235-245-</td><td>275-285-</td><td>310-320-</td></tr> <tr><td>255-265</td><td>295-305</td><td>330-340</td></tr> </table>	235-245-	275-285-	310-320-	255-265	295-305	330-340
235-245-	275-285-	310-320-					
255-265	295-305	330-340					
BYS plate color	black yellow silver						

Ezon 2 BYS HP



art. N°	601760						
color	anthracite						
level	Beginner						
system	BYS						
shell	PU/SL						
liner	<ul style="list-style-type: none"> • Comfort • Sanitized® Charcoal Footbed • Prepared for Heating System 						
sizes	<ul style="list-style-type: none"> • 4 Plastic Buckles • 1 Supermacro Ratchet • 3 Sole Lengths 						
features	• DIN Interface for all Rental Bindings						
sizes	<table border="1"> <tr><td>235-245-</td><td>275-285-</td><td>310-320-</td></tr> <tr><td>255-265</td><td>295-305</td><td>330-340</td></tr> </table>	235-245-	275-285-	310-320-	255-265	295-305	330-340
235-245-	275-285-	310-320-					
255-265	295-305	330-340					
BYS plate color	black yellow silver						

BYS



art. N°	608730
color	red
level	Intermediate
system	BYS
shell	PU/SL
liner	<ul style="list-style-type: none"> • Junior Rental • Tongue Handle • Comfort Footbed
sizes	<ul style="list-style-type: none"> • 3 Plastic Buckles • Easy Entry Shell Construction • Adult Norm • 1 Sole Length
features	• DIN Interface for all Rental Bindings
sizes	235-245
BYS plate color	red

Edge J3 ht



RENTAL SYSTEM BOOT	
art. N°	607741
color	red
level	Beginner
system	BYS
shell	PU/SL
liner	<ul style="list-style-type: none"> • Junior Rental • Comfort Footbed • 2 Plastic Buckles
features	<ul style="list-style-type: none"> • Easy Entry Shell Construction • Kids' SkiWalk • Junior Norm • 2 Sole Lengths • DIN Interface for all Rental Bindings
sizes	195-205 215-225
BYS plate color	yellow silver



Carve HT 1 B²YS	
art. N°	607746
color	red
level	Beginner
system	BYS
shell	PU/SL
liner	<ul style="list-style-type: none"> • Junior Rental • Comfort Footbed • 1 Plastic Buckle
features	<ul style="list-style-type: none"> • Easy Entry Shell Construction • Kids' SkiWalk • Junior Norm • 2 Sole Lengths • DIN Interface for all Rental Bindings
sizes	155-165 175-185
BYS plate color	blue black



RENTAL SYSTEM BINDING	
color	solid black/anthracite
stand height	21 mm
DIN	2.5-10
weight	1890 g
weight range	from 26 kg / 57 lbs
features	<ul style="list-style-type: none"> • SL Toe with TRP System • Full Diagonal • ABS - Anti Blocking System • Rent Heel • Solid Colored

BYS 100	
color	solid black
stand height	21 mm
DIN	2-7.5
weight	1775 g
weight range	22-84 kg / 48-187 lbs
features	<ul style="list-style-type: none"> • SL Lite One Touch Toe with TRP System • Full Diagonal • Rent Heel • Solid Colored

BYS 75	
color	solid black
stand height	15 mm
DIN	0.75-4.5
weight	1260 g
weight range	10-48 kg / 22-105 lbs
features	<ul style="list-style-type: none"> • SL Kid Toe with TRP System • Full Diagonal • SL Kid Heel • Solid Colored

B²YS 45	
color	solid black
stand height	15 mm
DIN	0.75-4.5
weight	1260 g
weight range	10-48 kg / 22-105 lbs
features	<ul style="list-style-type: none"> • SL Kid Toe with TRP System • Full Diagonal • SL Kid Heel • Solid Colored

RENTAL SYSTEM SKI

art. N°	312851
lengths	67/77/87
dimensions	91/65/84 @ length 87
radius	5.3 @ length 87
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • X-Frame Construction • UHM C Rental Base
bindings	• Mounted B²YS Junior System Binding blue

Junior B²YS System Blue

art. N°	312861
lengths	77/87/97
dimensions	91/65/84 @ length 87
radius	5.3 @ length 87
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • X-Frame Construction • UHM C Rental Base
bindings	• Mounted B²YS Junior System Binding black

Junior B²YS System Black

art. N°	312871
lengths	87/97/107
dimensions	91/65/84 @ length 87
radius	5.3 @ length 87
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • X-Frame Construction • UHM C Rental Base
bindings	• Mounted B²YS Junior System Binding yellow

Junior B²YS System Yellow

art. N°	312881
lengths	107/117
dimensions	93/65/87 @ length 107
radius	8.2 @ length 107
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • X-Frame Construction • UHM C Rental Base
bindings	• Mounted B²YS Junior System Binding silver

Junior B²YS System Silver

art. N°	312911
lengths	87/97/107/117
dimensions	91/65/84 @ length 87
radius	5.3 @ length 87
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • X-Frame Construction • UHM C Rental Base • Pre-mounted 45 Track • SP 45 pm
bindings	• SP 45 pm

Junior B²YS System 45 Track

art. N°	312931
lengths	127/137
dimensions	103/65/90 @ length 127
radius	9.6 @ length 127
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • X-Frame Construction • UHM C Rental Base • Pre-mounted 75 Track • SP 75 ABS pm
bindings	• SP 75 ABS pm

Junior BYS System 75 Red

art. N°	312891
lengths	127/137
dimensions	103/65/90 @ length 127
radius	9.6 @ length 127
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • X-Frame Construction • UHM C Rental Base
bindings	• Mounted BYS Junior 75 System Binding red

Junior BYS System 75 Red

art. N°	312931
lengths	127/137
dimensions	103/65/90 @ length 127
radius	9.6 @ length 127
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • X-Frame Construction • UHM C Rental Base • Pre-mounted 75 Track • SP 75 ABS pm
bindings	• SP 75 ABS pm

Junior BYS System 75 Track

art. N°	312931
lengths	127/137
dimensions	103/65/90 @ length 127
radius	9.6 @ length 127
features	<ul style="list-style-type: none"> • Snake Skin Top Sheet • X-Frame Construction • UHM C Rental Base • Pre-mounted 75 Track • SP 75 ABS pm
bindings	• SP 75 ABS pm



SYMPRO

SP 130 ABS Demo Aero 111447

color	white/black
stand height	31 mm
DIN	4-13
weight	2760 g
weight range	from 42kg / from 92lbs
features	<ul style="list-style-type: none"> • AERO One Touch Toe with TRP System • Race Diagonal • ABS - Anti Blocking System • Rent One Touch Heel • Dura-Coating

SP 120 ABS 111351*
SP 120 ABS Wide 97 111152**
SP 120 ABS w/o brake 111448**

color	* white/black **solid black/anthracite
stand height	31 mm
DIN	4-12
weight	2700 g
weight range	from 42kg / from 92lbs
features	<ul style="list-style-type: none"> • LD One Touch Toe with TRP System • Full Diagonal • ABS - Anti Blocking System • Rent One Touch Heel • Solid Colored / Dura-Coating

SP 100 ABS 111155
SP 100 ABS pm 111156
SP 100 ABS w/o brake 111453

color	solid black/anthracite
stand height	31 mm
DIN	2.5-10
weight	2590 g
weight range	from 26kg/ from 57lbs
features	<ul style="list-style-type: none"> • SL One Touch Toe with TRP System • Full Diagonal • ABS - Anti Blocking System • Rent One Touch Heel • Solid Colored

POWERRAIL

TYROLIA Power 10

art. N°	111418
color	solid black/silver
stand height	31 mm
DIN	3-10
weight	1760 g
weight range	from 31kg / from 67lbs
features	<ul style="list-style-type: none"> • SX Toe with TRP System • Full Diagonal • AFS - Anti Friction Silder • PowerRail • SX Heel • Solid Colored

SYMRENT

SR 100

art. N°	111460
color	solid black/anthracite
stand height	22 mm
DIN	2.5-10
weight	2140 g
weight range	from 26kg/ from 57lbs
features	<ul style="list-style-type: none"> • SL Toe with TRP System • Full Diagonal • Rent One Touch Heel • Solid Colored

SR 45

art. N°	111166
color	solid black
stand height	15 mm
DIN	0.75-4.5
weight	1260 g
weight range	10-48kg / 22-105lbs
features	<ul style="list-style-type: none"> • SL Kid Toe with TRP System • Full Diagonal • SL Kid One Touch Heel • Solid Colored



SYMPRO

SP 100 ABS HEAD Fat 115 111157

color	solid black/anthracite
stand height	31 mm
DIN	2.5-10
weight	2590 g
weight range	from 26kg/ from 57lbs
features	<ul style="list-style-type: none"> • SL One Touch Toe with TRP System • Full Diagonal • ABS - Anti Blocking System • Rent One Touch Heel • Solid Colored

SP 75 ABS 111161
SP 75 ABS pm 111159

color	solid black/anthracite
stand height	31 mm
DIN	1.5-7.5
weight	2490 g
weight range	18-84kg / 39-187lbs
features	<ul style="list-style-type: none"> • SL Lite One Touch Toe with TRP System • Full Diagonal • ABS - Anti Blocking System • Rent One Touch Heel • Solid Colored

SP 45 111162
SP 45 ABS pm 111163

color	solid black/anthracite
stand height	25 mm
DIN	0.75-5.5
weight	1260 g
weight range	10-48kg / 22-105lbs
features	<ul style="list-style-type: none"> • SL Kid One Touch Toe with TRP System • Full Diagonal • SL Kid One Touch Heel • Solid Colored

LITERAIL

TYROLIA LR 9.0 AC

art. N°	111325
color	solid black/silver
stand height	28 mm
DIN	2.5-9
weight	1520 g
weight range	from 26kg/ from 57lbs
features	<ul style="list-style-type: none"> • SL Lite Toe with TRP System • Full Diagonal • ABS - Anti Blocking System • LiteRail • SL Lite Heel • Solid Colored

TYROLIA LR 7.0 AC

art. N°	111330
color	solid black/silver
stand height	28 mm
DIN	2-7
weight	1510 g
weight range	22-78kg / 48-174lbs
features	<ul style="list-style-type: none"> • SL Junior Toe with TRP System • Full Diagonal • ABS - Anti Blocking System • LiteRail • SL Junior Heel • Solid Colored

TYROLIA LR 4.5

art. N°	111331
color	solid black/silver
stand height	28 mm
DIN	0.75-4.5
weight	1330 g
weight range	10-48kg / 22-105lbs
features	<ul style="list-style-type: none"> • SL Kid Toe with TRP System • Full Diagonal • LiteRail • SL Kid Heel • Solid Colored

THREE BINDING TYPES

Rail (PowerRail, LiteRail)

- Retail AND Rental bindings
- Solid black
- Moveable toe and moveable heel

Sympro

- Solid rental binding
- Moveable toe and moveable heel
- As pm for all pre-mounted track skis

Symrent

- Budget line with moveable heel only



ALL MOUNTAIN PERFORMANCE

Vector 110 HT

art. N°	601700
color	transparent anthracite/white
level	Advanced
last	S 2000cc/103
shell	PU
liner	• HeatFit • Anatomical Frame Footbed • 40 mm Velcro Strap • Prepared for Heating System
features	• 4 micro-adjustable Alloy Buckles • 1 Supermacro Ratchet • Double-Inj. Frame • Easy Entry Shell Design • Flex Tuning • Double Canting • Rear Support Tunings
flex index	110/100
sizes	250-255-...-305

ALL MOUNTAIN COMFORT

NextEdge 90 HT

art. N°	601705
color	transparent red/black
level	Advanced
last	C 2100cc/104
shell	PU
liner	• Comfort • Sanitized® Charcoal Footbed • 35 mm Velcro Strap • Prepared for Heating System
features	• 4 micro-adjustable Alloy Buckles • 1 Supermacro Ratchet • Triple-Inj. Energy Frame • Easy Entry Shell Design • Stiffer/Softer Flex Adjustment • Double Canting
flex index	90/80
sizes	250-260-265-...-305

NextEdge 90 HT one

art. N°	601707
color	transparent anthracite
level	Advanced
last	C 2100cc/104
shell	PU
liner	• Women's Comfort • Fleece Lining • Sanitized® Charcoal Footbed • 35 mm Velcro Strap • Prepared for Heating System
features	• 4 micro-adjustable Alloy Buckles • 1 Supermacro Ratchet • Triple-Inj. Energy Frame • Easy Entry Shell Design • Double adjustable Profile • Stiffer/Softer Flex Adjustment • Double Canting
flex index	80/70
sizes	220-230-235-...-275

ALL DAY

i-Type 10.5 HT

art. N°	601745
color	black/red
level	Intermediate
last	EC 2200cc/106
shell	PU/SL
liner	• Comfort Rear Entry • Fleece Lining • Sanitized® Charcoal Footbed • 35 mm Velcro Strap • 1 micro-adjustable Double Power Alloy Buckle • 1 Double Memory Buckle • 2 Supermacro Ratchets • FlexWalking Sole • SoftWalk + Grip System • AutoSkiWalk • Rear Spoiler
features	
flex index	70
sizes	250-255-...-305

i-Type 10.5 HT one

art. N°	601747
color	silver/gold
level	Intermediate
last	EC 2200cc/106
shell	PU/SL
liner	• Women's Comfort Rear Entry • Fleece Lining • Sanitized® Charcoal Footbed • 35 mm Velcro Strap • 1 micro-adjustable Double Power Alloy Buckle • 1 Double Memory Buckle • 2 Supermacro Ratchets • FlexWalking Sole • SoftWalk + Grip System • AutoSkiWalk • Rear Spoiler
features	
flex index	60
sizes	230-235-...-275



ALL MOUNTAIN COMFORT

NextEdge 80 HT

art. N°	601720
color	black/anthracite/white
level	Advanced
last	C 2100cc/104
shell	PU/SL
liner	• Comfort • Sanitized® Charcoal Footbed • 35 mm Velcro Strap • Prepared for Heating System
features	• 4 micro-adjustable Alloy Buckles • 1 Supermacro Ratchet • Triple-Inj. Energy Frame • Easy Entry Shell Design • Double Canting
flex index	80
sizes	250-260-265-...-305-310-320-330-340

NextEdge 80 HT one

art. N°	601720
color	black/anthracite/white
level	Advanced
last	C 2100cc/104
shell	PU/SL
liner	• Comfort • Sanitized® Charcoal Footbed • 35 mm Velcro Strap • Prepared for Heating System
features	• 4 micro-adjustable Alloy Buckles • 1 Supermacro Ratchet • Triple-Inj. Energy Frame • Easy Entry Shell Design • Double Canting
flex index	70
sizes	220-230-235-...-275

Edge 7.5 HT

art. N°	601735
color	black
level	Intermediate
last	C 2100cc/104
shell	PU/SL
liner	• Comfort • Sanitized® Charcoal Footbed • 30 mm Velcro Strap • Prepared for Heating System
features	• 4 Plastic Buckles • 1 Supermacro Ratchet • Double Canting
flex index	60
sizes	230-235-...-305

ALL MOUNTAIN EXTRA COMFORT

RR 8


art. N°	605920
color	black
level	Beginner
last	-
shell	PU/SL
liner	• Comfort Rear Entry • Sanitized® Charcoal Footbed
features	• 1 Plastic Buckle • Rear Entry
flex index	-
sizes	230-235-...-305

Edge J3 HT

art. N°	608730
color	red
level	Intermediate
last	-
shell	PU/SL
liner	• Junior Rental • Tongue Handle • Comfort Footbed • 3 Plastic Buckles • Easy Entry Shell Construction • Adult Norm
features	
flex index	-
sizes	255-265

JUNIOR

art. N°	-
color	-
level	-
last	-
shell	-
liner	-
features	-
flex index	-
sizes	-



POLES

	Rental	Junior Rental
art. N°	381428	381418
colors	Color Coded by Length	Color Coded by Length
Ø	18 x 1 mm	16 mm
lengths	110 - 135 cm	70 - 105 cm
features	<ul style="list-style-type: none"> • 7075 Aluminum • Length Indication in cm and inches • PE Compact Grip • Standard Strap • Screen Print • Color Coded Graphics and Baskets 	<ul style="list-style-type: none"> • 7075 Aluminum • Length Indication in cm and inches • Junior PE Grip • Standard Strap • Screen Print • Color Coded Graphics and Baskets



RENTAL HELMETS

	Rental SR black	Rental SR anthracite	Rental JR white	Rental JR orange
art. N°	327111	327106	327511	327506
sizes	S (53.0-54.0) M (55.0-56.0) L (57.0-58.0)	XL (59.0-60.0) XXL (61.0-62.0)	XXS (49.0-50.0) XS (51.0-52.0)	S (53.0-54.0) M (55.0-56.0)
features	<ul style="list-style-type: none"> • Durable ABS Shell Technology • PC Power Shell • Thermal Ventilation • Soft Velvet Lining • Removable Earpads and Neckgator • Size Indicator - Color Coding System 		<ul style="list-style-type: none"> • Durable ABS Shell Technology • PC Power Shell • Thermal Ventilation • Soft Velvet Lining • Removable Earpads and Neckgator • Size Indicator - Color Coding System 	



RENTAL HELMETS

	Rental Pro SR	Rental Pro JR
art. N°	329109	329509
sizes	S / M / L / XL / XXL	XS / S / M
features	<ul style="list-style-type: none"> • In-Mould Mono Core • Lower Microshell (front & rear) • PC Power Shell • Thermal Ventilation • Color Coded Beanie Liner and Neckgator • Perforated Soft Micro Fleece • Vent Dams Storm Shutters • Soft Suede Fabric • Removable Earpads and Neckgator • Shiny Finish • All removable parts (neckgators, beanie liners, strap buckles and stickers) available as spare parts 	
certification	CE EN 1077, Class A ASTM F 2040	

HELMET ACCESSORIES

	Rental Beanie SR	Rental Beanie JR	Rental Sticker Pack
art. N°	375108 (10 pcs)	375609 (10 pcs)	375609 (100 pcs)
features	<ul style="list-style-type: none"> • 100% cotton cap • To be worn under the helmet for sanitary protection 		<ul style="list-style-type: none"> • 100% cotton cap • To be worn under the helmet for sanitary protection



TWIN TIP BOARDS

	Tribute R	Tribute JR R	Tribute Kid R																																																																													
art. N°	337261	337651	337851																																																																													
features	<ul style="list-style-type: none"> • NEW TNT Shield • ProRent Scratch-Resistant Top Sheet • Real twin shape • Radial Sidecut • TNT Shield Tip and Tail Protectors • Sidewall Sandwich Construction • Light CAD Wood Core • Slick Grind 10 Base Tuning • Cruiser Jacket • Fast and Easy-Maintenance IS 4400 Extruded Base • Pre-mounted SpeedDisc Interface (Tool Free Angle adjustment) on art. N° 337231 	<ul style="list-style-type: none"> • NEW TNT Shield • ProRent Scratch-Resistant Top Sheet • Real twin shape • Radial Sidecut • TNT Shield Tip and Tail Protectors • Sidewall Sandwich Construction • Light CAD Wood Core • Slick Grind 10 Base Tuning • Cruiser Jacket • Fast and Easy-Maintenance IS 4400 Extruded Base • Pre-mounted SpeedDisc Interface (Tool Free Angle adjustment) on art. N° 337621 	<ul style="list-style-type: none"> • NEW TNT Shield • ProRent Scratch-Resistant Top Sheet • Real twin shape • Radial Sidecut • Sidewall Sandwich Construction • Wood core • Slick Grind 10 Base Tuning • Cruiser Jacket • Fast and Easy-Maintenance IS 4400 Extruded Base • Pre-mounted SpeedDisc Interface (Tool Free Angle adjustment) on art. N° 337821 																																																																													
sizes	<table border="1"> <tr><th>contact</th><th>set-back</th><th>med. stance</th><th>Side-cut</th></tr> <tr><td>XS: 144-23.8</td><td>108.0</td><td>0</td><td>49</td><td>7.2</td></tr> <tr><td>S: 149-24.2</td><td>111.0</td><td>0</td><td>50</td><td>7.4</td></tr> <tr><td>M: 152-24.6</td><td>114.0</td><td>0</td><td>54</td><td>7.6</td></tr> <tr><td>L: 155-25.0</td><td>116.0</td><td>0</td><td>56</td><td>7.8</td></tr> <tr><td>XL: 158-25.3</td><td>119.0</td><td>0</td><td>58</td><td>7.8</td></tr> <tr><td>XXL: 163-25.8</td><td>124.0</td><td>0</td><td>58</td><td>8.0</td></tr> <tr><td>XXXL: 167-27.0</td><td>126.0</td><td>0</td><td>60</td><td>8.0</td></tr> </table>	contact	set-back	med. stance	Side-cut	XS: 144-23.8	108.0	0	49	7.2	S: 149-24.2	111.0	0	50	7.4	M: 152-24.6	114.0	0	54	7.6	L: 155-25.0	116.0	0	56	7.8	XL: 158-25.3	119.0	0	58	7.8	XXL: 163-25.8	124.0	0	58	8.0	XXXL: 167-27.0	126.0	0	60	8.0	<table border="1"> <tr><th>contact</th><th>set-back</th><th>med. stance</th><th>Side-cut</th></tr> <tr><td>120-23.0</td><td>85.0</td><td>0</td><td>36</td><td>6.8</td></tr> <tr><td>130-23.5</td><td>95.0</td><td>0</td><td>40</td><td>6.9</td></tr> <tr><td>140-23.9</td><td>105.0</td><td>0</td><td>44</td><td>7.0</td></tr> </table>	contact	set-back	med. stance	Side-cut	120-23.0	85.0	0	36	6.8	130-23.5	95.0	0	40	6.9	140-23.9	105.0	0	44	7.0	<table border="1"> <tr><th>contact</th><th>set-back</th><th>med. stance</th><th>Side-cut</th></tr> <tr><td>90-20.0</td><td>59.6</td><td>0</td><td>30</td><td>6.0</td></tr> <tr><td>100-21.0</td><td>66.0</td><td>0</td><td>32</td><td>6.2</td></tr> <tr><td>110-22.0</td><td>76.0</td><td>0</td><td>34</td><td>6.4</td></tr> </table>	contact	set-back	med. stance	Side-cut	90-20.0	59.6	0	30	6.0	100-21.0	66.0	0	32	6.2	110-22.0	76.0	0	34	6.4
contact	set-back	med. stance	Side-cut																																																																													
XS: 144-23.8	108.0	0	49	7.2																																																																												
S: 149-24.2	111.0	0	50	7.4																																																																												
M: 152-24.6	114.0	0	54	7.6																																																																												
L: 155-25.0	116.0	0	56	7.8																																																																												
XL: 158-25.3	119.0	0	58	7.8																																																																												
XXL: 163-25.8	124.0	0	58	8.0																																																																												
XXXL: 167-27.0	126.0	0	60	8.0																																																																												
contact	set-back	med. stance	Side-cut																																																																													
120-23.0	85.0	0	36	6.8																																																																												
130-23.5	95.0	0	40	6.9																																																																												
140-23.9	105.0	0	44	7.0																																																																												
contact	set-back	med. stance	Side-cut																																																																													
90-20.0	59.6	0	30	6.0																																																																												
100-21.0	66.0	0	32	6.2																																																																												
110-22.0	76.0	0	34	6.4																																																																												



ROCKA BOARDS

Tribute R Rocka	337220
Tribute R Rocka + SpeedDisc	337210

features

- Super Tough Top Sheet
- TNT Shield Tip and Tail Protectors
- Sidewall Sandwich Construction
- Light CAD Wood Core
- Slick Grind 10 Base Tuning
- Cruiser Jacket
- Fast and Easy-Maintenance IS 4400 Extruded Base
- Pre-mounted SpeedDisc Interface (Tool Free Angle adjustment) on art. N° 337210

sizes	contact	set-back	med. stance	Side-cut
146	1020	0	500	22.5
149	1050	0	520	22.5
152	1080	0	540	20.0
155	1110	0	560	19.5
158	1140	0	580	18.5
160	1170	0	600	19.5
163	1170	0	600	24.0

Tribute JR R Rocka	337420
Tribute JR R Rocka + SpeedDisc	337410

- Super Tough Top Sheet
- TNT Shield Tip and Tail Protectors
- Sidewall Sandwich Construction
- Light CAD Wood Core
- Slick Grind 10 Base Tuning
- Cruiser Jacket
- Fast and Easy-Maintenance IS 4400 Extruded Base
- Pre-mounted SpeedDisc Interface (Tool Free Angle adjustment) on art. N° 337410

sizes	contact	set-back	med. stance	Side-cut
120	820	0	420	15.0
130	920	0	440	16.0
140	1020	0	460	17.0

Tribute Kid R Rocka	337460
Tribute Kid R Rocka + SpeedDisc	337450

- Super Tough Top Sheet
- Sidewall Sandwich Construction
- Light CAD Wood Core
- Slick Grind 10 Base Tuning
- Cruiser Jacket
- Fast and Easy-Maintenance IS 4400 Extruded Base
- Pre-mounted SpeedDisc Interface (Tool Free Angle adjustment) on art. N° 337450

sizes	contact	set-back	med. stance	Side-cut
100	600	0	320	13.0
110	760	0	360	11.0

ROCKA BOARDS

features

Tribute R Cap Rocka	337321
Tribute R Cap Rocka + SpeedDisc	337311

- ProRent Scratch-Resistant Top Sheet
- Screwed On Tip and Tail Protectors
- Sidewall Sandwich Construction
- Light CAD Wood Core
- Slick Grind 10 Base Tuning
- Cruiser Jacket
- Multiradial Sidecut
- Fast and Easy-Maintenance IS 4400 Extruded Base
- Pre-mounted SpeedDisc Interface (Tool Free Angle adjustment) on art. N° 337311

sizes	contact	set-back	med. stance	Sidecut
144-23.5	112.2	1.0	43	6.3/7.4/7.1
149-23.5	117.2	1.0	45	7.0/7.6/7.3
154-24.6	121.2	1.0	48	7.2/7.8/7.5
157-24.6	123.2	1.0	51	7.4/8.0/7.7
156-25.5	122.2	1.0	49	7.4/8.0/7.7
161-25.5	126.2	1.0	52	7.6/8.2/7.9
152-26.6	120.0	1.0	46	7.1/7.7/7.4
157-26.6	123.2	1.0	51	7.4/8.0/7.7
162-26.6	127.7	1.0	53	7.6/8.2/7.9
166-26.6	131.2	1.0	54	8.8/8.8/8.5

Tribute JR R Cap Rocka	337451
Tribute JR R Cap Rocka + SpeedDisc	337441

- ProRent Scratch-Resistant Top Sheet
- Screwed On Tip and Tail Protectors
- Light CAD Wood Core
- Slick Grind 10 Base Tuning
- Cruiser Jacket
- Radial Sidecut
- Fast and Easy-Maintenance IS 4400 Extruded Base
- Pre-mounted SpeedDisc Interface (Tool Free Angle adjustment) on art. N° 337441

sizes	contact	set-back	med. stance	Side-cut
120-22.8	88.9	1.0	38	6.8
130-24.0	98.9	1.0	40	7.2
135-24.6	103.9	1.0	42	7.6
140-24.8	108.9	1.0	44	8.0

Tribute Kid R Cap Rocka	337481
Tribute Kid R Cap Rocka + SpeedDisc	337471

- ProRent Scratch-Resistant Top Sheet
- Cap construction
- Synthetic Wood Core
- Slick Grind 10 Base Tuning
- Cruiser Jacket
- Radial Sidecut
- Fast and Easy-Maintenance IS 4400 Extruded Base
- Pre-mounted SpeedDisc Interface (Tool Free Angle adjustment) on art. N° 337471

sizes	contact	set-back	med. stance	Side-cut
100-21.0	66	0	32	4.0
110-22.0	76	0	34	5.8

Three constructions with three different functions and three different designs:

- Twin Tip Tribute
- Rocka Tribute
- Rocka Cap Tribute

SOFT BINDINGS

NX R SpeedDisc

art. N°
features

- 347410
- Tool Free Centered Straps
 - 3D Anklestraps
 - Aluminum Buckles
 - Auto Open Total
 - Padded Highback
(SpeedDisc sold separately)

sizes

- S (<25.5)
M (25.5-28.5)
L (>28.5)



SOFT BINDINGS

P4 R SpeedDisc

art. N°
features

- 347318
- Tool Free Centered Straps
 - 3D Anklestraps
 - Aluminum Heelcup
 - Aluminum Buckles
 - Auto Open
 - Padded Highback
(SpeedDisc sold separately)

sizes

- S (<25.5)
M (25.5-28.5)
L (>28.5)

P3 R ALU SpeedDisc

347528

- Tool Free Centered Straps
- Screw-Mounted Buckles
- Direct-Transmission Powerfork Highback
- Stiff and Light Base Plate
- Aluminum Heelcup with Size Print
- Aluminum Buckles
- Hytrel® Ratchets
- 3D shaped Textile Ankle Straps
(SpeedDisc sold separately)

- S (<25.5)
M (25.5-28.5)
L (>28.5)

PJR R SpeedDisc

347557

- Tool Free Centered Straps
- Screw-Mounted Buckles
- Nylon® Junior Highback with Size Print
- Aluminum Heelcup with Size Print
- Hytrel® Ratchets
- 3D shaped Textile Straps
(SpeedDisc sold separately)

One size (19.5-24.5)

INTERFACE

SpeedDisc

art. N°
features
sizes

- 347817
- Disc Interface for SpeedDisc Bindings

Three models including the fully Auto Open Rental NX R:

- NX R Speed Disk
- P4 R Speed Disk
- P3 R Speed Disk