




NORDICA[®]

skis & boots
collection
14/15

CUSTOM CORK TECHNOLOGY



Building on the proven natural performance characteristics of cork, Nordica introduces the Custom Cork Liner to its award-winning collection of liners as part of the all new NRGy series of boots.

SUPERIOR PERFORMANCE

The specifically engineered cork and resin compound integrated into the liner wraps the foot in comfort and performance.

In addition to being a great natural insulator, due to its superior density, cork provides the greatest transmission of power from boot to ski. Unlike foam and other boot liner materials it doesn't compress when engaging the edge – making turning in NRGy boots extremely precise and responsive.

MOLDABLE

Cork naturally forms to the contours of your feet over time through body heat, making the liners supremely comfortable and seamlessly integrated with the boot's shell for maximum performance.

FASTEST CUSTOM FIT ON THE MARKET

For the dealer, time is money. With Nordica's Custom Cork Liner, if needed, the boot fitter can in 15 minutes custom fit a Nordica NRGy series boot.

Amazingly, the simple three step process is endlessly repeatable.



PRIMALOFT® INSULATION LINER

SUPERIOR WARMTH

Our's all new women's line of NRGy and NXT boots incorporate the proven superior warmth of PrimaLoft® to ensure a warm comfortable day of skiing.

For the first time PrimaLoft® has been used in a ski boot liner - a Nordica exclusive for the 14/15 collection!

PRIMALOFT® GOLD INSULATION ECO WITH GRIP CONTROL

Engineered for function, created for comfort.

PrimaLoft® Gold Insulation Eco with Grip Control delivers performance by enhancing the warmth and comfort of insulation with the functionality of a slip-resistant grip.

W NRGy AND NXT WOMEN'S BOOTS WITH PRIMALOFT® INSULATION LINER.



PRODUCT FEATURES

- SLIP-RESISTANT TECHNOLOGY
- ADVANCED THERMAL EFFICIENCY
- EXCELLENT WATER RESISTANCE FOR PROTECTION
- DESIGNED FOR COMPRESSIONAL RECOVERY



FRONT Progressive

DOBERMANN



**DOBERMANN
WC EDT 150**

BLACK · 05000400 100

extra-grip soles

last (mm)	flex	size range
93	150	3-10 UK

liner type/style
LACED RACE FIT (SELF ADAPTING)

technologies
BBF (BOOT FITTER'S BEST FRIEND)
EFFICIENT DYNAMIC TECHNOLOGY



**DOBERMANN
WC EDT 130**

BLACK · 05000700 100

extra-grip soles

last (mm)	flex	size range
93	130	3-10 UK

liner type/style
LACED RACE FIT (SELF ADAPTING)

technologies
BBF (BOOT FITTER'S BEST FRIEND)
EFFICIENT DYNAMIC TECHNOLOGY



**DOBERMANN
EDT 130**

BLACK · 05003000 100

extra-grip soles

last (mm)	flex	size range
98	130	3-10.5 UK

liner type/style
RACE PRO FIT (SELF ADAPTING)

technologies
BBF (BOOT FITTER'S BEST FRIEND)
EFFICIENT DYNAMIC TECHNOLOGY



**DOBERMANN
120**

BLACK · 05003100 100

extra-grip soles

last (mm)	flex	size range
98	120	3-10.5 UK

liner type/style
RACE PRO FIT (SELF ADAPTING)

technologies
BBF (BOOT FITTER'S BEST FRIEND)



**DOBERMANN
100**

BLACK · 05003300 100 / WHITE · 05003300 101

extra-grip soles

last (mm)	flex	size range
98	100	3-8.5 UK

liner type/style
RACE PRO FIT (SELF ADAPTING)

technologies
BBF (BOOT FITTER'S BEST FRIEND)



FRONT Progressive

FIREARROW / TRANSFIRE

NORDICA
skis & boots
collection
14/15



FIREARROW F1

TR. BLACK/BLACK · 05014002 576

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	135	24.0-31.0

liner type/style
PPF PERFORMANCE FIT

technologies
45 DEGREE CLOSURE
HIGH TRACTION SOLES
EFFICIENT DYNAMIC TECHNOLOGY



FIREARROW F3

TR. RED/BLACK · 05014402 7H7

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	115	24.0-31.0

liner type/style
PPF PRECISION FIT

technologies
45 DEGREE CLOSURE
HIGH TRACTION SOLES
EFFICIENT DYNAMIC TECHNOLOGY



FIREARROW F3 W

TR. SMOKE/ANTHRACITE · 05014502 873

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	105	22.5-27.5

liner type/style
PPF PRECISION FIT W

technologies
45 DEGREE CLOSURE
HIGH TRACTION SOLES
EFFICIENT DYNAMIC TECHNOLOGY



TRANSFIRE R1

TR BLACK-BLACK · 05018000 576

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
102	105	24.0-31.0

liner type/style
PPF PERFORMANCE FIT

technologies
45 DEGREE CLOSURE
ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES



TRANSFIRE R2

TR. BLACK/BLACK · 05018200 576

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
102	100	24.0-31.0

liner type/style
PPF PRECISION FIT

technologies
45 DEGREE CLOSURE
ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES



TRANSFIRE R2 W

TR BLACK-BLACK · 05018300 576

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
102	90	22.5-27.5

liner type/style
PPF PRECISION FIT W

technologies
45 DEGREE CLOSURE
ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES



TRANSFIRE R3

TR. RED/BLACK · 05018400 7H7

extra-grip soles
-

last (mm)	flex	size range
102	90	24.0-31.0

liner type/style
PPF COMFORT FIT

technologies
45 DEGREE CLOSURE
ACP ADJUSTABLE CUFF PROFILE



TRANSFIRE R3 W

TR SMOKE-WHITE · 05018500 V17

extra-grip soles
-

last (mm)	flex	size range
102	85	22.5-27.5

liner type/style
PPF COMFORT FIT W

technologies
45 DEGREE CLOSURE
ACP ADJUSTABLE CUFF PROFILE

ALL MOUNTAIN Timeless

NRGy PRO / BELLE PRO



NRGy PRO 1
TR GREEN-BLACK · 05011000 9T4

extra-grip soles
HIGH TRACTION DUAL DENSITY PU
TRACTION CONTROL

last (mm)	flex	size range
100	130	24.0-31.0

liner type/style
CUSTOM CORK FIT

technologies
BBF (BOOT FITTER'S BEST FRIEND)
HIGH TRACTION SOLES
WEATHER SHIELD



NRGy PRO 2
TR YELLOW-BLACK · 05011200 1D8

extra-grip soles
HIGH TRACTION DUAL DENSITY PU
TRACTION CONTROL

last (mm)	flex	size range
100	120	24.0-31.0

liner type/style
CUSTOM CORK FIT

technologies
BBF (BOOT FITTER'S BEST FRIEND)
HIGH TRACTION SOLES
WEATHER SHIELD



NRGy PRO 3
TR RED-BLACK · 05011400 7H7

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	110	24.0-31.0

liner type/style
CUSTOM CORK FIT

technologies
BBF (BOOT FITTER'S BEST FRIEND)
HIGH TRACTION SOLES
WEATHER SHIELD



BELLE PRO
TR PURPLE-WHITE · 05011500 001

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	105	22.5-27.5

liner type/style
CUSTOM CORK FIT W + PRIMALOFT

technologies
BBF (BOOT FITTER'S BEST FRIEND)
HIGH TRACTION SOLES
WEATHER SHIELD

CUSTOM CORK LINER



Building on the proven natural performance characteristics of cork, Nordica introduces the Custom Cork Liner to it's award-winning collection of liners as part of the all new NRGy series of boots.

SUPERIOR PERFORMANCE

The specifically engineered cork and resin compound integrated into the liner wraps the foot in comfort and performance.


In addition to being a great natural insulator, due to its superior density, cork provides the greatest transmission of power from boot to ski. Unlike foam and other boot liner materials it doesn't compress when engaging the edge – making turning in NRGy boots extremely precise and responsive.

MOLDABLE

Cork naturally forms to the contours of your feet over time through body heat, making the liners supremely comfortable and seamlessly integrated with the boot's shell for maximum performance.

FASTEST CUSTOM FIT ON THE MARKET

For the dealer, time is money. With Nordica's Custom Cork Liner, if needed, the boot fitter can in 15 minutes custom fit a Nordica NRGy series boot. Amazingly, the simple three step process is endlessly repeatable.



ALL MOUNTAIN Timeless

NORDICA
skis & boots
collection
14/15

NRGy / BELLE

100



HELL&BACK H1

ANTHRACITE-YELLOW · 05006000 001

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	120	24.0-31.0

liner type/style
PFP PERFORMANCE FIT FSE

technologies
HIGH TRACTION SOLES
TRIAx- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD



HELL&BACK H1 W

ANTHRACITE-PURPLE · 05006101 001

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	105	22.5-27.5

liner type/style
PFP PERFORMANCE FIT W FSE + PRIMALOFT

technologies
HIGH TRACTION SOLES
TRIAx- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD



NRGY H2

ANTHRACITE-GREEN · 05006600 096 / BLACK-RED · 05006600 741

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	110	24.0-31.0

liner type/style
PFP PRECISION FIT

technologies
HIGH TRACTION SOLES
TRIAx- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD



BELLE H2

TR SMOKE-PURPLE · 05006700 N98

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	100	22.5-27.5

liner type/style
PFP PRECISION FIT W + PRIMALOFT

technologies
HIGH TRACTION SOLES
TRIAx- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD



NRGY H3

ANTHRACITE-ORANGE · 05006800 8A5

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	100	24.0-31.0

liner type/style
PFP COMFORT FIT

technologies
HIGH TRACTION SOLES
TRIAx- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD



BELLE H3

ANTHRACITE-BLACK · 05006900 N16 / WHITE-SILVER · 05006900 862

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	95	22.5-27.5

liner type/style
PFP COMFORT FIT W + PRIMALOFT

technologies
HIGH TRACTION SOLES
TRIAx- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD

ALL MOUNTAIN Timeless

NXT



NXT N1
TR GREEN-BLACK · 05032000 9T4

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	120	24.5-32.5

liner type/style
PPF PERFORMANCE FIT

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
BBF (BOOT FITTER'S BEST FRIEND)
HIGH TRACTION SOLES
WEATHER SHIELD



NXT N1 W
TR BLUE-DK BLUE · 05032100 1S4

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	105	22.5-27.5

liner type/style
PPF PERFORMANCE FIT W + PRIMALOFT

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
BBF (BOOT FITTER'S BEST FRIEND)
HIGH TRACTION SOLES
WEATHER SHIELD



NXT N2
TR LIGHT BLUE-BLACK · 05032200 2A1

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	100	24.5-32.5

liner type/style
PPF PRECISION FIT

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES
WEATHER SHIELD



NXT N2 W
TR BLACK-BLACK · 05032300 576

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	95	22.5-27.5

liner type/style
PPF PRECISION FIT W + PRIMALOFT

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES
WEATHER SHIELD



NXT N3
TR BLACK-BLACK · 05032400 576

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	90	24.5-32.5

liner type/style
PPF COMFORT FIT

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES
TRIAX- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD



NXT N3 W
TR SMOKE-WHITE · 05032500 V17

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	85	22.5-27.5

liner type/style
PPF COMFORT FIT W + PRIMALOFT

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES
TRIAX- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD



NXT N4
BLACK-RED · 05032600 741

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	80	24.5-32.5

liner type/style
PPF COMFORT FIT

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES
TRIAX- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD



NXT N4 W
WHITE-SILVER · 05032700 862

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	75	22.5-27.5


liner type/style
PPF COMFORT FIT W

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES
TRIAX- LIGHT WEIGHT CONSTRUCTION
WEATHER SHIELD

NEW ACP: ADJUSTABLE CUFF PROFILE



Our New Adjustable Cuff Profile Mechanism (ACP) allows with only one movement a neutral standing position for every leg size, making skiing all day easier and more comfortable no matter what the width of a skier's leg. Improves width respected previous mechanism.



WEATHER SHIELD



An ALL NEW overlap system integrated into the shell provides a full waterproof feature to prevent water from leaking into the boot. And as we all know, dry feet are warm and comfortable feet!



ALL MOUNTAIN Timeless

CRUISE



CRUISE 110
TR. RED/BLACK · 05053800 7H7

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
104	110	24.0-31.0

liner type/style
PFP PERFORMANCE FIT

technologies
ADJUSTABLE CUFF PROFILE (ACP)
HIGH TRACTION SOLES
NATURAL FOOT STANCE



CRUISE 90
TR.LIGHT BLUE/BLACK · 05054001 2A1

extra-grip soles

last (mm)	flex	size range
104	90	24.0-31.0

liner type/style
PFP PRECISION FIT

technologies
ADJUSTABLE CUFF PROFILE (ACP)
NATURAL FOOT STANCE



CRUISE 85 W
ANTHRACITE-WHITE · 05054101 7E2

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
104	85	22.5-27.5

liner type/style
PFP PRECISION FIT W

technologies
ADJUSTABLE CUFF PROFILE (ACP)
HIGH TRACTION SOLES
NATURAL FOOT STANCE



CRUISE 80
TR. BLACK/BLACK · 05054201 576

extra-grip soles

last (mm)	flex	size range
104	80	24.0-31.0

liner type/style
PFP COMFORT FIT

technologies
ADJUSTABLE CUFF PROFILE (ACP)
NATURAL FOOT STANCE



CRUISE 75 W
TR. BLACK/BLACK · 05054301 576

extra-grip soles

last (mm)	flex	size range
104	75	22.5-27.5

liner type/style
PFP COMFORT FIT W

technologies
ADJUSTABLE CUFF PROFILE (ACP)
NATURAL FOOT STANCE



CRUISE 60
BLACK/ANTHRACITE · 05054601 T80

extra-grip soles

last (mm)	flex	size range
104	60	24.0-31.0

liner type/style
3D COMFORT FIT

technologies
NATURAL FOOT STANCE



CRUISE 55 W
TITANIUM-WHITE · 05054701 5E8

extra-grip soles

last (mm)	flex	size range
104	55	22.5-27.5

liner type/style
3D COMFORT FIT W

technologies
NATURAL FOOT STANCE

FREESKI Inspired

PATRON / THE ACE / LA NIÑA



TJS PRO

TR BLACK-BLACK · 05004500 576

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	130	24.0-29.5

liner type/style
PFP PERFORMANCE FIT FSE PRO

technologies
45 DEGREE CLOSURE
BBF (BOOT FITTER'S BEST FRIEND)
HIGH TRACTION SOLES
FULL SHOCK ERASER



THE ACE 3 STARS

BLACK · 05005001 100

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	130	24.0-29.5

liner type/style
PFP PERFORMANCE FIT FSE

technologies
45 DEGREE CLOSURE
BBF (BOOT FITTER'S BEST FRIEND)
HIGH TRACTION SOLES
FULL SHOCK ERASER



THE ACE 2 STARS

RED · 05005101 007

extra-grip soles

last (mm)	flex	size range
100	115	24.0-29.5

liner type/style
PFP COMFORT FIT

technologies
45 DEGREE CLOSURE
FULL SHOCK ERASER



THE ACE 1 STAR

ANTHRACITE · 05005201 201

extra-grip soles

last (mm)	flex	size range
100	105	24.0-29.5

liner type/style
COMFORT FIT

technologies
45 DEGREE CLOSURE
FULL SHOCK ERASER



PATRON PRO

BLACK · 05003600 100

extra-grip soles

last (mm)	flex	size range
98	130	3-10.5 UK

liner type/style
RACE PRO FIT (SELF ADAPTING)

technologies
BBF (BOOT FITTER'S BEST FRIEND)
FULL SHOCK ERASER



PATRON

TR RED-BLACK · 05003700 7H7

extra-grip soles

last (mm)	flex	size range
98	110	3-10.5 UK

liner type/style
RACE PRO FIT (SELF ADAPTING)

technologies
BBF (BOOT FITTER'S BEST FRIEND)
FULL SHOCK ERASER



LA NIÑA

TR. SMOKE/ANTHRACITE · 05003900 873

extra-grip soles

last (mm)	flex	size range
98	90	3-8.5 UK

liner type/style
RACE PRO FIT (SELF ADAPTING)

technologies
BBF (BOOT FITTER'S BEST FRIEND)
FULL SHOCK ERASER

JUNIOR

DOBERMANN / PATRON / THE ACE / FIREARROW



**DOBERMANN
WC EDT 100**

BLACK · 05000900 100

extra-grip soles

-

last (mm)	flex	size range
95	100	3-8.5 UK

liner type/style
LACEABE RACE FIT JR (SELF ADAPTING)

technologies
BBF (BOOT FITTER'S BEST FRIEND)
EFFICIENT DYNAMIC TECHNOLOGY



**DOBERMANN
TEAM 80**

BLACK · 05002701 100

extra-grip soles

-

last (mm)	flex	size range
98	80	3-8.5 UK

liner type/style
PERFORMANCE FIT PRO JR (SELF ADAPTING)

technologies

-



**DOBERMANN
TEAM**

BLACK · 05080101 100

extra-grip soles

-

last (mm)	flex	size range
JR	60/70/75	18.0-28.0

liner type/style
PRECISION FIT JR

technologies

-



**PATRON
TEAM**

TR. GREEN/BLACK · 05080301 9T4

extra-grip soles

-

last (mm)	flex	size range
JR	55/60/65	18.0-28.0

liner type/style
COMFORT FIT JR

technologies

-



THE ACE

BLACK · 05081701 100 / WHITE · 05081701 101

extra-grip soles

-

last (mm)	flex	size range
100	80	22.5-27.5

liner type/style
COMFORT FIT JR

technologies
45 DEGREE CLOSURE



**FIREARROW
TEAM 3**

BLACK-RED · 05082500 741 / LT BLUE-BLACK-WHITE · 05082500 7E3 / WHITE-LIGHT BLUE · 05082500 T1A

extra-grip soles

-

last (mm)	flex	size range
JR	45	20.0-26.5

liner type/style
COMFORT FIT JR

technologies
45 DEGREE CLOSURE

JUNIOR

FIREARROW

NORDICA
skis & boots
collection
14/15



FIREARROW TEAM 2

BLACK-RED · 05082900 741 / LT BLUE-BLACK-WHITE · 05082900 7E3 / WHITE-LIGHT BLUE · 05082900 T1A

extra-grip soles

-

last (mm)	flex	size range
JR	35	16-23.5

liner type/style
COMFORT FIT JR

technologies
45 DEGREE CLOSURE



FIREARROW TEAM 1

BLACK-RED · 05082700 741 / LT BLUE-BLACK-WHITE · 05082700 7E3 / WHITE-LIGHT BLUE · 05082700 T1A

extra-grip soles

-

last (mm)	flex	size range
JR	25	14.0-19.5

liner type/style
COMFORT FIT JR


technologies

-



RENTAL

NRGy / HELL & BACK / NXT / TRANSFIRE



**NRGy
H3 R (RTL)**

TR GREEN-BLACK · 05007600 9T4

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	100	24.0-31.0

liner type/style
3D COMFORT RTL - ANTIBACTERIAL

technologies
HIGH TRACTION SOLES
WEATHER SHIELD



**HELL & BACK
H3 R (RTL)**

ANTHRACITE-RED · 05007000 001

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	100	24.0-31.0

liner type/style
3D COMFORT RTL - ANTIBACTERIAL

technologies
HIGH TRACTION SOLES
WEATHER SHIELD



**HELL & BACK
H3 R W (RTL)**

ANTHRACITE-LIGHT BLUE · 05007101 001

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
100	95	22.5-27.5

liner type/style
3D COMFORT RTL W - ANTIBACTERIAL

technologies
HIGH TRACTION SOLES
WEATHER SHIELD



**NXT
N3 (RTL)**

TR RED-BLACK · 05033000 7H7

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	80	24.0-32.5

liner type/style
3D COMFORT RTL - ANTIBACTERIAL

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES
WEATHER SHIELD



**NXT
N3 (RTL) W**

TR BLACK-WHITE · 05033100 7H6

extra-grip soles
HIGH TRACTION DUAL DENSITY PU

last (mm)	flex	size range
103	75	22.5-27.5

liner type/style
3D COMFORT RTL W - ANTIBACTERIAL

technologies
NEW ACP ADJUSTABLE CUFF PROFILE
HIGH TRACTION SOLES
WEATHER SHIELD



**TRANSFIRE
R3 R (RTL)**

TR LIGHT BLUE-BLACK · 05019000 2A1

extra-grip soles
-

last (mm)	flex	size range
102	90	24.0-31.0

liner type/style
3D COMFORT RTL - ANTIBACTERIAL

technologies
45 DEGREE CLOSURE
ADJUSTABLE CUFF PROFILE (ACP)



**TRANSFIRE
R3 R W (RTL)**

TR SMOKE-WHITE · 05019100 V17

extra-grip soles
-

last (mm)	flex	size range
102	85	22.5-27.5

liner type/style
3D COMFORT RTL - ANTIBACTERIAL

technologies
45 DEGREE CLOSURE
ADJUSTABLE CUFF PROFILE (ACP)

RENTAL

CRUISE / FIREARROW / GRANTOUR



CRUISE S (80-RTL)

TR YELLOW-BLACK · 05055502 1D8

extra-grip soles

last (mm)	flex	size range
104	80	24.0-31.0

liner type/style
3D COMFORT RTL - ANTIBACTERIAL

technologies
ADJUSTABLE CUFF PROFILE (ACP)
NATURAL FOOT STANCE



CRUISE S W (75-RTL)

BLACK-WHITE · 05055602 787

extra-grip soles

last (mm)	flex	size range
104	75	22.5-27.5

liner type/style
3D COMFORT RTL W - ANTIBACTERIAL

technologies
ADJUSTABLE CUFF PROFILE (ACP)
NATURAL FOOT STANCE



CRUISE (70-RTL)

ANTHRACITE-SILVER · 05055701 6M4

extra-grip soles

last (mm)	flex	size range
104	70	24.0-31.0

liner type/style
3D COMFORT RTL - ANTIBACTERIAL

technologies
NATURAL FOOT STANCE



CRUISE W (65-RTL)

WHITE-SILVER · 05055801 862

extra-grip soles

last (mm)	flex	size range
104	65	22.5-27.5

liner type/style
3D COMFORT RTL W - ANTIBACTERIAL

technologies
NATURAL FOOT STANCE



FIREARROW TEAM 3 (RTL)

TR RED-WHITE-BLACK · 05082401 V41

extra-grip soles

last (mm)	flex	size range
JR	45	20.0-26.5

liner type/style
COMFORT FIT JR

technologies
45 DEGREE CLOSURE



FIREARROW TEAM 2 (RTL)

TR RED-WHITE-BLACK · 05082300 V41

extra-grip soles

last (mm)	flex	size range
JR	35	16.0-20.5

liner type/style
COMFORT FIT JR

technologies



GRANTOUR S (RTL)

BLACK · 05071001 100

extra-grip soles

last (mm)	flex	size range
103	-	22.5-30.5

liner type/style
REAR ENTRY COMFORT RTL

technologies



GRAN TOUR

BLACK · 05070001 100


extra-grip soles

last (mm)	flex	size range
103	-	-


liner type/style
REAR ENTRY COMFORT RTL

technologies


iCORE Ti (Full Wood Core) WITH TORSION BRIDGE



i-Core Ti (Full Woodcore) with Torsion Bridge technology has allowed us to build the next generation of All Mountain skis. By removing specifically engineered geometric shapes from a full sheet of Titanal, the Torsion Bridge provides our all new NRGy skis with the performance of metal without the extra weight and sluggishness that typically comes with a traditionally constructed metal ski.



Combining this torsion bridge technology with our new exceptionally light full wood i-Core Ti core, results in a revolutionary construction that is extremely lightweight yet torsionally strong and confidence inspiring in all conditions and terrain.



NORDICA.

FRONT Progressive

DOBERMANN



DOBERMANN GSR EDT
 BLUE/LIME
 N POWER X EVO
 0A4004F1 001
 N PRO X EVO
 0A4004G1 001

sizes
 167 · 172 · 176 · 182 · 186

sidecut (by size)
 115-71-99.5 (167, 172, 176)
 115-71-100 (182, 186)

radius (by size)
 16,5 (167) · 17,5 (172)
 18,5 (176) · 19,5 (182)
 20,5 (186)

DIN setting
 4-14 TCX (N POWER X EVO)
 4-12 TCX (N PRO X EVO)

system
 EVO R CT EDT

ski construction
 EVO ENERGY 2 TITANIUM

camRock profile
 FRONTSIDE (RRP)



DOBERMANN SLR
 BLUE/LIME
 N POWER X EVO
 0A4008F1 001
 N PRO X EVO
 0A4008G1 001

sizes
 156 · 160 · 165 · 170

sidecut (by size)
 121-70-106

radius (by size)
 11,5 (156) · 12 (160)
 12,5 (165) · 13 (170)

DIN setting
 4-14 TCX (N POWER X EVO)
 4-12 TCX (N PRO X EVO)

system
 EVO R CT

ski construction
 EVO ENERGY 2 TITANIUM

camRock profile
 -



DOBERMANN SPITFIRE EDT
 BLUE/WHITE
 N PRO EVO
 0A4020G1 001

sizes
 152 · 160 · 168 · 176

sidecut (by size)
 124-74-107 (152, 160)
 126-74-109 (168, 176)

radius (by size)
 12 (152) · 13 (160)
 14 (168) · 15,5 (176)

DIN setting
 4-12 TCX

system
 EVO R CT EDT GF

ski construction
 EVO ENERGY 2 TITANIUM

camRock profile
 FRONTSIDE (RRP)



DOBERMANN SPITFIRE PRO
 BLACK/LIME
 N PRO P.R. EVO
 0A4022P1 001

sizes
 152 · 160 · 168 · 176

sidecut (by size)
 126-74-109

radius (by size)
 12 (152) · 13 (160)
 14 (168) · 15,5 (176)

DIN setting
 4-12 TC

system
 EVO R CT

ski construction
 EVO ENERGY 2 TITANIUM

camRock profile
 FRONTSIDE (RRP)



DOBERMANN SPITFIRE TI
 BLUE/WHITE
 N PRO P.R. EVO
 0A4024P1 001 ★

sizes
 152 · 160 · 168 · 176

sidecut (by size)
 120,5-72-103,5 (152)
 120,5-72-103,6 (160)
 122,5-72-105,5 (168, 176)

radius (by size)
 12 (152) · 13,5 (160)
 14 (168) · 15,5 (176)

DIN setting
 4-12 TC

system
 EVO CT

ski construction
 EVO ENERGY TI

camRock profile
 FRONTSIDE (MRP)



DOBERMANN SPITFIRE CA
 WHITE/RED
 0A4026Q1 001 ★
 RED/LIME
 0A4026Q1 002
 N ADV P.R. EVO

sizes
 152 · 160 · 168 · 176

sidecut (by size)
 120,5-72-103,5 (152)
 120,5-72-103,6 (160)
 122,5-72-105,5 (168, 176)

radius (by size)
 12 (152) · 13,5 (160)
 14 (168) · 15,5 (176)

DIN setting
 3-10 ML

system
 EVO CT

ski construction
 EVO ENERGY CA

camRock profile
 FRONTSIDE (MRP)

★
 RENTAL
 READY

★
 RENTAL
 READY

FRONT Progressive

FIRE ARROW

NORDICA
skis & boots
collection
14/15



**FIRE ARROW
84 EDT**
BLACK/RED
N PRO X EVO
0A4040G2 001

sizes
160 · 168 · 176 · 184

sidecut (by size)
127-84-111 (160, 168)
128-84-112.5 (176)
128-84-113 (184)

radius (by size)
15,5 (160) · 17 (168)
18 (176) · 19,5 (184)

DIN setting
4-12 TCX

system
EVO XL CT EDT

ski construction
EVO ENERGY 2 TITANIUM

camRock profile
FRONTSIDE (RRP)



**FIRE ARROW
84 PRO**
BLACK/YELLOW
N PRO P.R. EVO WB (90mm)
0A4042P5 001

sizes
160 · 168 · 176 · 184

sidecut (by size)
127-84-111 (160, 168)
128-84-112.5 (176)
128-84-113 (184)

radius (by size)
15,5 (160) · 17 (168)
18 (176) · 19,5 (184)

DIN setting
4-12 TC

system
EVO XL CT

ski construction
EVO ENERGY 2 CARBON

camRock profile
FRONTSIDE (RRP)



**FIRE ARROW
76 TI**
BLACK/GREEN
N PRO P.R. EVO
0A4044P2 001

sizes
152 · 160 · 168 · 176

sidecut (by size)
126-76-109

radius (by size)
12 (152) · 13 (160)
14 (168) · 15,5 (176)

DIN setting
4-12 TC

system
EVO R CT

ski construction
EVO ENERGY 2 TITANIUM

camRock profile
FRONTSIDE (RRP)



**FIRE ARROW
74 CA**
BLACK/ORANGE
0A4046Q2 001
WHITE/RED
0A4046Q2 002 ★
N ADV P.R. EVO

sizes
144 · 152 · 160 · 168 · 176

sidecut (by size)
122.5-74-105.5 (144, 152, 160)
124.5-74-107.5 (168, 176)

radius (by size)
11 (144) · 12 (152) · 13 (160)
14 (168) · 15,5 (176)

DIN setting
3-10 ML

system
EVO CT

ski construction
EVO ENERGY CA

camRock profile
FRONTSIDE (MRP)



★
RENTAL
READY

FRONT Progressive

CINNAMON



CINNAMON GIRL

BLACK

N PRO P.R. EVO
0A4080P3 001

BLACK

N ADV P.R. EVO
0A4080Q3 001 ★

WHITE

N ADV P.R. EVO
0A4080Q3 002 ★

sizes

144 · 152 · 160 · 168

sidecut (by size)

122.5-74-105.5 (144, 152, 160)

124.5-74-107.5 (168)

radius (by size)

11 (144) · 12 (152) · 13 (160) · 14 (168)

DIN setting

4-12 TC (N PRO P.R. EVO)

3-10 ML (N ADV P.R. EVO)

system

EVO LIGHT CT

ski construction

EVO ENERGY CA

camRock profile

FRONTSIDE (MRP)

★
RENTAL
READY



FRONT Progressive

TRANSFIRE / DRIVE / ELEXA



TRANSFIRE 78 CA
GREEN/BLUE
0A4060Q1 001
WHITE/RED
0A4060Q4 002 ★
N ADV P.R. EVO

sizes
152 · 160 · 168 · 176

sidecut (by size)
130-78-108

radius (by size)
12 (152) · 13,5 (160)
15 (168) · 16,5 (176)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
EVO ENERGY FRAME CA
WOOD PARTIAL SW

camRock profile
RECREATIONAL

★
RENTAL
READY



TRANSFIRE 75 CA ADV
RED
0A4062Q4 001
WHITE/GREEN
0A4062Q1 002 ★
N ADV P.R. EVO

sizes
144 · 152 · 160 · 168 · 176

sidecut (by size)
125-75-103 (144)
127-75-105 (152, 160,
168, 176)

radius (by size)
11,5 (144) · 12 (152)
13,5 (160) · 15 (168)
16,5 (176)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
EVO ENERGY FRAME CA

camRock profile
RECREATIONAL

★
RENTAL
READY



TRANSFIRE 75 CA ADV
BLACK
N ADV P.R. EVO
0A4064Q4 001

sizes
144 · 152 · 160 · 168 · 176

sidecut (by size)
125-75-103 (144)
127-75-105 (152, 160,
168, 176)

radius (by size)
11,5 (144) · 12 (152)
13,5 (160) · 15 (168)
16,5 (176)

DIN setting
3-10 ML

system
ADV PLATE

ski construction
EVO ENERGY FRAME CA

camRock profile
RECREATIONAL



DRIVE 78 CA
BLACK
0A4082Q3 001
WHITE
0A4082Q3 002 ★
N ADV P.R. EVO

sizes
144 · 152 · 160 · 168

sidecut (by size)
130-78-108

radius (by size)
11,5 (144) · 12 (152)
13,5 (160) · 15 (168)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
EVO ENERGY FRAME CA
WOOD PARTIAL SW

camRock profile
RECREATIONAL

★
RENTAL
READY



ELEXA EVO
BLACK/PURPLE
0A4084Q3 001
WHITE/BLUE
0A4084Q3 002 ★
N ADV P.R. EVO

sizes
136 · 144 · 152 · 160 · 168

sidecut (by size)
125-75-103 (136, 144)
127-75-105 (152, 160, 168)

radius (by size)
10,5 (136) · 11,5 (144)
12 (152) · 13,5 (160)
15 (168)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
EVO ENERGY FRAME CA

camRock profile
RECREATIONAL

★
RENTAL
READY



ELEXA ADV
BLACK/GREEN
N ADV P.R. EVO
0A4086Q3 001

sizes
136 · 144 · 152 · 160 · 168

sidecut (by size)
125-75-103 (136, 144)
127-75-105 (152, 160, 168)

radius (by size)
10,5 (136) · 11,5 (144)
12 (152) · 13,5 (160)
15 (168)

DIN setting
3-10 ML

system
ADV PLATE

ski construction
EVO ENERGY FRAME CA

camRock profile
RECREATIONAL

ALL MOUNTAIN Timeless

NRGY



NRGY 100 (FLAT)
BLACK/RED
0A422400 001

sizes
161 · 169 · 177 · 185

sidecut (by size)
136-100-120

radius (by size)
15,5 (161) · 17,5 (169)
19,5 (177) · 21,5 (185)

DIN setting
-

system
-

ski construction
ENERGY i-CORE TI

camRock profile
ALL MOUNTAIN



NRGY 90 (FLAT)
BLACK/YELLOW
0A422800 001

sizes
161 · 169 · 177 · 185

sidecut (by size)
126-90-110

radius (by size)
15,5 (161) · 17,5 (169)
19,5 (177) · 21,5 (185)

DIN setting
-

system
-

ski construction
ENERGY i-CORE TI

camRock profile
ALL MOUNTAIN



NRGY 80 (FLAT)
BLACK/GREEN
0A423200 001

sizes
161 · 169 · 177 · 185

sidecut (by size)
116-80-100

radius (by size)
15,5 (161) · 17 (169)
18 (177) · 21 (185)

DIN setting
-

system
-

ski construction
ENERGY i-CORE TI

camRock profile
ALL MOUNTAIN



NRGY 90 EVO
BLACK/YELLOW
N ADV P.R. EVO WB (90mm)
0A4100Q5 001 ★

sizes
161 · 169 · 177 · 185

sidecut (by size)
126-90-110

radius (by size)
16 (161) · 18 (169)
20 (177) · 22 (185)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
ENERGY i-CORE TI

camRock profile
ALL MOUNTAIN



NRGY 80 EVO
BLACK/GREEN
N ADV P.R. EVO WB (90mm)
0A4104Q5 001 ★

sizes
161 · 169 · 177 · 185

sidecut (by size)
116-80-100

radius (by size)
15,5 (161) · 17 (169)
18 (177) · 21 (185)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
ENERGY i-CORE TI

camRock profile
ALL MOUNTAIN



★
RENTAL
READY

★
RENTAL
READY

ALL MOUNTAIN Timeless

NORDICA
skis & boots
collection
14/15

AVENGER



**AVENGER
82**
BLACK/BLUE
N ADV P.R. EVO WB (90mm)
0A4108Q5 001 ★

sizes
154 · 162 · 170 · 178

sidecut (by size)
128-82-112

radius (by size)
12 (154) · 13,5 (162)
15,5 (170) · 17 (178)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
ENERGY FRAME
COMPOSITE

camRock profile
ALL MOUNTAIN

★
RENTAL
READY



**AVENGER
78 CA EVO**
BLACK/ORANGE
N ADV P.R. EVO
0A4180Q2 001 ★

sizes
152 · 160 · 168 · 176

sidecut (by size)
130-78-108

radius (by size)
12 (152) · 13,5 (160)
15 (168) · 16,5 (176)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
EVO ENERGY FRAME CA
WOOD PARTIAL SW

camRock profile
RECREATIONAL

★
RENTAL
READY



**AVENGER
75 CA EVO**
BLACK/RED
N ADV P.R. EVO
0A4182Q2 001 ★

sizes
144 · 152 · 160 · 168 · 176

sidecut (by size)
125-75-103 (144)
127-75-105 (152, 160,
168, 176)

radius (by size)
11,5 (144) · 12 (152)
13,5 (160) · 15 (168)
16,5 (176)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
EVO ENERGY FRAME CA

camRock profile
RECREATIONAL

★
RENTAL
READY



ALL MOUNTAIN Timeless

BELLE



**WILDFIRE
(FLAT)**
GREEN/WHITE
0A422200 001

sizes
161 · 169 · 177

sidecut (by size)
135-105-123 (161, 169)
137-107-125 (177)

radius (by size)
17,5 (161) · 20 (169)
22 (177)

DIN setting
-

system
-

ski construction
ENERGY CA wi-CORE

camRock profile
ALL MOUNTAIN



**NEMESIS
(FLAT)**
ORANGE/WHITE
0A422600 001

sizes
153 · 161 · 169 · 177

sidecut (by size)
134-98-118

radius (by size)
14 (153) · 15,5 (161)
17,5 (169) · 19,5 (177)

DIN setting
-

system
-

ski construction
ENERGY CA wi-CORE

camRock profile
ALL MOUNTAIN



**WILD BELLE
(FLAT)**
BLACK/VIOLET
0A423000 001

sizes
145 · 153 · 161 · 169

sidecut (by size)
124-88-108

radius (by size)
12 (145) · 14 (153)
15,5 (161) · 17,5 (169)

DIN setting
-

system
-

ski construction
ENERGY CA wi-CORE

camRock profile
ALL MOUNTAIN



BELLE TO BELLE
LIGHT BLUE/WHITE
FLAT
0A423400 001
LIGHT BLUE/WHITE
N ADV P.R. EVO WB (90mm)
0A410606 001 ★

sizes
145 · 153 · 161 · 169

sidecut (by size)
114-78-98

radius (by size)
12 (145) · 14 (153)
15,5 (161) · 17,5 (169)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
ENERGY CA wi-CORE

camRock profile
ALL MOUNTAIN



FIRST BELLE
WHITE/GREEN
N ADV P.R. EVO WB (90mm)
0A411006 001 ★

sizes
146 · 154 · 162

sidecut (by size)
128-82-112

radius (by size)
11 (146) · 12 (154)
13,5 (162)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
ENERGY FRAME
COMPOSITE

camRock profile
ALL MOUNTAIN



★
RENTAL
READY

★
RENTAL
READY

FREESKI Inspired

TOURING

NORDICA
skis & boots
collection
14/15



**PESHEWA
(FLAT)**
RED
0A426000 001

sizes
153 · 161 · 169 · 177 · 185

sidecut (by size)
126-90-110

radius (by size)
14 (153) · 15,5 (161)
17,5 (169) · 19,5 (177)
21,5 (185)

DIN setting
-

system
-

ski construction
ENERGY CA b-CORE

camRock profile
ALL MOUNTAIN

**ISTAS
(FLAT)**
WHITE/GREEN
0A426200 001

sizes
145 · 153 · 161 · 169 · 177

sidecut (by size)
116-80-100

radius (by size)
12 (145) · 14,5 (153)
15,5 (161) · 17 (169)
18 (177)

DIN setting
-

system
-

ski construction
ENERGY CA b-CORE

camRock profile
ALL MOUNTAIN

FREESKI Inspired

FREERIDE



**BUSHYWAYNE
(FLAT)**
GREY/LIGHT BLUE
0A330200 001

sizes
185

sidecut (by size)
157-127-146

radius (by size)
18

DIN setting
-

system
-

ski construction
ENERGY 2 CARBON

camRock profile
POWDER



**HELLDORADO
(FLAT)**
BLACK
0A428000 001

sizes
177 · 185 · 193

sidecut (by size)
143-113-132

radius (by size)
16,5 (177) · 18,5 (185) · 21 (193)

DIN setting
-

system
-

ski construction
ENERGY 2 TITANIUM

camRock profile
POWDER



**PATRON
(FLAT)**
BLACK/GREEN
0A428200 001

sizes
177 · 185 · 193

sidecut (by size)
143-113-132

radius (by size)
16,5 (177) · 18,5 (185) · 21 (193)

DIN setting
-

system
-

ski construction
ENERGY 2 CARBON

camRock profile
POWDER



**LA NINA
(FLAT)**
DARK VIOLET
0A330800 001

sizes
161 · 169 · 177 · 185

sidecut (by size)
143-113-132

radius (by size)
13 (161) · 14 (169) · 16,5 (177) · 18,5 (185)

DIN setting
-

system
-

ski construction
ENERGY CA wi-CORE

camRock profile
POWDER

FREESKI Inspired

FREERIDE

NORDICA
skis & boots
collection
14/15



**EL CAPO
(FLAT)**
BROWN
0A428400 001

sizes
169 · 177 · 185 · 193

sidecut (by size)
135-105-123 (169) 137-107-125 (177, 185)
137-109-125 (193)

radius (by size)
20 (169) · 22 (177) · 25 (185) · 30 (193)

DIN setting

-

system

-

ski construction
ENERGY 2 TITANIUM

camRock profile
ALL MOUNTAIN



**EL CAPO
S (FLAT)**
BROWN
0A432800 001

sizes
140 · 150 · 160

sidecut (by size)
122-93-107 (140) 125-95-111 (150)
128-97-115 (160)

radius (by size)
13,5 (140) · 15 (150) · 16,5 (160)

DIN setting

-

system

-

ski construction
ENERGY 2 CARBON PARTIAL SIDEWALL

camRock profile
ALL MOUNTAIN



**SOUL RIDER
S (FLAT)**
BLACK
0A428600 001

sizes
169 · 177 · 185

sidecut (by size)
134-97-124

radius (by size)
14,5 (169) · 16,5 (177) · 18,5 (185)

DIN setting

-

system

-

ski construction
ENERGY 2 CARBON

camRock profile
ALL MOUNTAIN



FREESKI Inspired

FREESTYLE



**THE ACE
(FLAT)**
RED/BLACK
0A430000 001

sizes
170 · 177 · 184

sidecut (by size)
121-86-110 (170) 113-86-113 (177, 184)

radius (by size)
18 (170) · 19,5 (177) · 21,5 (184)

DIN setting
-

system
-

ski construction
ENERGY 2 TITANIUM

camRock profile
PARK



**OMW
(FLAT)**
GREY
0A430200 001

sizes
160 · 167 · 174 · 181

sidecut (by size)
117-89-111

radius (by size)
17 (160) · 19 (167) · 21 (174) · 23 (181)

DIN setting
-

system
-

ski construction
ENERGY 2 CARBON

camRock profile
PARK



BADMIND
BLACK
FLAT
0A430400 001
BADMIND S
FLAT
0A430600 001

sizes
163 · 170 · 177 · 149 · 156

sidecut (by size)
120-84-109

radius (by size)
16,5 (163) · 17,5 (170) · 18,5 (177)
14,5 (149) · 15,5 (156)

DIN setting
-

system
-

ski construction
ENERGY 2 CARBON

camRock profile
PARK



BADMIND
BLACK
10.0 Free EPS WB (85mm)
0A4120W1 001
BADMIND S
10.0 Free EPS WB (85mm)
0A4122W1 001

sizes
163 · 170 · 177 · 149 · 156

sidecut (by size)
120-84-109

radius (by size)
16,5 (163) · 17,5 (170)
18,5 (177)
14,5 (149) · 15,5 (156)

DIN setting
2,5-10 ML

system
-

ski construction
ENERGY 2 CARBON

camRock profile
PARK



**BADMIND
RTL**
BLACK
N ADV P.R. EVO WB (90mm)
0A4160Q5 001 ★

sizes
149 · 156 · 163 · 170 · 177

sidecut (by size)
120-84-109

radius (by size)
14,5 (149) · 15,5 (156)
16,5 (163) · 17,5 (170)
18,5 (177)

DIN setting
3-10 ML

system
EVO LIGHT CT

ski construction
ENERGY 2 CARBON

camRock profile
PARK





**DOBERMANN
GSJ PLATE**
BLUE/LIME

M 10.0 JR EPS
0A4140C1 001

FLAT
0A432400 001

sizes
135 · 142 · 149 · 156 · 163

sizes
135 · 142 · 149 · 156 · 163

sidecut (by size)
102-65-87 (135, 142)
103.5-65-88.5 (149, 156)
105-65-90 (163)

sidecut (by size)
102-65-87 (135, 142)
103.5-65-88.5 (149, 156)
105-65-90 (163)

radius (by size)
≥14 (135, 142, 149)
≥17 (156, 163)

radius (by size)
≥14 (135, 142, 149)
≥17 (156, 163)

DIN setting
3-10 EPS

DIN setting
-

system
MARKER RACING J 13-14

system
MARKER RACING J 13-14

ski construction
ENERGY 2 TITANIUM

ski construction
ENERGY 2 TITANIUM

camRock profile
-

camRock profile
-



**DOBERMANN
SLJ PLATE**
BLUE/LIME

M 10.0 JR EPS
0A4142C1 001

FLAT
0A432600 001

sizes
122 · 129 · 136 · 143

sizes
122 · 129 · 136 · 143

sidecut (by size)
105-64-90 (122)
109-64-94 (129, 136)
112-65-97 (143)

sidecut (by size)
105-64-90 (122)
109-64-94 (129, 136)
112-65-97 (143)

radius (by size)
≥9 (122, 129)
≥10 (136) · ≥11 (143)

radius (by size)
≥9 (122, 129)
≥10 (136) · ≥11 (143)

DIN setting
3-10 EPS

DIN setting
-

system
MARKER RACING J 13-14

system
MARKER RACING J 13-14

ski construction
ENERGY 2 TITANIUM

ski construction
ENERGY 2 TITANIUM

camRock profile
-

camRock profile
-



**SPITFIRE
J**
BLUE/LIME

M 7.0 FASTRAK
0A4146D1 001

sizes
130 · 140 · 150 · 160

sidecut (by size)
113-70-97

radius (by size)
11 (130) · 12 (140)
13 (150) · 14 (160)

DIN setting
2-7 EPS

system
FASTRAK JUNIOR

ski construction
ENERGY FRAME CA
PARTIAL SIDEWALL

camRock profile
-



**TEAM
J RACE**
BLUE/LIME

M 7.0 FASTRAK
0A4152D1 001

M 4.5 FASTRAK
0A4152E1 001

sizes
70 · 80 · 90 · 100 · 110
120 · 130 · 140

sizes
70 · 80 · 90 · 100 · 110
120 · 130 · 140

sidecut (by size)
106/66/94

sidecut (by size)
106/66/94

radius (by size)
3 (70) · 4 (80) · 5 (90)
6 (100) · 7 (110) · 8 (120)
10 (130) · 12 (140)

radius (by size)
3 (70) · 4 (80) · 5 (90)
6 (100) · 7 (110) · 8 (120)
10 (130) · 12 (140)

DIN setting
2-7 EPS

DIN setting
0,75-4,5 EPS

system
FASTRAK JUNIOR
(130-140) KID (70-120)

system
FASTRAK JUNIOR
(130-140) KID (70-120)

ski construction
ENERGY FRAME CA

ski construction
ENERGY FRAME CA

camRock profile
-

camRock profile
-

JUNIOR



FIRE ARROW TEAM

BLACK/RED
M 7.0 FASTRAK
0A4148D1 001

M 4.5 FASTRAK
0A4148E1 001

FLAT
0A433200 001

sizes
70 · 80 · 90 · 100 · 110
120 · 130 · 140

sizes
70 · 80 · 90 · 100 · 110
120 · 130 · 140

sizes
70 · 80 · 90 · 100 · 110
120 · 130 · 140

sidecut (by size)
106/66/94

sidecut (by size)
106/66/94

sidecut (by size)
106/66/94

radius (by size)
3 (70) · 4 (80) · 5 (90)
6 (100) · 7 (110) · 8 (120)
10 (130) · 12 (140)

radius (by size)
3 (70) · 4 (80) · 5 (90)
6 (100) · 7 (110) · 8 (120)
10 (130) · 12 (140)

radius (by size)
3 (70) · 4 (80) · 5 (90)
6 (100) · 7 (110) · 8 (120)
10 (130) · 12 (140)

DIN setting
2-7 EPS

DIN setting
0,75-4,5 EPS

DIN setting
-

system
FASTRAK Junior
(130-140) Kid(70-120)

system
FASTRAK Junior
(130-140) Kid(70-120)

system
-

ski construction
ENERGY FRAME CA

ski construction
ENERGY FRAME CA

ski construction
ENERGY FRAME CA

camRock profile
-

camRock profile
-

camRock profile
ALL MOUNTAIN



LITTLE BELLE

LIGHT BLUE/WHITE
M 7.0 FASTRAK
0A4150D1 001

M 4.5 FASTRAK
0A4150E1 001

FLAT
0A433400 001

sizes
70 · 80 · 90 · 100 · 110
120 · 130 · 140

sizes
70 · 80 · 90 · 100 · 110
120 · 130 · 140

sizes
70 · 80 · 90 · 100 · 110
120 · 130 · 140

sidecut (by size)
106/66/94

sidecut (by size)
106/66/94

sidecut (by size)
106/66/94

radius (by size)
3 (70) · 4 (80) · 5 (90)
6 (100) · 7 (110) · 8 (120)
10 (130) · 12 (140)

radius (by size)
3 (70) · 4 (80) · 5 (90)
6 (100) · 7 (110) · 8 (120)
10 (130) · 12 (140)

radius (by size)
3 (70) · 4 (80) · 5 (90)
6 (100) · 7 (110) · 8 (120)
10 (130) · 12 (140)

DIN setting
2-7 EPS

DIN setting
0,75-4,5 EPS

DIN setting
-

system
FASTRAK Junior
(130-140) Kid(70-120)

system
FASTRAK Junior
(130-140) Kid(70-120)

system
-

ski construction
ENERGY FRAME CA

ski construction
ENERGY FRAME CA

ski construction
ENERGY FRAME CA

camRock profile
-

camRock profile
-

camRock profile
ALL MOUNTAIN



THE ACE

BLACK
M 7.0 FASTRAK WB
0A4144D5 001

FLAT
0A433000 001

sizes
108 · 118 · 128
138 · 148

sizes
108 · 118 · 128
138 · 148

sidecut (by size)
99-72-90 (108)
105-74-96 (118, 128)
109-76-99 (138, 148)

sidecut (by size)
99-72-90 (108)
105-74-96 (118, 128)
109-76-99 (138, 148)

radius (by size)
8 (108) · 9 (118)
11 (128) · 12 (138)
14 (148)

radius (by size)
8 (108) · 9 (118)
10 (128) · 11 (138)
12 (148)

DIN setting
2-7 EPS

DIN setting
-

system
FASTRAK Junior
(128-148) Kid(108-118)

system
-

ski construction
ENERGY FRAME CA
PARTIAL SIDEWALL

ski construction
ENERGY FRAME CA
PARTIAL SIDEWALL

camRock profile
-

camRock profile
PARK



NORDICA.

© Alessandro Bellus

NORDICA

Via Fante D'Italia 56
31040 Ciavera del Montello (TV)
Tel. +39 0422 7285 - Fax 0422 728600
nordica.com

