



U Pohledce 1347 592 31 Nové Město na Moravě CZECH REPUBLIC

P.: +420 566 654 311 +420 566 654 364 +420 566 654 343 F.: +420 566 654 366 E.: sporten@sporten.cz

WWW.SPORTEN.CZ

#### Distributors:

RUSSIA: EXPOROS, Ivana Franko St. 48, 121351 Moscow

P.: +7 495 231-78-78, F.: +7 495 417-00-35, E.: exporos@exporos.ru

SLOVAKIA: ALLSTAR sport s.r.o., Ve Žlíbku 1800, 190 00 Praha 9 - Horní Počernice

P.: +420 281 928 122. F.: +420 281 928 123. E.: sport@allstar.cz

FRANCE: SODIMAS Sarl, 1ere avenue, 6290 metres, BP695, 06517 Carros

P.: +33 492 080489, F.: +33 492 080499, E.: bonacorsipier@wanadoo.fr

GERMANY: SPORTECH GmbH, lckstattstrasse 6, 80469 München

P.: +49 89 260 23 330, F.: +49 89 260 23 332, E.: sportech@arcor.de

POLAND: IMPRO s.c., ul. Jasnogórska 14, 44-100 GLIWICE

P.: +48 601 473 510, F.: +48 32 230 73 43, E.: witold@improsport.pl

GODZSUGAR Pty Ltd., 2 Lebanon Ave. Glenunga SA, 5064 Adelaide P.: +61 419 821 776, F.: +61 8 8379 6906, E.: psokolowski@godzsugan.com.au

ITALIA: EFC-distributions, Via Ponte Luma 32/B, 33082 Azzano Decimo (PN)

P /F: +39 0434 640197 F: info@efc-distributions.com

SPAIN: EFC-distributions, C/San Andres n° 20, 06800 Merida (Spain)

P./F.: +34 924 317 506. E.: info@efc-distributions.com





# PROLOGUE

The history of Sporten skis dates back more than 100 years. Skis were handcrafted in small workshops in our Highlands in those times and every pair was an indisputable original. Much has changed since then but one thing has stayed the same throughout those years – the craftsmanship of the local people and their love of nature and skiing.

Today Sporten is a successful Czech company with an unusually broad product range of cross-country skis, alpine skis and snowboards supplying not only the domestic market. Most of our skis complete on demanding markets in Europe, the USA, Australia and Japan.

Our philosophy is to produce high-quality skis at an affordable price that would make skiing accessible and enjoyable. We see our reward in the satisfaction of our customers.

# CONTENT



# SPORTEN

**RACING SPECIAL COLLECTION** 

4-7



# SPORTEN

**TECHNICAL SPECIFICATION** 

8-16



# SPORTEN

ALPINE SKIS

race/high performance/recreational/lady/ freestyle/carving/fun ride/junior/kid

18-31



# **SPORTEN**

NORDIC SKIS

race/high performance/fitness/ touring/backcountry

32-39



# SPORTEN

SNOWBOARDS

freestyle/freeride/ junior/kid

40-47



A brand-new

from Sporten's

racing ski for the

most demanding

premium line.

a top tuned

FIS-legal GS

skiers.

A classic

sandwich

of titanal

guarantee

construction

with two lavers

excellent arip.

stability in high

speeds, powerful

acceleration and

a dynamic exit.

Racing edges,

ABS sidewalls,

a top base.

racing tune.

Together with

AHV 07 SL the

most perfect ski

that Sporten has

ever developed.

top model

Special aerials skis for World Cup



# SPECIAL RACE alpine

# AHV 07 SL

A brand-new

from Sporten's

racing and high

premium line.

a top tuned

performance

for the most

slalom ski

demanding

A classic

sandwich

construction with

two layers of

excellent arin.

quick edge

change and

a dynamic exit.

A progressive

tip shape (FLF)

easy and quick

turn initiation.

Racing edges,

ABS sidewalls,

dampening, a top

base, racing tune. The most perfect ski together with AHV 07 GS that Sporten has ever developed.

USBC BASE

increased

supports an

titanal provides

skiers.

top model

#### AHV 07 GS

# AHV JUNIOR

A racing ski specially developed for young

racers. A new sidecut and new materials including a high-molecular hase take the torsional rigidity, flex















Nr. IAO1





Nr. IAO3





EASY.FLOW



Nr. IVO1 (winter)

Nr. IVO2 (summer

**SPECIAL** 

A racing cross-

country ski that

SPECIAL

SPORTEN

And the second

**JUMP SKIS** 

SNB

A cross board

**X RACE** 



for racing. A core consisting of many pieces of selected wood in combination with several lavers of triaxial fiberglass offers an excellent torsion rigidity. A sandwich construction with ABS sidewalls. inserts moved backwards and a wider tip allow

racers an aggressive ride and excellent handling.

specially developed

Competition iumpina skis from Sporten are under

a systematic development program fueled by valuable feedback from our top athletes. In shorter lengths also available as a lightweight-core version for junior racers.



Nr. IBO3

Nr. IBO1 (junior)

Sporten has been continually developina and producing for more than 15 years. A unique 3D shape makes the ski more elegant and improves its aerodynamics. This is a topclass model with a special structure of high-molecular base for different. types of snow. On-demand ski for top-racers. This model is specially developed for classic style and for skiing in racing tracks only.

country ski that Sporten has been continually developina and producing for more than 15 years. A unique 3D shape makes the ski more elegant and improves its aerodynamics. This is a tonclass model with a special structure of high-molecular base for different types of snow. On-demand ski for top-racers. This model is specially developed for skating on racing tracks only.

A racing cross-



Nr. IBO4



Nr. IBO2 (junior)



Nr. IJ01

Nr. IAO4

# TECHNICAL SPECIFICATION

# SPORTEN//// Super VarioFlex

The VarioFlex plate offers three basic improvements: better carving, better handling and a better grip.

#### Advantages of the Super VarioFlex:

- Allows an easy and quick length adjustment. No extra tools or rental bindings needed.
- 2. Preserves the natural flex of the ski.
- **3.** The ski flex doesn't affect the safety function of bindings.
- **4.** Adds 40 mm to the standheight thus totally preventing all kinds of boot-out.
- 5. Can be easily moved forwards or backwards thus allowing a personalized mounting position and influencing the ski's character.



allows an easy and quick length adjustment of bindings

preserves the natural flex of the ski





the ski flex doesn't affect the safety function of bindings

its height prevents boot-out



To carve a turn as smooth as possible the ski should flex ideally without any deformation. That's a well-known fact.

The Sporten VarioFlex plate combines two basic principles:

- the ski-plate contact takes place in two axes so that the ski can freely flex between the two points
- ▶ the plate is fixed at the front and floating at the rear

What makes the VarioFlex plate unique is the combination of these two effective principles resulting in exceptionally undeformed and natural flex even in stiff skis.

Another advantage of the VarioFlex plate is the quick adjustment to any ski boot length and the possibility of moving the bindings back or forth, adapting the ski to the skier's personal preference, to terrain and to the type of turns.

The Sporten VarioFlex plate does not have to flex. The toe and heel of the binding always remain independent of the ski flex, preserving the release setting and forward pressure and thus significantly increasing the skier's safety.


Last but not least, the VarioFlex plate does not require any freeflex function and complex connecting mechanisms, thus permitting the use of lighter, less complicated and less expensive two-part bindings without any lifters.

The height of the VarioFlex plate totally prevents any boot-out making it a perfect choice even for extreme funcarvers seeking breathtaking inclinations.

The Sporten VarioFlex plate offers unprecedented ski flex, adjustability, height and safety in a light and elegant pack.



#### AHV 06 GS AHV 06 SL AHV 05 SL



#### AHV 06 GS

| Length (cm)  | 176       | 181       | 186      |
|--------------|-----------|-----------|----------|
| Profile (mm) | 102-65-89 | 102-65-88 | 104-65-9 |
| Radius (m)   | >21       | >21       | >21      |


#### ▶ top sheet

- ▶ biaxial fiberglass
- ▶ titanal plate
- beech and poplar combined woodcore
- ► ABS sidewalls
- ▶ titanal plate
- ▶ biaxial fiberglass
- ▶ anti-vibration ply
- ▶ steel edges
- ▶ graphite race base

#### AHV 06 SL. AHV 05 SL

| Length (cm)  | 155       | 165        |
|--------------|-----------|------------|
| Profile (mm) | 114-64-99 | 116-65-101 |
| Radius (m)   | 11,3      | 12,6       |

#### **TECTOR**



- ▶ structured top sheet
- ▶ diagonal ribbon
- biaxial fiberglass
- beech and poplar combined woodcore
- ▶ diagonal ribbon
- ▶ anti-vibration ply
- biaxial fiberglass
- ▶ steel edges
- ▶ sintered graphite base

| Length (cm)  | 153       | 161       | 169       |
|--------------|-----------|-----------|-----------|
| Profile (mm) | 110-68-97 | 110-68-97 | 110-68-97 |
| Radius (m)   | 13,3      | 15,1      | 16,8      |



110-66-96

10,9

# Alpine - technical specification

# DAEMON COMET

SKI




| 150 | 100 |  |
|-----|-----|--|

110-66-96

12.5


#### LIMBER



- ▶ top sheet
- ▶ biaxial fiberglass
- ▶ EasvFlow core
- ▶ biaxial fiberglass
- ▶ steel edges
- ▶ PE base

| Length (cm)  | 151       | 162       | 173       |
|--------------|-----------|-----------|-----------|
| Profile (mm) | 107-68-93 | 107-68-93 | 107-68-93 |
| Radius (m)   | 14,6      | 17,0      | 19,7      |

#### **PHASE**




- ▶ structured top sheet
- biaxial fiberglass -Prepreg
- biaxial fiberglass -Prepreg stiffener
- ▶ ABS stiffener
- ▶ EasyFlow core
- ▶ biaxial fiberglass stiffener
- ▶ steel edges
- sintered base

| Length (cm)  | 158        | 167        |
|--------------|------------|------------|
| Profile (mm) | 116-69-100 | 116-69-100 |
| Radius (m)   | 13,1       | 14,8       |

# SPIDER PHEON

Radius (m)



110-66-96

12,5

- ▶ structured top sheet
- composite dampening layer
- ▶ biaxial fiberglass
- ▶ biaxial fiberglass
- ▶ beech woodcore
- ▶ biaxial fiberglass
- ▶ steel edges
- ▶ sintered base
- 160 170 110-66-96 110-66-96 14.5 16.8

# WILD ANGEL TX3

Radius (m)



- ▶ top sheet
- ▶ roving fiberglass
- ▶ EasyFlow core
- ▶ roving fiberglass

110-66-96

- steel edges
- ▶ PE base


#### WILD ANGEL

| Length (cm)  | 128       | 140       |
|--------------|-----------|-----------|
| Profile (mm) | 104-67-90 | 104-67-90 |
| Radius (m)   | 10,7      | 13,1      |

#### ТХЗ

| Length (cm)  | 116       | 128       | 140       |
|--------------|-----------|-----------|-----------|
| Profile (mm) | 104-67-90 | 104-67-90 | 104-67-90 |
| Radius (m)   | 8,5       | 10,7      | 13,1      |

#### CULT



- ▶ top sheet
- ▶ biaxial ribbon
- ▶ biaxial ribbon
- beech and poplar combined woodcore
- ▶ ABS sidewalls
- ▶ biaxial ribbon
- ▶ biaxial ribbon
- ▶ sintered base


| Length (cm)  | 166        | 174        |
|--------------|------------|------------|
| Profile (mm) | 118-84-107 | 118-84-107 |
| Radius (m)   | 19.1       | 21.2       |

10

# Alpine - technical specification


#### S-LINE

FLASH



- ▶ top sheet
- ▶ roving fiberglass
- ► roving fiberglass (136 cm) ABS stiffener (116, 126 cm)
- ▶ EasyFlow core
- ▶ roving fiberglass
- ▶ steel edges
- ▶ PE base

| M | A | R | V | П | $\mathbf{V}$ |
|---|---|---|---|---|--------------|




- ▶ top sheet
- ▶ roving fiberglass
- ▶ ABS stiffener
- ► EasyFlow core
- ▶ roving fiberglass
- ▶ steel edges
- ▶ PE base

| Length (cm)  | 116       | 126       | 136       | Length (cm)  | 80         |
|--------------|-----------|-----------|-----------|--------------|------------|
| Profile (mm) | 103-68-92 | 103-68-92 | 103-68-92 | Profile (mm) | 125-95-115 |
| Radius (m)   | 7,8       | 9,5       | 11,5      | Radius (m)   | 3,3        |

# SKI


# Nordic – technical specification

#### **BOHEMIA XS-CLASSIC, SKATE**



- ▶ top sheet
- ▶ roving fiberglass
- two-layer poplar core, enlightened
- ▶ roving fiberglass stiffener
- ▶ roving fiberglass
- ▶ sintered graphite base


#### SPRINT - CLASSIC, COMBI, SKATE



- structured top sheet
- roving fiberglass
- two-layer poplar core, enlightened
- ▶ roving fiberglass stiffener
- ▶ roving fiberglass
- sintered base

| CLASSIC | 3 |
|---------|---|
| 1 1     | ī |


| Length (cm)  | 140 | 150 | 160  | 170      | 180      | 187 | 194 | 201 | 20 |
|--------------|-----|-----|------|----------|----------|-----|-----|-----|----|
| Profile (mm) |     |     |      | -        | 45-45-45 |     |     |     |    |
| COMBI        |     |     |      |          |          |     |     |     |    |
| Length (cm)  | 160 | 170 | 180  | 187      | 194      | 201 | 208 |     |    |
| Profile (mm) |     |     |      | 45-45-45 |          |     |     |     |    |
| SKATE        |     |     |      |          |          |     |     |     |    |
| Length (cm)  | 160 | 170 | 180  | 187      | 194      | 201 |     |     |    |
| Profile (mm) |     |     | 45-4 | 15-45    |          |     |     |     |    |



- ▶ top sheet
- ▶ roving fiberglass
- ▶ ABS stiffener
- ▶ EasyFlow core
- ▶ roving fiberglass
- ▶ steel edges
- ▶ PE base

| Length (cm)  | 97        |
|--------------|-----------|
| Profile (mm) | 100-74-95 |
| Radius (m)   | 6,2       |

# **BAMBI & TROPIC**



- ▶ top sheet
- ▶ roving fiberglass
- ▶ EasyFlow core
- steel edges
- ▶ PE base


| Length (cm)  | 80        | 92        | 104       |
|--------------|-----------|-----------|-----------|
| Profile (mm) | 100-67-86 | 100-67-86 | 100-67-86 |
| Radius (m)   | 4,0       | 5,7       | 7,6       |

#### **VEGA**

CLASSIC

Length (cm)
Profile (mm)

Length (cm) Profile (mm)




▶ top sheet

189 197

- roving fiberglass
- two-layer poplar core, enlightened
- roving fiberglass
- ▶ PE base

| Length (cm)  | 170      | 180 | 187 | 194 | 201 | 208 |
|--------------|----------|-----|-----|-----|-----|-----|
| Profile (mm) | 45-45-45 |     |     |     |     |     |

#### **PERUN**



- ▶ top sheet
- ▶ fiberglass ribbon
- ▶ roving fiberglass
- two-layer poplar core, enlightened
- ▶ roving fiberglass
- ▶ PE base


| Length (cm)  | 166 | 174      | 182 |
|--------------|-----|----------|-----|
| Profile (mm) |     | 51-46-48 |     |

Z U

SPORT

# Nordic – technical specification


#### RUBICON



- ▶ top sheet
- ▶ fiberglass ribbon
- ▶ roving fiberglass
- two-layer poplar core, enlightened
- ▶ roving fiberglass
- ▶ PE base

| Length (cm)  | 164 | 172      | 180 |  |  |
|--------------|-----|----------|-----|--|--|
| Profile (mm) |     | 62-56-60 |     |  |  |


#### **FAVORIT**



 Length [cm]
 100
 110
 120
 130
 140
 150
 160
 170
 180
 185
 190
 195
 200
 205
 210

 Profile [mm]

#### ADVENTURE




- structured top sheet
- ▶ roving fiberglass
- two-layer poplar core, enlightened
- ▶ roving fiberglass
- ▶ PF hase

|  | nase |
|--|------|
|  |      |

| ength (cm)  | 160      | 170 | 180 | 190 |  |  |
|-------------|----------|-----|-----|-----|--|--|
| rofile (mm) | 68-60-65 |     |     |     |  |  |

#### HIGHLANDER, FORESTER, RANGER



structured top sheet

▶ structured top sheet

 two-layer poplar core, enlightened

▶ roving fiberglass

▶ roving fiberglass

▶ PE base

- ▶ roving fiberglass
- two-layer poplar core, enlightened
- roving fiberglass
- ▶ steel edges
- ▶ PE base

| HIGHLANDER   |          |     |     |     |     |     |     |
|--------------|----------|-----|-----|-----|-----|-----|-----|
| Length (cm)  | 180      | 185 | 190 | 195 | 200 | 205 | 210 |
| Profile (mm) | 54-48-52 |     |     |     |     |     |     |

#### FORESTER

| OHEO LEN     |     |     |          |     |     |  |
|--------------|-----|-----|----------|-----|-----|--|
| Length (cm)  | 165 | 175 | 185      | 195 | 205 |  |
| Profile (mm) |     |     | 64-52-60 |     |     |  |


#### RANGER

| -110EH      |          |     |     |     |  |  |  |  |
|-------------|----------|-----|-----|-----|--|--|--|--|
| ength (cm)  | 160      | 170 | 180 | 190 |  |  |  |  |
| rofile (mm) | 68-60-65 |     |     |     |  |  |  |  |

# SNB

# **Technical specification**

#### **FREERIDE**




- ▶ top sheet
- ▶ triaxial ribbon
- ▶ woodcore
- ▶ anti-vibration ply

- ▶ triaxial ribbon
- ▶ steel edges
- ▶ PE base

| Length (cm)         | 146   | 152   | 157   | 161   |
|---------------------|-------|-------|-------|-------|
| Effective edge (mm) | 1181  | 1235  | 1277  | 1300  |
| Tip width (mm)      | 280   | 286   | 294   | 300   |
| Waist width (mm)    | 239   | 245   | 252   | 258   |
| Tail width (mm)     | 278   | 284   | 292   | 298   |
| Sidecut radius (m)  | 8,5   | 9,0   | 9,5   | 10,0  |
| Central stance (mm) | 380   | 380   | 380   | 380   |
| Tip heigth (mm)     | 50    | 52    | 58    | 58    |
| Tail heigth (mm)    | 38    | 42    | 44    | 44    |
| Board weigth (g)    | 2600  | 2800  | 3000  | 3200  |
| Max. load (kg)      | 45-60 | 50-65 | 60-75 | >70   |
| Inserts             | 6 x 6 | 6 x 6 | 8 x 8 | 8 x 8 |

#### FREESTYLE



- ▶ top sheet
- ▶ biaxial fiberglass
- ▶ ABS stiffener
- ► EasyFlow core with wood reinforcement
- biaxial fiberglass
- ▶ steel edges
- ▶ PE base

| 110     | 120   | 126  | 132  | 138  | 143  | 149  | 155  | 159   | 163   |
|---------|---|--|--|--|--|--|--|---|---|
| 818     | 918   | 980  | 1018   | 1080   | 1120   | 1190   | 1250   | 1290  | 1320  |
| 220     | 230   | 250  | 260  | 265  | 270  | 280  | 290  | 295   | 306   |
| 196     | 200   | 219  | 228  | 229  | 236  | 238  | 247  | 258   | 262   |
| 7,0     | 7,0   | 7,6  | 8,0  | 8,0  | 9,0  | 8,5  | 9,0  | 10,0  | 10,0  |
| 280-320 | 320-360   | 340-380  | 360-400  | 400-440  | 420-460  |  | 420-580  |   |   |
| 50      | 50  | 55   | 59   | 59   | 60   | 60   | 60   | 60  | 60  |
| 1590    | 1890  | 2100   | 2240   | 2620   | 2770   | 2970   | 3280   | 3510  | 3870  |
| 35      | 45  | 55   | 60   | 65   | 70   | 80   | 90   | 95  | 100   |
| 6 x 6   | 6 x 6   | 6 x 6  | 6 x 6  | 6 x 6  | 6 x 6  | 6 x 6  | 8 x 8  | 8 x 8   | 8 x 8   |
|         | 818<br>220<br>196<br>7,0<br>280-320<br>50<br>1590<br>35 | 818 918<br>220 230<br>196 200<br>7,0 7,0 7,0<br>280-320 320-360<br>50 50<br>1590 1890<br>35 45 | 818         918         980           220         230         250           196         200         219           7,0         7,0         7,6           280-320         320-360         340-380           50         55         55           1590         1890         2100           35         45         55 | 818         918         980         1018           220         230         250         260           196         200         219         228           7,0         7,0         7,6         8,0           280-320         320-380         340-380         360-400           50         50         55         59           1590         1890         2100         2240           35         45         55         60 | 818         918         980         1018         1080           220         230         250         260         265           196         200         219         228         229           7,0         7,6         8,0         8,0         8,0           280-320         320-360         340-380         360-400         400-440           50         50         55         59         59           1590         1890         2100         2240         2620           35         45         55         60         65 | 818         918         980         1018         1080         1120           220         230         250         260         265         270           196         200         219         228         229         236           7,0         7,0         7,6         8,0         8,0         9,0           280-320         320-360         340-380         360-400         400-440         420           50         50         55         59         59         60           1590         1890         2100         2240         2620         2770           35         45         55         60         65         70 | 818         918         980         1018         1080         1120         1190           220         230         250         260         265         270         280           196         200         219         228         229         236         238           7,0         7,0         7,6         8,0         8,0         9,0         8,5           280-320         320-360         340-380         360-400         400-440         420-480           50         50         55         59         59         60         60           1590         1890         2100         2240         2620         2770         2970           35         45         55         60         65         70         80 | 818         918         980         1018         1080         1120         1190         1250           220         230         250         260         265         270         280         290           196         200         219         228         229         236         238         247           7,0         7,0         7,6         8,0         8,0         9,0         8,5         9,0           280-320         320-380         340-380         360-400         400-440         420-460         60           50         50         55         59         56         60         60         60           1590         1890         2100         2240         2620         2770         2970         3280           35         45         55         60         65         70         80         90 | 818         918         980         1018         1080         1120         1190         1250         1290           220         230         250         260         265         270         280         295         295           196         200         219         228         229         236         238         247         258           7,0         7,0         7,6         8,0         8,0         9,0         8,5         9,0         10,0           280-320         320-360         340-380         360-400         400-440         420-460         420-580           50         50         55         59         56         60         60         60           1590         1890         2100         2240         2620         2770         2970         3280         351           35         45         55         60         65         70         80         90         95 |

ORTI

| ICON                   | TITLE                  | DESCRIPTION  |  |  |  |  |
|------------------------|------------------------|--|--|--|--|--|
|                        | Titanal                | Titanal® is a high strength, age hardenable aluminum-wrought-alloy that significantly increases the torsional rigidity and edge grip of a ski providing smooth running. It is used in combination with or instead of a certain type of fiberglass. |  |  |  |  |
| PREPREG                | Prepreg                | A specially produced type of high-resistance fiberglass ensuring maximum power transfer to the edge.   |  |  |  |  |
| .WOOD.CORE             | Woodcore               | A typical laminated high-quality woodcore. Lightweight woodcores of cross-country skis with air channels to save weight.   |  |  |  |  |
| EASY,FLOW              | EasyFlow               | Special PU composite makes a perfect stable core providing excellent dampening characteristics.  |  |  |  |  |
| <b>U</b> SBC<br>BASE   | SBC base               | A high-molecular weight base characterized by excellent wax absorption and perfect glide.  |  |  |  |  |
| SC shape               | 3D shape               | Contributes to the overall torsional rigidity of alpine skis and to better aerodynamics of both alpine and cross-country skis.   |  |  |  |  |
| structured top sheet   | Structured top sheet   | The highly aesthetic top sheet increasing the scratch-resistance of skis.  |  |  |  |  |
| + set available        | Set available          | Skis supplied also in a set (specification of sets included in the price list)   |  |  |  |  |
| carving plate included | Carving plate included | A premounted plate increasing the standheight and preserving the natural flex characteristics of the ski.  |  |  |  |  |
| XC <sub>plate</sub>    | XC plate               | A special material integrated directly into a cross-country ski. Optimizing power distribution alongside the ski during the kick.  |  |  |  |  |
| HONEYCOMB              | Honeycomb              | A material minimizing the weight of cross-country racing skis.   |  |  |  |  |



A classic sandwich construction with quarantee excellent grip, and a dynamic exit. Wider excellent long-turn ski.



A high performance GS carver for racers and excellent skiers

# two layers of titanal stability in high speeds, powerful acceleration steel edges for frequent tuning and long life. An

The most popular

Sporten ski of the previous seasons. A classic sandwich

construction with two lavers of titanal provides excellent arip, quick edge change and a dynamic

exit. A progressive tip shape (FLF) supports

an easy and quick turn

initiation. Wider steel edges for frequent tuning and long life. An

excellent funcarver.

#### Nr. APO1

176 cm




Lenath:

181 cm

Length:

165 cm



SET: plate with binding TYROLIA RFD 11

Radius:

Radius:

11.3 m

>21 m

Profile:

102/65/89





186 cm FIS compliant

Length: Profile:



Radius:

FIS compliant

Nr. APO2



Profile:

Profile:

116/65/101

Radius:

Radius:

12.6 m

FIS compliant FIS compliant

SET: plate with binding TYROLIA RFD 11

Profile:

114/64/99







# SPORTEN

SPORTEN

# AHV 05 SL

AHV 06 SL

A highly versatile

slalom racing ski

A slalom carver, a softer and more tolerant version of the AHV 06 SL

The same dimensions as AHV 06 SL but softer, lighter, more tolerant and easier to turn. Suitable for a wider range of skiers including expert ladies. Due to its extreme versatility a perfect choice as a radically shaped allround ski.

Nr. APO3

155 cm





Profile: 114/64/99

SET: plate with binding TYROLIA RFD 11

Radius: 11.3 m

Lenath: Profile: 165 cm 116/65/101

Radius: 12.6 m

#### TECTOR

A brand-new allrounder with a skicross character

SPORTEN

A powerful allrounder with a moderately wider waist and a versatile sidecut for all types of turns. Its 3D woodcore gives the ski vitality and dynamics. Just slightly under the performance level of AHV 06/05 SL. The Tector performs best master some occasional offpiste rides. A perfect choice for excellent to advanced skiers.

on groomers but it can also

Slightly softer, wider, with more sidecut and less demanding than Tector. All types of terrain from groomers to moderate offpiste. Light, easy to control and tolerant thanks to its modern 3D shaped FasyFlow core. The choice of a wide range of skiers. one of the most versatile Sporten skis.

# SPORTEN

A modern radically

shaped allrounder

# SPIDER

PHASE

The carving classic of Sporten, a popular allrounder

An easygoing carver with surprising grip and dynamics. Woodcore covered with a thin 3D shaped dampening PU composite, Easy and direct turn initiation thanks to its FLF (Front Lead Function) tip profile with a prolonged effective edge. All types of reasonable terrain. An excellent practicing carver.

Nr. ASO1

SET: plate SPORTEN SVF 40, binding TYROLIA SL 100







+set available

Lenath: Profile: 110/68/97 153 cm

Profile:

116/69/100

Radius: 13.3 m

Lenath: Profile: 110/68/97 161 cm

Radius: 15.1 m

Lenath: 169 cm Profile: 110/68/97

Radius: 16.8 m

Nr. ASO2



Length:

167 cm

SET: plate SPORTEN SP 16, binding TYROLIA SL 100

Radius:

Radius:

12.5 m

13,1 m



Profile:

116/69/100



Radius:

14,8 m
















Nr. ASO3

Length:

158 cm



Length:

160 cm

SET: plate SPORTEN SP 16, binding TYROLIA SL 100

Profile:

110/66/96



Profile:

110/66/96



Radius:

14.5 m



170 cm





110/66/96

Profile:



Radius: 16.8 m

# DAEMON


successful

**Alpine Recreational** 

Another extremely allrounder shocking with its price/ performance ratio

A traditional Spider twin with identical dimensions including FLF tip but lighter and even more forgiving thanks to its 3D shaped Easy Flow core. In spite of its surprisingly good grip and carving performance the Daemon does not expect nor require any refined technique thus making an excellent learning ski always supporting His Masters improving skills.





SET: plate SPORTEN SP 16, binding TYROLIA SL 100






Profile: Radius: Profile: Radius: Length: Profile: Radius: Length: 140 cm 110/66/96 10.9 m 150 cm 110/66/96 12.5 m 110/66/96 14.5 m 160 cm

# SPORTEN

# LIMBER

The entry-level allround cruiser A completely new model. Very forgiving and effortless thanks to its 3D EasyFlow core and less pronounced sidecut it supports comfortable cruising including relaxed skidded turns.







+ set available

SET: plate SPORTEN SP 16, binding TYROLIA SL 100

Profile:

107/68/93

Radius: 14.6 m

162 cm

Profile: 107/68/93

Radius: 17.0 m


107/68/93 173 cm

EASY.FLOW

Radius: 19.7 m

SKI

a woodcore covered with PU composite. Easy and to its FLF tip profile with a prolonged effective edge. All types of reasonable terrain. An excellent in shorter lengths, a light ski with women's mounting point.





SKI

D RT

SP

Alpine Lady

A brand-new women allrounder

# SPORTEN

# COMET


The recreational allrounder is definitely a looker A less demanding Pheon twin with the same dimensions including FLF tip shape but lighter and even more forgiving thanks to its 3D shaped Easy Flow core, Reliable and effortless. In spite of its surprisingly good grip and carving performance the Comet does not expect nor require any refined technique thus making an excellent learning ski always supporting the skiers' improving skills.

# SPORTEN

# WILD ANGEL

A brand-new modern concept of a ski for a cool rebel girl

Slightly wider waist for easy handling, a modern 3D profile with the EasyFlow core. A versatile ski for a ride in various allmountain conditions. Its optics inspire and boost the young lady's individuality.






Profile: Radius: Length: Profile: Radius: Length: Profile: Radius: 140 cm 110/66/96 10.9 m 150 cm 110/66/96 12.5 m 160 cm 110/66/96 14.5 m



SET: binding TYROLIA SL 70

Length:

Profile: Radius: Profile: Radius: 104/67/90 140 cm 13.1 m 10.7 m 104/67/90



EASY.FLOW

+set available

+set available



# CULT

A brand-new freestyle ski for both P & P and offpiste

Progressive cross philosophy: a freestyle/freeride twintip ski that won't let you down even on groomers. A sturdy woodcore sandwich construction. ABS sidewalls, thick edges for extreme durability. Developed with our top riders.



Profile: Radius: Profile: Radius: Length: 118/84/107 19,1 m 174 cm

118/84/107

21,2 m


# SPORTEN

# S-LINE

A performanceoriented short carving ski

Almost a legend within the Sporten line, a link between short blades and standard lenaths. A unique combination of shorter length and shape provides both easy and aggressive edge grip. Ideal as a practicing tool.





EASY.FLOW

Profile: 103/68/92

Radius: 7,8 m


126 cm

Profile: Length: 103/68/92

Radius: 9,5 m

Profile: 136 cm 103/68/92

Radius: 11,5 m




# FLASH

fun blade

A time-tested

Twintip adult blade. An extremely manoeuvrable shortie offering lots of instant fun even to unskilled riders but also making an invaluable practicing tool. A must for rental business and for school courses. Available with an adjustable universal binding and a carving plate.





EASY.FLOW



SET: plate SPORTEN SP CARVE, binding UNI 2

Length: 80 cm

Length: 97 cm Profile: 100/74/95 Radius: 6.2 m


# SPORTEN

# **MARVIN**

A wide twintip skiboard

A typical wide skiboard following the philosophy of legendary bigfoots in a slightly prolonged version. Instant onsnow fun for inliners and skiing novices. A set with universal bindings for all standard boot sizes.





SET: binding UNI 1

Nr. AFO4

Profile: 125/95/115 Radius: 3,3 m EASY.FLOW




# **EXT**

A new junior allround ski

SPORTEN

Δ modern ski with slightly wider waist for easy handling in various conditions. Versatile and forgiving yet enough performance. A modern 3D shape with the EasyFlow core. Two color combinations.





+set available

Length: Profile: 116 cm

104/67/90

Radius: 8,5 m

128 cm

Profile: 104/67/90 10,7 m Length: 140 cm 104/67/90

Radius:

13,1 m

ORT



SPORTEN

#### **BAMBI & TROPIC**

A new children' ski for beginners to advanced young skiers

New lengths and updated wider waist corresponding to iunior TX3 models. Following the newest trends with a slightly larger radius for even more verstatility, forgiveness and stability.Time-proven construction with the EasyFlow core. Highly attractive optics in two variations boost the kids' enthusiasm and their eagerness to discover new experiences.





+ set available

Profile: 100/67/86

Radius: 4.0 m

Length: 92 cm

Profile: 100/67/86

Radius: 5.7 m

104 cm

Profile: 100/67/86

Radius: 7.6 m


#### **BOHEMIA XS**

A high performance ski based on and derived from the racing model **BOHEMIA RCX** 

SPORTEN

A unique 3D shape makes the ski elegant and improves its aerodynamics. A high performance model with lightweight core and a specially structured high-molecular graphite base. For most demanding skiers.







CLASSIC - length (cm): 181/189/197/205

SKATE - length (cm): 179/187/195

Profile: 45/45/45

SKI Nordic High Performance

**Nordic Race** 

SKI


32

A time-tested light and fast ski for sporting skiing in tracks

SPRINT

Light due to a woodcore with air channels. Fast thanks to a new preparation of base. The softest of all SPRINT models. The skate version with a low tip is the stiffest one of all SPRINT models. The combi version combines both classic and skate qualities. Suitable for both styles due to its compromising features, especially stiffness.





CLASSIC - length (cm): 140/150/160/170/180/187/194/201/208

COMBI - length (cm): 160/170/180/187/194/201/208

SKATE - length (cm): 160/170/180/187/194/201



Profile: 45/45/45




#### **VEGA**

A universal sporting ski both for classic and skating styles

This narrow elegant ski is designed for skiing in tracks. Guarantees an optimal kick and a perfect glide. A very good price/ performance ratio.






Length (cm): 170/180/187/194/201/208

Profile: 45/45/45






# PERUN

For active

sportsmen

A ski ski with a specially developed progressive grip zone for skiers preferring sports like jogging, spinning, aerobic or nordic walking in summer or for active sportsmen who don't want to lose time waxing skis in winter. Also good for heavier skiers.









Length (cm): 166/174/182

Profile: 51/46/48

# SPORTEN


# RUBICON

A ski similar to PERUN but wider The width enables to use the ski both in and outside tracks. A really robust ski with a unique 3D profile is both elegant and functional with good glide and kick. Also good for heavier skiers.









# SKI **Nordic Touring** PORT

# SPORTEN

# **FAVORIT**

A recreational ski with a traditional name designed for skiing in tracks A carefully constructed woodcore, a structured top-sheet and a special tail protection make the ski highly durable. A special plate under the binding for optimal power distribution while kicking.









Length (cm): 100/110/120/130/140/150/160/170/180/185/190/195/200/205/210

Profile: 54/48/52

# SPORTEN

# ADVENTURE

An exceptionally durable ski

An exceptionally durable recreational ski will please touring skiers not relying on groomed trails. Thanks to its dimensions even for heavier skiers or those carrying a heavy load.







Length (cm): 160/170/180/190

Profile: 68/60/65

# SKI **Nordic Backcountry**


# SPORTEN

#### HIGHLANDER

A flag ship amongst back-country skis

Size of the ski enables also skiing in tracks. The weight has been significantly reduced thanks to an enlightened core. Steel edges and a special tail protection make the ski more durable. The ski suits mountain terrains.





Length (cm): 180/185/190/195/200/205/210

Profile: 54/48/52

# SPORTEN

# **FORESTER**

A wider ski but still good in tracks

Steel edges make it more durable. The width of the ski sets new horizons for use in free terrain, where practically no barriers exist.





structured top sheet

Length (cm): 165/175/185/195/205

Profile: 64/52/60

# SPORTEN

# RANGER

A ski designed mainly for skiing outside tracks

An extremely wide ski with hard steel edges. An oval tip, a slightly lifted-up tail - this makes the ski similar to FORESTER and HIGHLANDER. A ski for adventurers enjoying extreme conditions.





Length (cm): 160/170/180/190

Profile: 68/60/65




# X-5

with a wood/EasyFlow

Extremely versatile for both groomers and freeride and for park riding. Insert pattern allows for an easy ride forwards and backwards. The board is soft and very adaptable.







EASY.FLOW

Profile: 149 cm 280/238/280 8,5 m

Radius:

Length: Profile: Radius 155 cm 290/247/290 9 m

Profile: Radius: Length: 159 cm 295/258/295 10 m

Length: Profile: 163 cm 306/262/306 10 m

Radius:

SPORTEN

# LIGHTER


A freestyle board with a wood/EasyFlow composite core

Extremely versatile for both groomers and freeride and for park riding. Insert pattern allows for an easy ride forwards and backwards. The board is soft and very adaptable.

Nr. SS02







EASY.FLOW

Profile: 280/238/280 8,5 m

Profile: 155 cm 290/247/290 9 m

Profile: 159 cm 295/258/295 10 m Length: Profile:

163 cm 306/262/306 10 m

Radius:



# ECHO

keeping all

A freeride board freestyle features

Its profiled woodcore with lavers of fiberglass accounts for high torsional rigidity working even in aggresive carving turns. Nevertheless. the board remains easy to handle and does not lose flexibility. For good riders who not only want to enjoy carving but also care to try out various tricks.



Length:

Profile: 146 cm 280/239/278 8,5 m

Radius:

Length: Profile: 152 cm 286/245/284

Length: Profile: 157 cm 294/252/292 9,5 m

Length: Profile: Radius: 161 cm 300/258/298 10 m

SPORTEN

# LIFT

A freeride board keeping all freestyle features Its profiled woodcore with layers of fiberglass accounts for high torsional rigidity working even in aggresive carving turns. Nevertheless. the board remains easy to handle and does not lose flexibility. For good riders who not only want to enjoy carving but also care to try out various tricks.





Length: Profile:

146 cm 280/239/278 8,5 m

Length: Profile:

152 cm 286/245/284 9 m

Length: Profile:

157 cm 294/252/292 9,5 m

Length: Profile:

Radius: 161 cm 300/258/298 10 m



# X-RIDE

A freestyle board

composite core

with a wood/EasyFlow

Extremely versatile for both groomers and freeride and for park riding. Insert pattern allows for an easy ride forwards and backwards. The board is soft and very adaptable.



Length: Profile: Radius: Length: Profile: Length: Profile: Radius Length: Profile: Radius: 126 cm 250/219/250 132 cm 260/228/260 138 cm 265/229/265 143 cm 270/236/270 7,6 m 9 m

# SPORTEN

# NIPPY

A freestyle board with a wood/EasyFlow composite core

Extremely versatile for both groomers and freeride and for park riding. Insert pattern allows for an easy ride forwards and backwards. The board is soft and very adaptable.

Length: Profile:



Length: Profile: Length: Profile: Length: Profile: 126 cm 250/219/250 132 cm 260/228/260 138 cm 265/229/265 143 cm 270/236/270

Radius:

EASY.FLOW

# SNB Kid www.sporten.c

# SPORTEN

## **BABY CAR**

A freestyle board with a wood/EasyFlow composite core

Extremely versatile for both groomers and freeride and for park riding. Insert pattern allows for an easy ride forwards and backwards. The board is soft and very adaptable.






Length:

120 cm

Profile:

230/200/230 7 m

Radius:



EASY.FLOW

SPORTEN

# **FLOWER GIRL**

A freestyle board with a wood/EasyFlow composite core

Extremely versatile for both groomers and freeride and for park riding. Insert pattern allows for an easy ride forwards and backwards. The board is soft and very adaptable.




Length:

Profile:

220/196/220





EASY.FLOW

Profile: 220/196/220

Radius: 7 m

Radius:

7 m

Length: 120 cm

Profile: Radius: 230/200/230