

EN

SKI

collection 2012_2013

BLIZZARD
INTELLIGENT EQUIPMENT





INTELLIGENT EQUIPMENT 

A skier in a dynamic pose, leaning into a turn on a snowy slope. The skier is wearing a green and white suit, a helmet, and goggles. The background shows a bright, snowy landscape with a large, dark mountain peak on the right.

BLIZZARD stands for intelligent technology and uncompromising performance. For the 2012-13 season it has moved to another level. With improved Flip Core 3D technology, the innovative rocker concept has also been expanded into all-mountain skiing. More models with proven full-suspension technology, newly-developed Spaceframe 3D technology, an expanded and improved Free Mountain line, and the largest and widest ladies' collection ever deliver the perfect sports equipment to ambitious skiers, from entry level to professional.

BLIZZARD - Intelligent Equipment.



RACING

WORLD CUP RACE



SL RACE SUSPENSION

RACE



WRC RACE SUSPENSION

ALL MOUNTAIN

HIGH PERFORMANCE



G-POWER FULL SUSPENSION IQ

SPORT PERFORMANCE



MAGNUM 8.5 TI SUSPENSION

FREE MOUNTAIN

FREE MOUNTAIN



BODACIOUS

MOUNTAINEERING



MOUNTAIN ATTACK

VIVA



VIVA



DAKOTA

VIVA ULTRASSONIC FULL SUSPENSION IQ



GUNSMOKE IQ JR



GS IQ JR





REVOLUTIONARY ROCKER TECHNOLOGY

FLIP CORE 3D

The Blizzard answer to all the rocker buzz is the new Flip Core 3D technology. The idea: the wood core of the ski is inserted upside-down, so that the downward-facing, convex side of the core creates a natural bend. This natural rocker-shape is already built into the construction of the ski, not needing any additional re-pressing. A revolutionary construction-technique, which is equally as individual as the target groups it speaks to.




The unique FLIP CORE 3D from Blizzard

The flipped 3D woodcore technology combined with the natural 3D mould construction brings up an absolutely natural Rocker Geometry without any disturbing and negative bending during the molding process.


This allows the rocker construction to reach a previously unknown level of stability and smoothness!

FLIP CORE 3D TECHNOLOGY

- Exact matching core (NO pressure needed)
- Harmonic pressure distribution
- Natural flexcurve



Step 1: All parts are matching exactly into the mould. The 3D woodcore is flipped upside down.



Step 2: The mould gets closed and the ski will be pressed. Not any part of the construction will be stressed or bended unnaturally.
Step 3: The diagram shows the perfect pressure distribution of the whole ski.

BLIZZARD CAMBER PROFILES



Traditional camber construction without any rocker lifting
- Highest stability and edge-grip with maximum steering precision!



Race, High Performance



Rockered in the Tip area with traditional camber construction
- Maximum maneuverability with high stability at higher speeds!



On slope All Mountain & Allround Skis



Rockered in Tip & Tail area with traditional camber construction
- Shorter edge length for perfect agility and playful performance!



All Mountain & Free Mountain Skis



Fully rockerized combined with flat center without camber construction
- Very good floating abilities and very playful in all conditions!




Offpiste Freeride Skis



FULL SUSPENSION TECHNOLOGY


Full Suspension technology is an active high performance system.

A carbon fiber booster is embedded into the ski, resulting in high performance, maximum dynamics and rebound. The heart of the suspension technology is a piston damping system that reduces vibration up to 15 times faster.




FULL SUSPENSION

Just imagine to use a "fully" Mountain-Bike!



Front and Rear with full suspension technology




SUSPENSION TECHNOLOGY

Suspension technology is an active all mountain performance system, that provides maximum stability with excellent rebound energy.



MOVEMENT - FREE FLEX - ACTIVE REBOUND



PISTON DAMPER

- Up to 10 times less vibration
- Active vibration control

BENEFITS

- Up to 10 times less vibration
- Power & control
- Better edge grip
- More dynamics
- Less fatigue



SUSPENSION

Just imagine to use a "hardtail" Mountain-Bike!



Front with suspension - technology



IQ SYSTEM

IQ is a system that uses a track molded into the ski during manufacturing process. It is the only true fusion of skibody & binding-element. The natural performance & flex of the ski is not influenced by any mounting, drilling, screwing or glueing of separate interfaces, elements or the binding it self. It is a strong merging system that doesn't impede ski flex and also allows quick & easy mounting of the binding.



IQ SYSTEM CONSTRUCTION



The binding-merger is fully integrated into the core of the ski

IQ SYSTEM BENEFITS

FREE FLEX CURVE

- Constant edge grip
- Perfect control
- Lively, snappy ski performance

DIRECT POWER TRANSMISSION

- Highest carving performance
- Stable edge grip
- Less fatigue

LIGHT WEIGHT CONSTRUCTION

- Better swing weight
- Less fatigue
- Easy to carry






SPACEFRAME 3D

Spaceframe 3D is a special lightweight 3D reinforcement layer construction, that provides completely new dimensions in swingweight and torsional rigidity.



SPACEFRAME 3D CONSTRUCTION



SPACEFRAME 3D BENEFITS

PERFECT BALANCE & STABILITY

- Easy handling ski performance
- Controlable edge grip
- Versatile

REDUCED SWINGWEIGHT UP TO 25 %

- Energy saving skiing
- Playfull turn initiation
- Less fatigue

CONTROL OF FLEXIBILITY & STIFFNESS

- Balanced flex
- Optimum edge hold
- Running stability



POWER

Full Suspension denotes the technological milestone that BLIZZARD is meanwhile now bringing to market in its third generation.

A piston dampener embedded directly into the ski lessens unwanted vibrations, therefore providing more high-speed stability and an incredibly athletic ride. Combined with carbon boosters, these high-end skis demonstrate a drastic increase of rebound and uncompromisingly agile handling.

INTEGRATED ACTIVE DAMPER



CARBON BOOSTER



SANDWICH SIDEWALL CONSTRUCTION



BENEFITS

- Up to 15 times less vibration
- Active power & control
- Better edge grip
- Dynamic power
- Less fatigue & gentle







POWER



M-POWER 8.5 FULL SUSPENSION

LENGTHS (cm)
167 / 174 / 181 cm

SIDE CUT (mm)
125 / 85 / 111 mm
Radius 19,0 m (174 cm)

BINDING-SET
Power 14 (8A202C D1 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Titanium
+ Carbon

TECHNOLOGY FEATURES
Full Suspension
Flip Core 3D
Spaceframe 3D
Sidewall

CAMBER
Tip & Tail Rocker



S-POWER FULL SUSPENSION IQ

LENGTHS (cm)
153 / 160 / 167 / 174 cm

SIDE CUT (mm)
121 / 68 / 105 mm
Radius 13,5 m (167 cm)

BINDING-SET
Power 12 (8A2020 D3 001)
Power 11 (8A2020 D5 001)

CONSTRUCTION
Sandwich Sidewall Titanium (IQ)
+ Woodcore
+ Magnesium
+ Titanium
+ Carbon

TECHNOLOGY FEATURES
Full Suspension
IQ System
Sidewall

CAMBER
Full Camber





R-POWER FULL SUSPENSION IQ

LENGTHS (cm)
167 / 174 / 181 cm

SIDE CUT (mm)
113 / 68 / 97 mm
Radius 17,5 m (174 cm)

BINDING-SET
Power 12 (8A2021 D3 001)
Power 11 (8A2021 D5 001)

CONSTRUCTION
Sandwich Sidewall Titanium (IQ)
+ Woodcore
+ Magnesium
+ Titanium
+ Carbon

TECHNOLOGY FEATURES
Full Suspension
IQ System
Sidewall

CAMBER
Full Camber



G-POWER FULL SUSPENSION IQ

LENGTHS (cm)
160 / 167 / 174 / 181 cm

SIDE CUT (mm)
123 / 72 / 105 mm
Radius 15,5 m (174 cm)

BINDING-SET
Power 12 (8A2022 D3 001)
Power 11 (8A2022 D5 001)

CONSTRUCTION
Sandwich Sidewall Titanium (IQ)
+ Woodcore
+ Magnesium
+ Titanium
+ Carbon

TECHNOLOGY FEATURES
Full Suspension
IQ System
Sidewall

CAMBER
Full Camber






WORLD CUP RACE

On the hunt for the fastest times, top athletes place exacting demands on their skis. Blizzard develops its World Cup Race models in close consultation with its racing team, in order to provide the best possible equipment for use on the racing circuit.

INTEGRATED ACTIVE DAMPER



RACE SIDEWALLS



ORIGINAL WOODCORE-MAGNESIUM WORLD CUP CONSTRUCTION



BENEFITS

- Up to 15 times less vibration
- Direct power transmission
- Ultimate edge grip
- Racing dynamics
- Absolute racing performance



**GS RACE FULL SUSPENSION**

LENGTHS (cm)
172 / 176 / 182 / 186 cm


SIDE CUT (mm)
115 / 71 / 100 mm
Radius 20,0 m (182 cm)

ART-NO
flat (8A2005 00 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Magnesium
+ Titanium
+ Carbon

TECHNOLOGY FEATURES
Full Suspension
Sidewall
Tip Protector

CAMBER
Full Camber

**SL RACE SUSPENSION**

LENGTHS (cm)
156 / 165 cm


SIDE CUT (mm)
114 / 66,5 / 102 mm
Radius 13,0 m (165 cm)

ART-NO
flat (8A2006 00 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Magnesium
+ Titanium
+ Carbon

TECHNOLOGY FEATURES
Suspension
Sidewall
Tip Protector

CAMBER
Full Camber





WORLD CUP RACE



GS RACE FULL SUSPENSION JR

LENGTHS (cm)
163 / 170 cm


SIDE CUT (mm)
106 / 66 / 91 mm
Radius 17,5 m (170 cm)

ART-NO
flat [8A2007 00 001]

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Magnesium
+ Titanium

TECHNOLOGY FEATURES
Full Suspension
Sidewall

CAMBER
Full Camber



SL RACE SUSPENSION JR

LENGTHS (cm)
150 cm


SIDE CUT (mm)
112 / 65 / 97 mm
Radius 10,5 m (150 cm)

ART-NO
flat [8A2008 00 001]

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Magnesium
+ Titanium

TECHNOLOGY FEATURES
Suspension
Sidewall
Tip Protector

CAMBER
Full Camber



**GS RACE JR**

LENGTHS (cm)
135 / 142 / 149 / 156 / 163 / 170 cm

SIDECUT (mm)
104 / 65 / 89 mm
Radius 16,5 m (156 cm)

ART-NO
flat (8A2009 00 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Magnesium
+ Titanium

TECHNOLOGY FEATURES
Sidewall
JR Race Plate

CAMBER
Full Camber

**SL RACE JR**

LENGTHS (cm)
122 / 129 / 136 / 143 / 150 cm



SIDECUT (mm)
109 / 64 / 94 mm
Radius 10,2 m (136 cm)

ART-NO
flat (8A2010 00 001)
flat no plate (8A201A00 001)
(only length 122cm)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Magnesium
+ Titanium

TECHNOLOGY FEATURES
Sidewall
JR Race Plate
Tip Protector

CAMBER
Full Camber





RACE

BLIZZARD's Race models stand for highest performance, uncompromising handling and absolute stability. Speed enthusiasts will certainly get their money's worth. Our entire World Cup knowledge-base has been unified into a unique product line, based on the proven technology of "Reini" Herbst and Co.'s racing skis.

INTEGRATED ACTIVE DAMPER



RACE SIDEWALLS



WOODCORE SIDEWALL CONSTRUCTION



BENEFITS

- Up to 10 times less vibration
- Active power & control
- Optimum edge grip
- More dynamics
- Less fatigue





WRC RACE SUSPENSION

LENGTHS (cm)
172 / 176 / 182 / 186 cm


SIDE CUT (mm)
115 / 71 / 100 mm
Radius 20,0 m (182 cm)

BINDING-SET
Power 14 (8A2011 D1 001)
Power 12 (8A2011 D3 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Magnesium
+ Titanium

TECHNOLOGY FEATURES
Suspension
Sidewall
Tip Protector

CAMBER
Full Camber



SLR MAGNESIUM IQ

LENGTHS (cm)
153 / 160 / 167 / 174 cm

SIDE CUT (mm)
121 / 68 / 105 mm
Radius 13,5 m (167 cm)

BINDING-SET
IQ TP 14 (8A2013 N1 001)
IQ TC 12 (8A2013 E1 001)
IQ TC 11 (8A2013 E3 001)

CONSTRUCTION
Sandwich Sidewall Titanium (IQ)
+ Woodcore
+ Magnesium
+ Titanium

TECHNOLOGY FEATURES
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber





RACE



GSR MAGNESIUM IQ

LENGTHS (cm)
167 / 174 / 181 cm

SIDE CUT (mm)
113 / 68 / 97 mm
Radius 17,5 m (174 cm)

BINDING-SET
IQ TP 14 [8A2012 N1 001]
IQ TC 12 [8A2012 E1 001]
IQ TC 11 [8A2012 E3 001]

CONSTRUCTION
Sandwich Sidewall Titanium (IQ)
+ Woodcore
+ Magnesium
+ Titanium

TECHNOLOGY FEATURES
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber



GTR FULL SUSPENSION IQ

LENGTHS (cm)
153 / 160 / 167 / 174 cm


SIDE CUT (mm)
117 / 70 / 101 mm
Radius 15,0 m (167 cm)

BINDING-SET
Power 11 [8A2014 D5 001]
Power 10 [8A2014 D9 001]

CONSTRUCTION
Fiber Matrix Sidewall (IQ)
+ Woodcore
+ Quadrax

TECHNOLOGY FEATURES
Full Suspension
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber





RCS SUSPENSION IQ

LENGTHS (cm)
153 / 160 / 167 / 174 cm

SIDE CUT (mm)
117 / 70 / 101 mm
Radius 15,0 m (167 cm)

BINDING-SET
Power 10 [8A2015 D9 001]

CONSTRUCTION
Fiber Matrix Sidewall (IQ)
+ Woodcore
+ Quadrax

TECHNOLOGY FEATURES
Suspension
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber



WSC IQ

LENGTHS (cm)
146 / 153 / 160 / 167 / 174 cm


SIDE CUT (mm)
120 / 73 / 104 mm
Radius 15,0 m (167 cm)

BINDING-SET
IQ LT 10 [8A2016 G1 001 - red]
IQ LT 10 [8A2016 G1 002 - white]

CONSTRUCTION
Integral Sidewall (IQ)
+ Woodcore
+ Fiberglas

TECHNOLOGY FEATURES
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Front Rocker





G-FORCE

With its G-Force models, BLIZZARD has the appropriate ski for everyone from the athletic beginner to the hobby racer for that boundless feeling of centrifugal force on the slopes.

Smooth handling, edge grip, stability and agility are the perfect blend for the perfectly balanced ride. With or without suspension technology, these skis cover a large area of the technically-advanced skiing realm.

POWER FRAME



NEW TIP PROTECTOR



IQ SYSTEM



BENEFITS

- Direct power transmission
- Agile rebound
- Free flex
- Free flex curve
- Up to 15 % less weight



**G-FORCE SUPersonic IQ**

LENGTHS (cm)
160 / 167 / 174 / 181 cm

SIDE CUT (mm)
123 / 72 / 105 mm
Radius 15,5 m (174 cm)

BINDING-SET
IQ TC 12 (8A2025 E1 001)
IQ TC 11 (8A2025 E3 001)

CONSTRUCTION
Sandwich Sidewall Titanium (IQ)
+ Woodcore
+ Magnesium
+ Titanium

TECHNOLOGY FEATURES
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber

**G-FORCE ULTRASONIC FULL SUSPENSION IQ**

LENGTHS (cm)
153 / 160 / 167 / 174 cm



SIDE CUT (mm)
121 / 73 / 105 mm
Radius 15,0 m (167 cm)

BINDING-SET
Power 11 (8A2026 D5 001)
Power 10 (8A2026 D9 001)

CONSTRUCTION
Fiber Matrix Sidewall (IQ)
+ Woodcore
+ Quadrax

TECHNOLOGY FEATURES
Full Suspension
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber





G-FORCE



G-FORCE SONIC SUSPENSION IQ

LENGTHS (cm)

153 / 160 / 167 / 174 cm

SIDE CUT (mm)

121 / 73 / 105 mm
Radius 15,0 m (167 cm)

BINDING-SET

Power 10 (8A2027 D9 001)

CONSTRUCTION

Fiber Matrix Sidewall (IQ)
+ Woodcore
+ Quadrax

TECHNOLOGY FEATURES

Suspension
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER

Full Camber



G-FORCE EDGE IQ

LENGTHS (cm)

146 / 153 / 160 / 167 / 174 cm

SIDE CUT (mm)

120 / 73 / 104 mm
Radius 15,0 m (167 cm)

BINDING-SET

IQ LT 10 (8A2028 G1 001)

CONSTRUCTION


Integral Sidewall (IQ)
+ Woodcore
+ Fiberglas

TECHNOLOGY FEATURES

IQ System
Sidewall
Tip Protector
Powerframe

CAMBER

Front Rocker





G-FORCE SPORT IQ

LENGTHS (cm)

140 / 145 / 150 / 155
160 / 165 / 170 / 175 cm

SIDE CUT (mm)

117 / 72 / 99 mm
Radius 16,0 m (165 cm)

BINDING-SET

IQ LT 10 (8A2052 G1 001 - black)
IQ LT 10 (8A2052 G1 002 - red)

CONSTRUCTION

Integral Partial Sidewall (IQ)
+ Fiberglas

TECHNOLOGY FEATURES

IQ System

Sidewall

Tip Protector

Powerframe

CAMBER

Full Camber





MAGNUM

If you are looking for pure skiing fun on the entire mountain, the Magnum line is for you. And for the first time, the innovative Flip Core 3D technology with its natural Rocker Shape is also being offered in these versatile all-mountain models. From bursts of speed on the slopes to powder runs, rough terrain or moguls, these skis offer maximum comfort and versatile, athletic handling.

SPACEFRAME 3D



FLIP CORE 3D TECHNOLOGY



SUSPENSION TECHNOLOGY



BENEFITS

- Natural spring
- Excellent stability
- Perfect pressure distribution
- Up to 20 % less weight
- Easy steering



**MAGNUM 8.5 Ti SUSPENSION**

LENGTHS (cm)
167 / 174 / 181 cm


SIDE CUT (mm)
125 / 85 / 111 mm
Radius 19,0 m (174 cm)

BINDING-SET
Power 12 (8A2030 D3 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Titanium

TECHNOLOGY FEATURES
Suspension
Flip Core 3D
Spaceframe 3D
Sidewall

CAMBER
Tip & Tail Rocker

**MAGNUM 8.0 Ti SUSPENSION**

LENGTHS (cm)
158 / 165 / 172 / 179 cm

SIDE CUT (mm)
122 / 80 / 107 mm
Radius 17,0 m (172 cm)

BINDING-SET
Power 12 (8A2032 D3 001)
Power 11 (8A2032 D5 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ Titanium

TECHNOLOGY FEATURES
Suspension
Flip Core 3D
Spaceframe 3D
Sidewall

CAMBER
Tip & Tail Rocker





MAGNUM



MAGNUM 8.0 CA SUSPENSION

LENGTHS (cm)

158 / 165 / 172 / 179 cm

SIDE CUT (mm)

122 / 80 107 mm

Radius 17,0 m (172 cm)

BINDING-SET

Power 11 (8A2034 D5 001)

Power 10 (8A2034 D9 001)

CONSTRUCTION

Sandwich Sidewall Carbon

+ Woodcore

+ Double Quadrax

+ Carbon

TECHNOLOGY FEATURES

Suspension

Flip Core 3D

Spaceframe 3D

Sidewall

CAMBER

Tip & Tail Rocker



MAGNUM 7.6 IQ

LENGTHS (cm)

149 / 156 / 163 / 170 / 177 cm

SIDE CUT (mm)

122 / 76 / 105 mm

Radius 14,0 m (163 cm)

BINDING-SET

IQ TC 11 (8A2036 E3 001)

IQ LT 10 (8A2036 G1 001)

CONSTRUCTION

Integral Sidewall (IQ)

+ Woodcore

+ Fiberglas

TECHNOLOGY FEATURES

IQ System



Sidewall

Powerframe

Tip Protector

CAMBER

Front Rocker



**MAGNUM 7.4 IQ**

LENGTHS (cm)
149 / 156 / 163 / 170 cm

SIDE CUT (mm)
121 / 74 / 104 mm
Radius 14,0 m (163 cm)

BINDING-SET
IQ LT 10 (8A2037 G1 001)

CONSTRUCTION
Integral Sidewall (IQ)
+ Woodcore
+ Fiberglas

TECHNOLOGY FEATURES
IQ System
Sidewall

CAMBER
Front Rocker

**MAGNUM 7.2 IQ**

LENGTHS (cm)
140 / 145 / 150 / 155
160 / 165 / 170 / 175 cm


SIDE CUT (mm)
117 / 72 / 99 mm
Radius 16,0 m (165 cm)

BINDING-SET
IQ LT 10 (8A2051 G1 001)

CONSTRUCTION
Integral Partial Sidewall (IQ)
+ Fiberglas

TECHNOLOGY FEATURES
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber






VIVA

With the largest and most multifunctional women's collection of all time, BLIZZARD puts a smile on the faces of discerning women. Models in the VIVA line range from highly-athletic racing to comfortable, all-round performance, agile off-piste enjoyment and relaxed cruising in every area of skiing; and are specially designed to meet women's needs. The femininely-athletic design is the perfect complement to its high-tech construction and is an eye-catcher off the slopes as well.

SUSPENSION TECHNOLOGY



FMC LIGHTWEIGHT CONSTRUCTION



FRONT ROCKER PROFILE



BENEFITS

- Up to 10 times less vibration
- Active power & control
- Easy steering in the turn
- Fatigue-proof skiing





VIVA ULTRASONIC FULL SUSPENSION IQ

LENGTHS (cm)
153 / 160 / 167 cm


SIDECUT (mm)
119 / 73 / 103 mm
Radius 14,0 m (160 cm)

BINDING-SET
Power 11 Viva (8A2040 D6 001)
Power 10 Viva (8A2040 D8 001)

CONSTRUCTION
Fiber Matrix Sidewall (IQ)
+ Woodcore
+ Quadrax

TECHNOLOGY FEATURES
Full Suspension
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber



VIVA ULTRA SUSPENSION IQ

LENGTHS (cm)
153 / 160 / 167 cm


SIDECUT (mm)
115 / 70 / 99 mm
Radius 14,0 m (160 cm)

BINDING-SET
Power 10 Viva (8A2041 D8 001)

CONSTRUCTION
Fiber Matrix Sidewall (IQ)
+ Woodcore
+ Quadrax

TECHNOLOGY FEATURES
Suspension
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber





VIVA



VIVA SPORT IQ

LENGTHS (cm)
140 / 145 / 150 / 155 / 160 cm

SIDE CUT (mm)
115 / 72 / 97 mm
Radius 15,0 m (155 cm)

BINDING-SET
IQ LC 10 Viva (8A2042 F1 001 - black)
IQ LC 10 Viva (8A2042 F1 002 - white)

CONSTRUCTION
Integral Partial Sidewall (IQ)
+ Fiberglas

TECHNOLOGY FEATURES
IQ System
Sidewall
Tip Protector
Powerframe

CAMBER
Full Camber



VIVA 8.0 SUSPENSION

LENGTHS (cm)
151 / 158 / 165 cm

SIDE CUT (mm)
120 / 80 / 105 mm
Radius 16,0 m (165 cm)

BINDING-SET
Power 11 Viva (8A2043 D6 001)
Power 10 Viva (8A2043 D8 001)

CONSTRUCTION
Sandwich Sidewall Carbon
+ Woodcore
+ Double Quadrax
+ Carbon

TECHNOLOGY FEATURES
Suspension
Flip Core 3D
Spaceframe 3D
Sidewall

CAMBER
Tip & Tail Rocker





VIVA 7.6 IQ

LENGTHS (cm)
142 / 149 / 156 / 163 cm

SIDE CUT (mm)
122 / 76 / 105 mm
Radius 13,0 m (156 cm)

BINDING-SET
IQ TC 11 Viva (8A2047 E5 001)
IQ LC 10 Viva (8A2047 F1 001)

CONSTRUCTION
Integral Sidewall (IQ)
+ Woodcore
+ Fiberglas

TECHNOLOGY FEATURES
IQ System
Sidewall
Powerframe
Tip Protector

CAMBER
Front Rocker



VIVA 7.4 IQ

LENGTHS (cm)
142 / 149 / 156 / 163 cm


SIDE CUT (mm)
119 / 74 / 102 mm
Radius 13,0 m (156 cm)

BINDING-SET
IQ LC 10 Viva (8A2049 F1 001)

CONSTRUCTION
Integral Sidewall (IQ)
+ Woodcore
+ Fiberglas

TECHNOLOGY FEATURES
IQ System
Sidewall

CAMBER
Front Rocker






FREE MOUNTAIN

If you have ever experienced the feeling of a powder turn in fresh virgin snow, you'll never want anything else. Pure freedom awaits you. Whether big mountain riding, narrow tree runs, huge cliff drops, or even narrow excursions next to the slopes, BLIZZARD's free mountain models were developed to glory in this freedom and move the boundaries of what's possible. With their Flip Core 3D Technology and Natural Rocker Shape they guarantee the best Freeride Performance in every terrain.

FLIP CORE 3D TECHNOLOGY



BAMBOO WOOD CONSTRUCTION



NATURAL ROCKER PROFILES



BENEFITS

- Natural spring
- Lightweight floating
- Excellent stability
- Perfect pressure distribution
- Lightweight



**BODACIOUS**

LENGTHS (cm)
176 / 186 / 196 cm

SIDE CUT (mm)
142 / 118 / 132 mm
Radius 32,0 m (186 cm)


WEIGHT
2,425 g (186 cm)

ART-NO
flat (8A2060 00 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ ISO-Core
+ Bamboo
+ Double Titanium Layer

TECHNOLOGY FEATURES
Flip Core 3D
Sidewall

CAMBER
Full Rocker

**COCHISE**

LENGTHS (cm)
170 / 177 / 185 / 193 cm

SIDE CUT (mm)
135 / 108 / 123 mm
Radius 28,5 m (185 cm)


WEIGHT
2,250 g (185 cm)

ART-NO
flat (8A2061 00 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ ISO-Core
+ Bamboo
+ Double Titanium Layer

TECHNOLOGY FEATURES
Flip Core 3D
Sidewall

CAMBER
Full Rocker





FREE MOUNTAIN



BONAFIDE

LENGTHS (cm)

166 / 173 / 180 / 187 cm

SIDECUT (mm)

133 / 98 / 118 mm

Radius 21,0 m (180 cm)

WEIGHT

2,050 g (180 cm)

ART-NO

flat (8A2062 00 001)

CONSTRUCTION

Sandwich Sidewall Titanium

+ Woodcore

+ ISO-Core

+ Bamboo

+ Titanium

TECHNOLOGY FEATURES

Flip Core 3D

Sidewall

CAMBER

Tip & Tail Rocker



KABOOKIE

LENGTHS (cm)

166 / 173 / 180 / 187 cm

SIDECUT (mm)

133 / 98 / 118 mm

Radius 21,0 m (180 cm)

WEIGHT

1,800 g (173 cm)

ART-NO

flat (8A2063 00 001)

CONSTRUCTION

Sandwich Sidewall Quadrax

+ Woodcore

+ ISO-Core

+ Bamboo

+ Double Quadrax

TECHNOLOGY FEATURES

Flip Core 3D

Sidewall

CAMBER

Tip & Tail Rocker



**BUSHWACKER**

LENGTHS (cm)
159 / 166 / 173 / 180 cm

SIDE CUT (mm)
125 / 88 / 110 mm
Radius 19,0 m (180 cm)

WEIGHT
1,825 g (180 cm)

ART-NO
flat (8A2064 00 001)

CONSTRUCTION
Sandwich Sidewall Quadrax
+ Woodcore
+ ISO-Core
+ Bamboo
+ Double Quadrax

TECHNOLOGY FEATURES
Flip Core 3D
Sidewall

CAMBER
Tip & Tail Rocker

**GUNSMOKE**

LENGTHS (cm)
179 / 186 cm

SIDE CUT (mm)
140 / 114 / 130 mm
Radius 23,0 m (186 cm)

WEIGHT
2,250 g (186 cm)

ART-NO
flat (8A2069 00 001)

CONSTRUCTION
Sandwich Sidewall Quadrax
+ Woodcore
+ ISO-Core
+ Bamboo
+ Double Quadrax

TECHNOLOGY FEATURES
Flip Core 3D
Sidewall

CAMBER
Tip & Tail Rocker





DAKOTA

LENGTHS (cm)
170 / 177 cm

SIDE CUT (mm)
134 / 108 / 122 mm
Radius 27,0 m (177 cm)


WEIGHT
2,125 g (177 cm)

ART-NO
flat (8A2066 00 001)

CONSTRUCTION
Sandwich Sidewall Titanium
+ Woodcore
+ ISO-Core
+ Bamboo
+ Titanium

TECHNOLOGY FEATURES
Flip Core 3D
Sidewall

CAMBER
Full Rocker



SAMBA

LENGTHS (cm)
159 / 166 / 173 cm

SIDE CUT (mm)
131 / 98 / 116 mm
Radius 20,0 m (173 cm)


WEIGHT
1,800 g (173 cm)

ART-NO
flat (8A2067 00 001)

CONSTRUCTION
Sandwich Sidewall Quadrax
+ Woodcore
+ ISO-Core
+ Bamboo
+ Double Quadrax

TECHNOLOGY FEATURES
Flip Core 3D
Sidewall

CAMBER
Tip & Tail Rocker



**BLACK PEARL**

LENGTHS (cm)
152 / 159 / 166 / 173 cm

SIDE CUT (mm)
125 / 88 / 110 mm
Radius 18,0 m (173 cm)


WEIGHT
1,700 g (173 cm)

BINDING-SET
flat (8A2068 00 001)

CONSTRUCTION
Sandwich Sidewall Quadrax
+ Light Woodcore
+ ISO-Core
+ Bamboo
+ Quadrax

TECHNOLOGY FEATURES
Flip Core 3D
Sidewall

CAMBER
Tip & Tail Rocker






MOUNTAINEERING

Ski touring enthusiasts place high demands on their equipment. Far away from civilization in virgin territory, you need to be able to depend on your gear one-hundred percent. BLIZZARD's mountain models, with their light-weight construction, increased stability and balanced handling are built to measure up to every touring variant possible.

ULTRALIGHT CONSTRUCTION



CARBON / TITANIUM LAYER



BENEFITS

- Balanced swing weight
- Well manageable
- Resistant against scratches & beats
- Perfect gliding





MOUNTAIN ATTACK R


LENGTHS (cm)
161 cm

SIDE CUT (mm)
98 / 65 / 78 mm
Radius 24,0 m (161 cm)

WEIGHT
800 g (161 cm)

BINDING-SET

flat (8A2070 00 001)



CONSTRUCTION

Sandwich Compund Light Cap
+ Woodcore
+ ISO-Core

TECHNOLOGY

Ultralight Woodcore
+ Full Carbon Layer
+ Rapid Skin Fix



MOUNTAIN EXPEDITION

LENGTHS (cm)
149 / 158 / 167 / 176 cm

SIDE CUT (mm)
112 / 74 / 96 mm
Radius 17,5 m (167 cm)

WEIGHT
1,160 g (167 cm)

BINDING-SET

flat (8A2071 00 001)



CONSTRUCTION

Sandwich Sidewall Titanium
+ Woodcore
+ ISO-Core

TECHNOLOGY

Sidewall
Titanium Layer



MOUNTAIN FREE CROSS


LENGTHS (cm)
156 / 163 / 170 / 178 cm

SIDE CUT (mm)
113 / 78 / 100 mm
Radius 22,0 m (170 cm)

WEIGHT
1,240 g (170 cm)

BINDING-SET

flat (8A2072 00 001)



CONSTRUCTION

Sandwich Sidewall Titanium
+ Woodcore
+ ISO-Core

TECHNOLOGY

Sidewall
Titanium Layer



MOUNTAIN FREE CROSS

LENGTHS (cm)
146 / 153 / 160 / 167 / 174 cm

SIDE CUT (mm)
116 / 74 / 102 mm
Radius 15,0 m (160 cm)

WEIGHT


1,340 g (160 cm)

BINDING-SET

flat (8A2073 00 001)

CONSTRUCTION

Integral Fiberglas





JUNIOR

For kids, the most important thing in the snow is having fun. Fun makes learning possible and provides unforgettable moments on the mountain. BLIZZARD's junior models have been especially developed to meet the needs of children. With an extra soft flex, weight-saving construction and versatile IQ-JUNIOR binding system, they provide the easiest handling and guarantee, that the kids will have fun on their skis for a long time. And that makes every day an adventure.

IQ JUNIOR SYSTEM



ULTRAFLEX TECHNOLOGY



SCREWLESS MOUNTING & ADJUSTMENT



BENEFITS

- Easy, round handling
- Highest stability
- Biometric® securitybinding
- Lightly ski-binding combination
- Easy steering in the turn



**GS IQ JR****LENGTHS (cm)**

70 / 80 / 90 / 100
110 / 120 / 130 / 140 cm

SIDE CUT (mm)

107 / 68 / 95 mm
Radius 9,0 m (130 cm)

BINDING-SET

IQ 7 - 130-150 cm (8A2081 H1 001)
IQ 4.5 - 130-150 cm (8A2081 I1 001)
IQ 4.5 - 70-120 cm (8A2080 I1 001)

**CONSTRUCTION**

Integral Fiberglas (IQ)

TECHNOLOGY

IQ

MAGNUM 6.8 IQ JR**LENGTHS (cm)**

70 / 80 / 90 / 100
110 / 120 / 130 / 140 cm

SIDE CUT (mm)

107 / 68 / 95 mm
Radius 9,0 m (130 cm)

BINDING-SET

IQ 7 - 130-150 cm (8A2083 H1 001)
IQ 4.5 - 130-150 cm (8A2083 I1 001)
IQ 4.5 - 70-120 cm (8A2082 I1 001)

**CONSTRUCTION**

Integral Fiberglas (IQ)

TECHNOLOGY

IQ

VIVA IQ JR**LENGTHS (cm)**

70 / 80 / 90 / 100
110 / 120 / 130 / 140 cm

SIDE CUT (mm)

107 / 68 / 95 mm
Radius 9,0 m (130 cm)

BINDING-SET

IQ 7 - 130-150 cm (8A2085 H1 001)
IQ 4.5 - 130-150 cm (8A2085 I1 001)
IQ 4.5 - 70-120 cm (8A2084 I1 001)

**CONSTRUCTION**

Integral Fiberglas (IQ)

TECHNOLOGY

IQ

**GUNSMOKE IQ JR****LENGTHS (cm)**

99 / 109 / 119 / 129 / 139 cm

SIDE CUT (mm)

104 / 70 / 92 mm
Radius 9,0 m (129 cm)

BINDING-SET

IQ 7 - 119-129 cm (8A2087 H1 001)
IQ 4.5 - 119-129 cm (8A2087 I1 001)
IQ 4.5 - 99-109 cm (8A2086 I1 001)

**CONSTRUCTION**

Integral Fiberglas (IQ)

TECHNOLOGY

IQ

Twin Tip

RENTAL



BEST RENT

- High Value
- Time saving
- Rapid mounting
- Easy handling

BLIZZARD RENTAL FEATURES

SCRATCH RESISTANT TOP SHEET



BARCODE LABEL & LENGTH



IQ-RAIL PROTECTOR



Thermoplastic Composite wedge for optimum protection of the IQ-Rail

CENTERMOVE BINDING ADJUSTMENT



- Easy handling
- Perfectly readable
- Extremely quick adjustment



WSC - R IQ

LENGTHS (cm)

146 / 153 / 160 / 167 / 174 cm

SIDE CUT (mm)

120 / 73 / 104 mm

Radius 15,0 m (167 cm)

BINDING-SET

IQ LT 10 CMR [8A2090 G5 001]

CONSTRUCTION

Integral Sidewall (IQ)

+ Woodcore

+ Fiberglas

TECHNOLOGY FEATURES

IQ System

Sidewall

Tip Protector

Powerframe



+ Rental Kicker

+ Barcode Label

+ Resistant Topsheet

CAMBER

Front Rocker





MAGNUM 7.3 R IQ

LENGTHS (cm)
146 / 153 / 160 / 167 / 174 cm

SIDE CUT (mm)
120 / 73 / 104 mm
Radius 15,0 m (167 cm)

BINDING-SET
IQ LT 10 CMR [8A209C G5 001]

CONSTRUCTION

Integral Sidewall (IQ)
+ Woodcore
+ Fiberglas

TECHNOLOGY FEATURES

IQ System
Sidewall
Tip Protector
Powerframe
+ Rental Kicker
+ Barcode Label
+ Resistant Topsheet

CAMBER

Front Rocker



G-FORCE SPORT - R IQ

LENGTHS (cm)
140 / 145 / 150 / 155
160 / 165 / 170 / 175 cm

SIDE CUT (mm)
117 / 72 / 99 mm
Radius 16,0 m (165 cm)

BINDING-SET
IQ LT 10 CMR [8A2091 G5 001]

CONSTRUCTION
Integral Partial Sidewall
+ Fiberglas

TECHNOLOGY FEATURES

IQ System
Sidewall
Tip Protector
Powerframe
+ Rental Kicker
+ Barcode Label
+ Resistant Topsheet

CAMBER

Full Camber





RENTAL

With Fastrak



Without Fastrak



**RTX - RACE + FASTRAK 3
RTX - RACE (FLAT)**

LENGTHS (cm)

139 / 146 / 153 / 160 / 167 / 174 cm

SIDE CUT (mm)

116 / 74 / 102 mm

Radius 15,0 m (160 cm)

BINDING-SET

flat (8A2093 00 002 - red)

flat (8A2093 00 001 - orange)

Fastrak 3 (8A2092 L1 002 - red)

Fastrak 3 (8A2092 L1 001 - orange)

CONSTRUCTION


Integral Fiberglas

TECHNOLOGY

Tip Protector

+ Barcode Label

+ Resistant Topsheet



**RTX - RACE JR**

LENGTHS (cm)
70 / 80 / 90 / 100
110 / 120 / 130 / 140 cm

SIDE CUT (mm)
106 / 67 / 95 mm
Radius 10,0 m (140 cm)

BINDING-SET
Fastrak JR 4.5 S 70 - 120 (8A2094 L3 001)
Fastrak JR 7.0 L 130 - 140 (8A2095 L5 001)
Flat 8A2099 00 001)

CONSTRUCTION
Integral Fiberglas

TECHNOLOGY
Tip Protector
+ Barcode Label
+ Resistant Topsheet


CARVELINO

LENGTHS (cm)
99 cm

SIDE CUT (mm)
108 / 88 / 110 mm
Radius 9,0 m (99 cm)

BINDING-SET
Fastrak 3 (8A2098 L1 001)
Flat (8A209A 00 001)

CONSTRUCTION
Integral Fiberglas





BINDINGS



NAME	ARTICLE-NR	DIN	COLORS
POWER 14	8C2010	5.0 - 14.0	Black-Silver-Green



NAME	ARTICLE-NR	DIN	COLORS
POWER 12	8C2011	4.0 - 12.0	Black-Silver-Green



NAME	ARTICLE-NR	DIN	COLORS
POWER 11	8C2012	3.0 - 11.0	Black-White-Green



NAME	ARTICLE-NR	DIN	COLORS
POWER 10	8C2014	3.0 - 10.0	White-Black-Silver



NAME	ARTICLE-NR	DIN	COLORS
VIVA POWER 11	8C2013	3.0 - 11.0	Black-White-Chrome



NAME	ARTICLE-NR	DIN	COLORS
VIVA POWER 10	8C2015	3.0 - 10.0	Black-White-Chrome



NAME	ARTICLE-NR	DIN	COLORS
IQ - TC 12	8C2020	4.0 - 12.0	Black-White-Silver



NAME	ARTICLE-NR	DIN	COLORS
IQ - TC 11	8C2021	3.0 - 11.0	White-Silver-Black





NAME	ARTICLE-NR	DIN	COLORS
IQ - TC 11 VIVA	8C2022	3.0 - 11.0	White-Silver-Black



NAME	ARTICLE-NR	DIN	COLORS
IQ - LC 10 VIVA	8C2024	3.0 - 10.0	White-Chrome-Black



NAME	ARTICLE-NR	DIN	COLORS
IQ - LT 10	8C2023	3.0 - 10.0	Black-Silver-Black



NAME	ARTICLE-NR	DIN	COLORS
IQ - 7	8C2026	2.0 - 7.0	White-Black



NAME	ARTICLE-NR	DIN	COLORS
COMP 30.0 EPS	8C2001	15.0 - 30.0	White-Red
COMP 20.0 EPS	8C2002	11.0 - 20.0	White-Red



NAME	ARTICLE-NR	DIN	COLORS
COMP 16.0 EPS	8C2003	6.0 - 16.0	White-Red





BINDINGS



NAME	ARTICLE-NR	DIN	COLORS
COMP 12.0 EPS	8C2004	4.0 - 12.0	White - Red



NAME	ARTICLE-NR	DIN	COLORS
Marker Fastrack JR 4.5 S	8C2031	0.75 - 4.5	White - Black
Marker Fastrack JR 7 L	8C2032	2.0 - 7.0	White - Black



NAME	ARTICLE-NR	SOLE LENGTH	STOPPER	DIN	COLORS
Marker Baron 13 L	8C204C	305 - 365	110 mm	4.0 - 13.0	Black - Silver
Marker Duke w13 S	8C204F	265 - 325	110 mm	4.0 - 13.0	Black - Silver



NAME	ARTICLE-NR	STOPPER	DIN	COLORS
MARKER JESTER 16	8C2042	110 mm	6.0 - 16.0	Black - White - Silver



NAME	ARTICLE-NR	DIN	COLORS
MARKER FASTRACK 3	8C2030	2.5 - 10.0	Black - Silver - White



NAME	ARTICLE-NR	SOLE LENGTH	STOPPER	DIN	COLORS
Marker Duke EPF 16 L	8C204A	305 - 365	110 mm	4.0 - 13.0	White - Black Orange - Teal
Marker Duke EPF 16 S	8C204E	265 - 325	110 mm	4.0 - 13.0	White - Black Orange - Teal



NAME	ARTICLE-NR	SOLE LENGTH	STOPPER	DIN	COLORS
Marker Tour F10 L	8C2045	305 - 365	92 mm	3.0 - 10.0	Black - White - Red
Marker Tour F10 S	8C2046	265 - 325	92 mm	3.0 - 10.0	Black - White - Red



NAME	ARTICLE-NR	STOPPER	DIN	COLORS
MARKER GRIFFON 13	8C2042	110 mm	4.0 - 13.0	White - Black





NAME	ARTICLE-NR	STOPPER	DIN	COLORS
MARKER SQUIRE 11	8C2047	90 mm	3.0 - 11.0	White-Black



NAME	ARTICLE-NR	STOPPER	DIN	COLORS
MARKER JESTER 16 DEMO	8C2040	110 mm	6.0 - 16.0	Black-White-Teal



NAME	ARTICLE-NR	STOPPER	DIN	COLORS
MARKER GRIFFON 13 DEMO	8C2041	110 mm	4.0 - 13.0	White-Black



NAME	ARTICLE-NR	STOPPER	DIN	COLORS
MARKER SQUIRE 11 DEMO	8C2048	90 mm	3.0 - 11.0	White-Black





BAGS



NAME	ARTICLE-NR	SIZE
------	------------	------

FREEPACK PRO 20600 1269 52 x 30 x 18 cm



NAME	ARTICLE-NR	SIZE
------	------------	------

TEAM BACKPACK 20600 1270 54 x 64 x 18 (26) cm



NAME	ARTICLE-NR	SIZE
------	------------	------

TEAM MOAB 20600 1268 33 x 17 x 47 cm



NAME	ARTICLE-NR	SIZE
------	------------	------

TEAM TROLLEY 20600 1271 80 x 35 x 35cm



NAME	ARTICLE-NR	SIZE
------	------------	------

TEAM DUFFLE PACK 40600 1235 48 x 38 x 68 cm



NAME	ARTICLE-NR	SIZE
------	------------	------

PADDED TEAM 2X SKI BAG 40600 1231 99 x 51 27 cm



NAME	ARTICLE-NR	SIZE
------	------------	------

TEAM SKI PACK 40600 1230 S 17 x 24 x 170 cm
M 17 x 24 x 185 cm

POLES

POLES



BLIZZARD RACE

CODE: 837082 00 - **COLORS:** 001 WHITE / BLACK
SIZES: 110 - 115 - 120 - 125 - 130 - 135 - **TUBE:** ALU 7075 - 18 mm
GRIP: RUBBER RACING - **BASKET:** E-BASKET + STEEL + 55 mm



BLIZZARD HIGH PERFORMANCE

CODE: 837083 00 - **COLORS:** 001 WHITE / BLACK
SIZES: 110 - 115 - 120 - 125 - 130 - 135 - **TUBE:** ALU 7075 - 14 mm
GRIP: BIDENSITY BLACK / WHITE - **BASKET:** TIP 45 mm + STEEL



BLIZZARD SPORT PERFORMANCE

CODE: 837084 00 - **COLORS:** 001 WHITE / BLACK
SIZES: 110 - 115 - 120 - 125 - 130 - 135 - **TUBE:** ALU 6013 - 16 mm
GRIP: BIDENSITY BLACK / WHITE **BASKET:** TIP 45 mm + STEEL



BLIZZARD UNI

CODE: 837085 00 - **COLORS:** 001 BLACK
SIZES: 110 - 115 - 120 - 125 - 130 - 135 - **TUBE:** ALU 5083 - 18 mm
GRIP: PE HARD - **BASKET:** UNIBASKET + 50 mm + STEEL



BLIZZARD UNI

CODE: 837085 00 - **COLORS:** 002 WHITE
SIZES: 110 - 115 - 120 - 125 - 130 - 135 - **TUBE:** ALU 5083 - 18 mm
GRIP: PE HARD - **BASKET:** UNIBASKET + 50 mm + STEEL



BLIZZARD SPORT JUNIOR

CODE: 837086 00 - **COLORS:** 001 WHITE / ORANGE
SIZES: 70 - 75 - 80 - 85 - 90 - 95 - 100 - 105 - 110 - **TUBE:** ALU 6013 - 14 mm
GRIP: JR/BLACK **BASKET:** TIP 45 mm + STEEL



TECHNICAL OVERVIEW

POWER LINE

NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL
M-POWER 8.5 FULL SUSPENSION	8A202C D1 001	Power 14	125 / 85 / 111 mm Radius 19,0 m [174 cm]	167 / 174 / 181 cm	Sandwich Sidewall Titanium + Woodcore + Titanium + Carbon	Full Suspension Flip Core 3D Sideframe 3D Sidewall
S-POWER FULL SUSPENSION IQ	8A2020 D3 001	Power 12	Radius 13,5 m [167 cm]	153 / 160 / 167 / 174 cm	Sandwich Sidewall Titanium [IQ] + Woodcore + Magnesium + Titanium + Carbon	Full Suspension IQ System Sidewall
R-POWER FULL SUSPENSION IQ	8A2021 D3 001	Power 12	Radius 17,5 m [174 cm]	167 / 174 / 181 cm	Sandwich Sidewall Titanium [IQ] + Woodcore + Magnesium + Titanium + Carbon	Full Suspension IQ System Sidewall
G-POWER FULL SUSPENSION IQ	8A2022 D3 001	Power 12	Radius 15,5 m [174 cm]	160 / 167 / 174 / 181 cm	Sandwich Sidewall Titanium [IQ] + Woodcore + Magnesium + Titanium + Carbon	Full Suspension IQ System Sidewall



WORLD CUP RACE

NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL
GS RACE FULL SUSPENSION	8A2005 00 001	Flat	1115 / 71 / 100 mm Radius 20,0 m [182 cm]	172 / 176 / 182 / 186 cm	Sandwich Sidewall Titanium + Woodcore + Magnesium + Titanium + Carbon	Full Suspension Sidewall Tip Protector
SL RACE SUSPENSION	8A2006 00 001	Flat	1114 / 66,5 / 102 mm Radius 13,0 m [165 cm]	156 / 165 cm	Sandwich Sidewall Titanium + Woodcore + Magnesium + Titanium + Carbon	Suspension Sidewall Tip Protector
GS RACE FULL SUSPENSION JR	8A2007 00 001	Flat	Radius 17,5 m [170 cm]	163 / 170 cm	Sandwich Sidewall Titanium + Woodcore + Magnesium + Titanium	Full Suspension Sidewall
SL RACE SUSPENSION JR	8A2008 00 001	Flat	106 / 66 / 91 mm Radius 10,5 m [150 cm]	150 cm	Sandwich Sidewall Titanium + Woodcore + Magnesium + Titanium	Suspension Sidewall Tip Protector
GS RACE JR	8A2009 00 001	Flat	104 / 65 / 89 mm Radius 16,5 m [156 cm]	135 / 142 / 149 / 156 / 163 / 170 cm	Sandwich Sidewall Titanium + Woodcore + Magnesium + Titanium	Sidewall JR Race Plate
SL RACE JR	8A2010 00 001	Flat	109 / 64 / 94 mm Radius 10,2 m [136 cm]	122 / 129 / 136 / 143 / 150 cm	Sandwich Sidewall Titanium + Woodcore + Magnesium + Titanium	Sidewall JR Race Plate Tip Protector



RACE		RACE					
NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL	
WRC RACE SUSPENSION	8A2011 D1 001	Power 14	115 / 71 / 100 mm Radius 20,0 m (182 cm)	172 / 176 / 182 / 186 cm	Sandwich Sidewall Titanium + Woodcore + Magnesium + Titanium	Suspension Sidewall Tip Protector	
	8A2011 D3 001	Power 12	Radius 20,0 m (182 cm)				
SLR MAGNESIUM IQ	8A2008 00 001	IQ TP 14	121 / 68 / 105 mm Radius 13,5 m (187 cm)	153 / 160 / 167 / 174 cm	Sandwich Sidewall Titanium (IQ) + Woodcore + Magnesium + Titanium	IQ System Sidewall Tip Protector Powerframe	
	8A2013 E1 001	IQ TC 12	Radius 13,5 m (187 cm)				
GSR MAGNESIUM IQ	8A2013 E3 001	IQ TC 11					
	8A2012 N1 001	IQ TP 14	113 / 68 / 97 mm Radius 17,5 m (174 cm)	167 / 174 / 181 cm	Sandwich Sidewall Titanium (IQ) + Woodcore + Magnesium + Titanium	IQ System Sidewall Tip Protector Powerframe	
8A2012 E1 001	IQ TP 12	Radius 17,5 m (174 cm)					
	8A2012 E3 001	IQ TP 11					
GTR FULL SUSPENSION IQ	8A2014 D5 001	Power 11	117 / 70 / 101 mm Radius 15,0 m (167 cm)	153 / 160 / 167 / 174 cm	Fiber Matrix Sidewall (IQ) + Woodcore + Quadrax	Full Suspension System Sidewall Tip Protector Powerframe	
	8A2014 D9 001	Power 10	Radius 15,0 m (167 cm)				
RCSSUSPENSION IQ	8A2015 D9 001	Power 10	117 / 70 / 101 mm Radius 15,0 m (167 cm)	153 / 160 / 167 / 174 cm	Fiber Matrix Sidewall (IQ) + Woodcore + Quadrax	IQ System Sidewall Tip Protector Powerframe	
	8A2016 G1 001 - red						
WSC IQ	IQLT 10		120 / 73 / 104 mm Radius 15,0 m (167 cm)	146 / 153 / 160 / 167 / 174 cm	Integral Sidewall (IQ) + Woodcore + Fiberglas	IQ System Sidewall Tip Protector Powerframe	
	IQLT 10	8A2016 G1 002 - white	Radius 15,0 m (167 cm)				
HIGH PERFORMANCE							
NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL	
G-FORCE SUPERSONIC IQ	8A2025 E1 001	IQ TC 12	123 / 72 / 105 mm Radius 15,5 m (174 cm)	160 / 167 / 174 / 181 cm	Sandwich Sidewall Titanium (IQ) + Woodcore + Magnesium + Titanium	IQ System Sidewall Tip Protector Powerframe	
	8A2025 E3 001	IQ TC 11	Radius 15,5 m (174 cm)				
G-FORCE ULTRASONIC FULL SUSPENSION IQ	8A2026 D5 001	Power 11	121 / 73 / 105 mm Radius 15,0 m (167 cm)	153 / 160 / 167 / 174 cm	Fiber Matrix Sidewall (IQ) + Woodcore + Quadrax	Full Suspension System Sidewall Tip Protector Powerframe	
	8A2026 D9 001	Power 10	Radius 15,0 m (167 cm)				
G-FORCE SONIC SUSPENSION IQ	8A2027 D9 001	Power 10	121 / 73 / 105 mm Radius 15,0 m (167 cm)	153 / 160 / 167 / 174 cm	Fiber Matrix Sidewall (IQ) + Woodcore + Quadrax	Suspension System Sidewall Tip Protector Powerframe	
	8A2028 G1 001	IQ LT 10	Radius 15,0 m (167 cm)				
G-FORCE EDGE IQ	8A2052 G1 001 black	IQ LT 10	117 / 72 / 99 mm Radius 16,0 m (165 cm)	140 / 145 / 150 / 155 cm	Integral Partial Sidewall (IQ) + Fiberglas	IQ System Sidewall Tip Protector Powerframe	
	8A2052 G1 002 red	IQ LT 10	Radius 16,0 m (165 cm)	160 / 165 / 170 / 175 cm	Integral Partial Sidewall (IQ) + Fiberglas		
G-FORCE SPORT IQ							



TECHNICAL OVERVIEW

SPORT PERFORMANCE

NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL
MAGNUM 8.5 TI SUSPENSION	8A2030 D3 001	Power 12	Radius 19,0 m [174 cm]	167 / 1174 / 181 cm	Sandwich Sidewall Titanium + Woodcore + Titanium	Suspension Flip Core 3D Sidewall
MAGNUM 8.0 TI SUSPENSION	8A2032 D3 001	Power 12	Radius 17,0 m [172 cm]	158 / 165 / 172 / 179 cm	Sandwich Sidewall Titanium + Woodcore + Titanium	Suspension Flip Core 3D Sidewall
MAGNUM 8.0 CA SUSPENSION	8A2032 D5 001	Power 11	Radius 17,0 m [172 cm]	158 / 165 / 172 / 179 cm	Sandwich Sidewall Carbon + Double Quadrapx + Carbon	Suspension Flip Core 3D Spaceframe 3D Sidewall
MAGNUM 7.6 IQ	8A2034 D5 001	Power 11	Radius 17,0 m [172 cm]	158 / 165 / 172 / 179 cm	Integral Sidewall [IQ] + Woodcore + Fiberglas	IQ System Sidewall Powerframe Tip Protector
MAGNUM 7.6 IQ	8A2034 D9 001	Power 10	Radius 14,0 m [163 cm]	149 / 156 / 163 / 170 / 177 cm	Integral Sidewall [IQ] + Woodcore + Fiberglas	IQ System Sidewall Tip Protector
MAGNUM 7.4 IQ	8A2036 E3 001	IQ TC 11	Radius 14,0 m [163 cm]	149 / 156 / 163 / 170 cm	Integral Partial Sidewall [IQ] + Woodcore + Fiberglas	IQ System Sidewall Tip Protector Powerframe
MAGNUM 7.2 IQ	8A2037 G1 001	IQ LT 10	Radius 14,0 m [163 cm]	140 / 145 / 150 / 155 cm 160 / 165 / 170 / 175 cm	Integral Partial Sidewall [IQ] + Woodcore + Fiberglas	IQ System Sidewall Tip Protector Powerframe



VIVA

NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL
VIVA ULTRASONIC FULL SUSPENSION IQ	8A2040 D6 001	Power 11 Viva	Radius 14,0 m [160 cm]	153 / 160 / 167 cm	Fiber Matrix Sidewall [IQ] + Quadrapx	Full Suspension System Sidewall Tip Protector Powerframe
VIVA ULTRA SUSPENSION IQ	8A2040 D8 001	Power 10 Viva	Radius 14,0 m [160 cm]	153 / 160 / 167 cm	Fiber Matrix Sidewall [IQ] + Quadrapx	Full Suspension System Sidewall Tip Protector Powerframe
VIVA SPORT IQ	8A2042 F1 001 black	Power 10 Viva	Radius 15,0 m [155 cm]	140 / 145 / 150 / 155 cm	Integral Partial Sidewall [IQ] + Woodcore + Quadrapx	Suspension System Sidewall Tip Protector Powerframe
VIVA 8.0 SUSPENSION	8A2042 F1 002 white	IQ LC 10 Viva	Radius 15,0 m [155 cm]	140 / 145 / 150 / 155 cm	Integral Partial Sidewall [IQ] + Woodcore + Fiberglas	Suspension System Sidewall Tip Protector Powerframe
VIVA 7.6 IQ	8A2043 D6 001	Power 11 Viva	Radius 16,0 m [165 cm]	151 / 158 / 165 cm	Sandwich Sidewall Carbon + Double Quadrapx + Carbon	Suspension Flip Core 3D Spaceframe 3D Sidewall
VIVA 7.4 IQ	8A2044 D8 001	Power 10 Viva	Radius 16,0 m [165 cm]	151 / 158 / 165 cm	Integral Partial Sidewall [IQ] + Woodcore + Fiberglas	Suspension Flip Core 3D Spaceframe 3D Sidewall
VIVA 7.6 IQ	8A2047 F1 001	IQ TC 11 Viva	Radius 13,0 m [156 cm]	142 / 149 / 156 / 163 cm	Integral Partial Sidewall [IQ] + Woodcore + Fiberglas	IQ System Sidewall Tip Protector
VIVA 7.4 IQ	8A2049 F1 001	IQ LC 10 Viva	Radius 13,0 m [156 cm]	142 / 149 / 156 / 163 cm	Integral Partial Sidewall [IQ] + Woodcore + Fiberglas	IQ System Sidewall

FREE MOUNTAIN

NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL
BODACIOUS	8A2060 00 001	Flat	142 / 118 / 132 mm Radius 32,0 m (180 cm)	176 / 186 / 196 cm	Sandwich Sidewall Titanium Woodcore + ISO-Core + Double Bamboo Layer	Flip Core 3D Sidewall
COOHSIE	8A2061 00 001	Flat	135 / 108 / 123 mm Radius 28,5 m (185 cm)	170 / 177 / 185 / 193 cm	Sandwich Sidewall Titanium Woodcore + ISO-Core + Double Titanium Layer	Flip Core 3D Sidewall
BONAFIDE	8A2062 00 001	Flat	133 / 98 / 118 mm Radius 21,0 m (180 cm)	166 / 173 / 180 / 187 cm	Sandwich Sidewall Titanium Woodcore + ISO-Core + Double Bamboo + Titanium	Flip Core 3D Sidewall
KABOOKE	8A2063 00 001	Flat	133 / 98 / 118 mm Radius 21,0 m (180 cm)	166 / 173 / 180 / 187 cm	Sandwich Sidewall Quadrax Woodcore + ISO-Core + Double Quadrax	Flip Core 3D Sidewall
BUSHWACKER	8A2064 00 001	Flat	125 / 88 / 110 mm Radius 19,0 m (180 cm)	159 / 166 / 173 / 180 cm	Sandwich Sidewall Quadrax Woodcore + ISO-Core + Double Quadrax	Flip Core 3D Sidewall
GUNSMOKE	8A2067 00 001	Flat	140 / 114 / 130 mm Radius 23,0 m (186 cm)	179 / 186 cm	Sandwich Sidewall Quadrax Woodcore + ISO-Core + Double Quadrax	Flip Core 3D Double Quadrax
DAKOTA	8A2066 00 001	Flat	134 / 108 / 127 mm Radius 27,0 m (177 cm)	170 / 177 cm	Sandwich Sidewall Quadrax Woodcore + ISO-Core + Double Quadrax	Flip Core 3D Sidewall
SAMBA	8A2067 00 001	Flat	131 / 98 / 116 mm Radius 20,0 m (173 cm)	159 / 166 / 173 cm	Sandwich Sidewall Quadrax Woodcore + ISO-Core + Double Quadrax	Flip Core 3D Double Quadrax
BLACK PEARL	8A2068 00 001	Flat	125 / 88 / 110 mm Radius 18,0 m (173 cm)	152 / 159 / 166 / 173 cm	Sandwich Sidewall Quadrax Woodcore + ISO-Core + Double Quadrax	Flip Core 3D Double Quadrax

MOUNTAINEERING

NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH (RADIUS)	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL
MOUNTAIN ATTACK R	8A2070 00 001	Flat	98 / 65 / 78 mm Radius 24,0 m (167 cm)	161 cm	Sandwich Compund Light Cap Woodcore + ISO-Core	Ultralight Woodcore + Full Carbon Layer + Rapid Skin Fix
MOUNTAIN EXPEDITION	8A2071 00 001	Flat	112 / 74 / 96 mm Radius 47,5 m (167 cm)	149 / 158 / 167 / 176 cm	Sandwich Sidewall Titanium Woodcore + ISO-Core	Sidewall Layer
MOUNTAIN FREE CROSS	8A2072 00 001	Flat	113 / 78 / 100 mm Radius 22,0 m (170 cm)	156 / 163 / 170 / 178 cm	Sandwich Sidewall Titanium Woodcore + ISO-Core	Titanium Layer
MOUNTAIN FREE CROSS	8A2073 00 001	Flat	116 / 74 / 102 mm Radius 75,0 m (180 cm)	146 / 153 / 160 / 167	Integral Fiberglas	

FREE MOUNTAIN



MOUNTAINEERING





TECHNICAL OVERVIEW

JUNIOR



NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH [RADIUS]	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL
GS IQ JR	8A2081 H1 001	IQ 7 - 130-150 cm	107 / 68 / 95 mm Radius 9,0 m (130 cm)	70 / 80 / 90 / 100 Radius 120 / 130 / 140 cm	Integral Fiberglas (IQ)	IQ
	8A2081 I1 001	IQ 4.5 - 130-150 cm	107 / 68 / 95 mm Radius 9,0 m (130 cm)	110 / 120 / 130 / 140 cm	Integral Fiberglas (IQ)	IQ
	8A2080 I1 001	IQ 4.5 - 70-120 cm	107 / 68 / 95 mm Radius 9,0 m (130 cm)	110 / 120 / 130 / 140 cm	Integral Fiberglas (IQ)	IQ
MAGNUM 6.8 IQ JR	8A2083 H1 001	IQ 7 - 130-150 cm	107 / 68 / 95 mm Radius 9,0 m (130 cm)	70 / 80 / 90 / 100 Radius 120 / 130 / 140 cm	Integral Fiberglas (IQ)	IQ
	8A2083 I1 001	IQ 4.5 - 130-150 cm	107 / 68 / 95 mm Radius 9,0 m (130 cm)	110 / 120 / 130 / 140 cm	Integral Fiberglas (IQ)	IQ
	8A2082 I1 001	IQ 4.5 - 70-120 cm	107 / 68 / 95 mm Radius 9,0 m (130 cm)	110 / 120 / 130 / 140 cm	Integral Fiberglas (IQ)	IQ
VIVA IQ JR	8A2085 H1 001	IQ 7 - 130-150 cm	107 / 68 / 95 mm Radius 9,0 m (130 cm)	70 / 80 / 90 / 100 Radius 120 / 130 / 140 cm	Integral Fiberglas (IQ)	IQ
	8A2085 I1 001	IQ 4.5 - 130-150 cm	107 / 68 / 95 mm Radius 9,0 m (130 cm)	110 / 120 / 130 / 140 cm	Integral Fiberglas (IQ)	IQ
	8A2084 I1 001	IQ 4.5 - 70-120 cm	107 / 68 / 95 mm Radius 9,0 m (130 cm)	110 / 120 / 130 / 140 cm	Integral Fiberglas (IQ)	IQ
GUNSMOKE IQ JR	8A2087 H1 001	IQ 7 - 119-129 cm	104 / 70 / 92 mm Radius 9,0 m (129 cm)	99 / 109 / 119 / 129 / 139 cm	Integral Fiberglas (IQ)	Twin Tip
	8A2087 I1 001	IQ 4.5 - 119-129 cm	104 / 70 / 92 mm Radius 9,0 m (129 cm)	99 / 109 / 119 / 129 / 139 cm	Integral Fiberglas (IQ)	Twin Tip
	8A2086 I1 001	IQ 4.5 - 99-109 cm	104 / 70 / 92 mm Radius 9,0 m (129 cm)	99 / 109 / 119 / 129 / 139 cm	Integral Fiberglas (IQ)	Twin Tip

RENTAL

NAME MODEL	ART.N.	RECOMMENDED BINDING / ACCESSORY	SIDE CUT	LENGTH [RADIUS]	CONSTRUCTION CORE	TECHNOLOGY REINFORCEMENT MATERIAL
WSC - R IQ	8A2090 G5 001	IQ LT 10 CMR	120 / 73 / 104 mm Radius 15,0 m (187 cm)	146 / 153 / 160 / 167 174 cm	Integral Sidewall (IQ) + Woodcore + Fiberglass	IQ System Sidewall Tip Protector Powerframe + Rental Kicker + Barcode Label + Resistant Topsheet
MAGNUM 7.3 R IQ	8A209C G5 001	IQ LT 10 CMR	120 / 73 / 104 mm Radius 15,0 m (187 cm)	146 / 153 / 160 / 167 174 cm	Integral Sidewall (IQ) + Woodcore + Fiberglass	IQ System Sidewall Tip Protector Powerframe + Rental Kicker + Barcode Label + Resistant Topsheet
G-FORCE SPORT - R IQ	8A2091 G5 001	IQ LT 10 CMR	117 / 72 / 99 mm Radius 16,0 m (185 cm)	140 / 145 / 150 / 155 160 / 165 / 170 / 175 cm	Integral Partial Sidewall + Fiberglass	IQ System Sidewall Tip Protector Powerframe + Rental Kicker + Barcode Label + Resistant Topsheet
RTX - RACE + FASTRAK 3	Fastrak 3	8A2092 L1 002 - red	116 / 74 / 102 mm Radius 15,0 m (180 cm)	139 / 144 / 153 / 160 / 174 cm	Integral Fiberglas	Tip Protector + Barcode Label + Resistant Topsheet
RTX - RACE [FLAT]	Flat	8A2093 00 002 - red	116 / 74 / 102 mm Radius 15,0 m (160 cm)	139 / 144 / 153 / 160 / 167 cm	Integral Fiberglas	Tip Protector + Barcode Label + Resistant Topsheet
Fastrack JR 4,5 S 70 - 120	Fastrack JR 7,0 L 130 - 140	8A2094 L3 001	70 / 80 / 90 / 100 Radius 10,0 m (140 cm)	106 / 67 / 95 mm Radius 10,0 m (140 cm)	Integral Fiberglas	Tip Protector + Barcode Label + Resistant Topsheet
	F	8A2093 00 001	70 / 80 / 90 / 100 Radius 10,0 m (140 cm)	106 / 67 / 95 mm Radius 10,0 m (140 cm)	Integral Fiberglas	Tip Protector + Barcode Label + Resistant Topsheet
CARVELINO	Fastrak 3	8A2098 L1 001	99 cm	108 / 88 / 110 mm Radius 9,0 m (99 cm)	Integral Fiberglas	
	F	8A2099 A 00 001	99 cm	108 / 88 / 110 mm Radius 9,0 m (99 cm)	Integral Fiberglas	

NETWORK SALES

COUNTRY

GERMANY

LOWA SPORTSCHUHE GMBH
HAUPTSTR. 19
85305 JETZENDORF
Tel. 0049-8137-99 99 71
Fax 0049-8137-99 95 71
info@blizzard.de
www.blizzard-ski.de

AUSTRIA

TECNICA GROUP AUSTRIA GMBH
KLAUSGASSE, 32
5730 MITTERSILL
Tel. 0043-6562 4510
Fax 0043-6562 4510 130
office@t-groupaustria.at
www.blizzard-ski.com

SWITZERLAND

LOWA SCHUHE AG-INTERLAKEN-CH
WENGELACHER
3800 MATTEN-INTERLAKEN
Tel. 0041 33 828 11 44
Fax 0041 33 828 11 40
contact@tecnica-blizzard.ch
www.lowa.ch

USA

TECNICA GROUP USA CORP
19 TECHNOLOGY DR.
3784 WEST LEBANON NEW HAMPSHIRE
Tel. 1-603-298 8032
Fax 1-603 298 5790
tecnica@tecnicausa.com
www.blizzardsportusa.com

CANADA

TECNICA GROUP CANADA
5895, BESSETTE STREET
H4S 1P1 ST.LAURENT, QUEBEC
Tel. 1-800-361 9090
Fax 1-800-561 2838
info@tecnicagroup.ca
www.blizzardsportcanada.com

JAPAN

TECNICA GROUP JAPAN LTD
3F HONGO TK BUILDING 1-28-10
HONGO, BUNKYO-KU 113033 TOKYO
Tel. 00813-58026277
Fax 00813-58026278
info@tecnica-group.co.jp
www.tecnica-gropu.co.jp

CHINA

BEING TECNICA SPORT EQUIPMENT CO. LTD
EQ.CO. LTD RM 1202 SOUTH TWR N.8
DONGDAQIAO RD SOHO SHANGDU
CHAOYANG DISTRICT, 100020 BEIJING
Tel. 86 10 59001245
Fax 86 10 59001249

FRANCE

TECNICA GROUP FRANCE-BLIZZARD
PARC LE GLAISINS 20-RUE DE PRÉ
FAUCON 74940 ANNECY LE VIEUX
Tel. 0033 450 641 000
Fax 0033 450 641 004
info@tecnica.fr
www.tecnica.fr

DISTRIBUTORS

ARGENTINA

THE EDGE SPORTS SA
SUYPACHA 211/4B CAPITAL FEDERAL
BUENOS AIRES (C1008AAE)
ARGENTINA
Tel. + 54 11 4327 2993/4
Mobile: 54 11 9 4470 3803
Fax + 54 11 4326 8745
danielirigoy@hotmail.com

AUSTRALIA

THE SPORT MECHANICS PTY LTD
27 PARK RD
3192 CHELTENHAM-VICTORIA
Tel. +61 29913 2192
Fax +61 3 95849 133

BELGIUM-LUXEMBOURG

AMIGO N.V./ S.A.
INDUSTRIETERREIN DE VILLE
BROWNFIELDLAAN 3
2830 WILLEBROEK
Tel. 0032-3-866 3930
Fax 0032-3-886 0998
info@amigo.be
www.blizzard-ski.be

BULGARIA

MAX SPORTS
LUBEN KARAVELOV STR.
1142 SOFIA
Tel. 00359 2 980 9401
Tel. 00359 2 987 67 52
Fax 00359 2 981 7330
marketing@maxsport-bg.com
www.maxsport-bg.com

CZECH REP-SLOVAKIA

SNOW-HOW CR s.r.o.
ZDEBRADSKA, 56
25101 RICANY-JAZLOVICE
Tel. 0042 (0) 323-627 607
Fax 00420 323 627 600
snowhow@blizzard.cz
www.blizzard.cz

CHILE

COMERCIAL VALLE AMRARILLO SA
AV. LAS CONDES 7360
LAS CONDES SANTIAGO
Tel. 0056 2 246 68 74
Fax 0056 2 229 6716
danielhofmann@labolsadelski.cl

DENMARK

WOHLK SPORTWEAR ApS
MALLING BJERGEVEJ, 78
8340 MALLING
Tel. 0045 8693 1444
Fax 0045 8693 1488
www.he-sport.dk

FINLAND

SCAND TRADE SCANDINAVIA AB (S)
MARTINKYLAENTIE 41C
01720 VANTAA
jarmo.homm@scandtrade.fi

GREECE

NIKOLAOS BOUBAS
VIOTIAS HELLAS
32004 ARAHOVA
Tel. 0030 69 4461 9415
Fax 0030 26 5604 2514

IRAN

CUP SPORT PUREYA
EKSIR KISH, NO1, PAYTAHT ARCADE,
FERDOUS ALLEY, MONIRIEH SQUARE
TEHERAN
Tel. +98 21 66950971
Fax +98 21 8890 3516
info@cupsports.com

ICELAND

UTILIF
ALFHEIMAR 74
104 REYKJAVIK
Tel. +36 1 21 75 179
Fax +36 1 21 75 179
utilif@utilif.is

ISRAEL

SKIMULATOR LTD
EMEK HEFER INDESTRY ZONE
38800 EMEK HEFER INDESTRY ZONE
Tel. +972 4 62 22 055
Fax + 972 4 62 22 086
maayan@skimulator.co.il
www.skimulator.co.il

KAZAKISTAN

PRITA SPORT LAND
TOLE BE STREET 79
480091 ALMATY
Tel. +7 327 2677 072
Fax +7 327 2737 576
natalia_k@nssgroup.kz

KIRGIKISTAN

LLC SPORT EXPERT
73/1 MIRA AVENUE
720044 BISHKEK
Tel. 00996 312 694 948
Fax 00996 312 499 057

KOREA

COSMO SNF CO LTD
COSMO BLDG 1534-5
SEOCHO-DONG SEOCHO-GU
137070 SEOUL
Tel. 0082 2 5806930
Fax 0082 2 5816929
beckhan@cosmoleports.com

KOSOVO

NTSH MODEX
STR. XHEMAJL PRISHTINA 42
10010 PRISHTINA KOSOVO
Tel. 00381 38 23896
Fax 00381 38 55141

NEW ZEALAND

JONES BROTHERS LTD
56 HUTT ROAD
PETONE, WELLINGTON
Tel. 0064 456 84051
sean@jbros.co.nz
www.jonesbros.co.nz

NETHERLANDS

TORNADO SPORT B.V
KOPELAGER 7
6422 PR HEERLEN
Tel. 0031 45 546 66 00
Fax 0031 45 546 66 10
verkoop@tornado-sport.nl
www.tornado-sport.nl

NORWAY

RAMO AS
POSTBOKS 131
1471 LORENSKOG
Tel. +47 67 91 02 00
Fax +47 67 91 02 01
thomas@ramo.no
www.ramo.no

POLAND

GREENLAND GROUP Sp.z.o.o.
PLAC KARPECKIEGO, 3
43-190 MIKOŁOW
Tel. 0048 32 3260 835
Fax 0048 32 3260 837
greenland@greenland.com.pl
www.greenland.com.pl

SPAIN

BM SPORTECH S.A.
PLAT LOG.PLA-ZA C/TERRACINA,12
50197 ZARAGOZA
Tel. 34-876 2691 00
Fax 34-976 3224 53
alberto.mastral@bmsportech.es
www.bmsportech.es

SWEDEN

SCAND TRADE SCANDINAVIA AB (S)
BOX 24038
4022 GOTEBORG
Tel. 0046 141202700
peter.engstrom@scandtrade.se

SLOVENIA -CROAZIA -SERBIA

EUROSPORT TRADE D.O.O.
MASERA SPASICEVA UL.8
1000 LJUBLJANA
Tel. 00386 1 530 96 50
Fax 00386 1 530 96 60
info@eurosport-trade.si
www.eurosport-trade.si

TURKEY

SLALOM SPORT EXTREME
SPORTS SHOPS
BAGDAT CAD. ERKER APT NO.368 D.
10 SASKİNBAKKAL - İSTANBUL
Tel. 0090 216 368 7728
Fax 0090 216 467 3949
emregez@slalomsporth.com

UKRAINE

NIALA LTD.
STR.I.FRANKO6.SLAVSKO
82660 LVIV REGION
Tel. 38 050 5466898
kk@niala.com.ua

UK

T.K.C. SALES LTD.
THE OLD SPITFIRE HANGAR
BA14 6EP STEEPLE ASHTON,
WILTSHIRE
Tel. 0044 (0)1380 872950
Fax 0044 (0)1380 872969
www.tkcsales.co.uk
tecnica@tkcsales.co.uk
blizzard@tkcsales.co.uk

HUNGARY

HEFA SPORT KFT
FENYVES U.21
H-8200 VESZPREM
Tel. 0036 88 563 041
Fax 0036 88 422 244
tecnica@informax.hu
www.blizzard.hu
www.tecnica.hu



Blizzard is a division of Tecnica Group S.p.A.

31040 Giavera del Montello (TV) Italia
T +39 0422.8841 F +39 0422.775.178
marketing@blizzard-ski.com
www.blizzard-ski.com